


Protection at work | Eye protection



Product catalogue 2021

Spectacles - plastic & metal frames | over-spectacle & visitor safety spectacles full-view safety goggles face-protection visors | welding protection















In this catalogue

| | INFIELD Safety | | Page |
|---|------------------------------|--|---------|
| 0 | The company | Company Profile: INFIELD® - Safety Solutions for your protection | 3 |
| | | Range: products for protection at work and more | 138-139 |
| | Product quality | | |
| 0 | Product quality marks | DIN EN 166 quality marks spectacle marking | 4-5 |
| | | Lens codes and article numbers | 6 |
| | Spectacle frame technology | | |
| 0 | Frames for safety spectacles | Perfect fit & optimal retention: INFIELD Safety spectacle frames | 7 |
| | Safety-lens technology | | |
| 0 | Lens tints and coatings | Explanations & technical data | 8-9 |
| 0 | Coating technology | Spectacle glass coatings for all work situations | 10-11 |
| | | CLEAR SAR ANTIREFLEX Super anti-reflection safety lenses | 14 |
| 0 | Lens materials & properties | The right material for every need | 12-13 |

EYE PROTECTION PRODUCTS 2021

Overviews with illustrations can be found on the respective homepages

| Plastic frame spectacles | f. p. 18 |
|--------------------------|----------|
| Model | Page |
| TERMINATOR X-TRA | 20-23 |
| TERMINATOR PLUS | 24-25 |
| TERMINATOR PLUS DIOPTRIE | 26-27 |
| TERMINATOR | 28-35 |
| TERMINATOR SMALL | 36-37 |
| FLEXOR PLUS | 38-39 |
| FLEXOR PLUS OUTDOOR | 40-41 |
| FLEXOR PLUS XL | 42-43 |
| MILOR | 44-45 |
| PROTOR | 46 |
| PREVENTOR | 47 |
| VICTOR | 48-49 |
| VICTOR SMALL | 50-51 |
| SENATOR | 52-53 |
| WINDOR WINDOR XL | 54-55 |
| MIRADOR | 56 |
| MATADOR | 57 |
| VELOR | 58 |
| VELOR DIOPTRIE | 59 |
| COMBOR | 60-61 |
| RAPTOR | 62-63 |
| CONDOR | 64 |
| TENSOR | 65 |
| EXOR | 66-67 |
| PRIMOR | 68 |
| VOLTOR | 69 |
| HUNTOR | 70 |
| NESTOR NESTOR SMALL | 71 |
| VISION 12 | 72 |
| VISION 12 READER | 73 |
| OPTOR | 74 |
| OPTOR PLUS | 75 |
| OPTOR XXS | 76 |
| OPTOR XXS PLUS | 77 |
| SUPERIOR | 78 |
| OPTOR CLIP OUTDOOR | 79 |

| SAR Safety Glasses | f.p. 14 | |
|-----------------------|---------|--|
| Model | Page | |
| TERMINATOR ANTIREFLEX | 15 | |
| VICTOR ANTIREFLEX | 16 | |
| ONTOR ANTIREFLEX | 17 | |
| | | |

| Metal frame spectacles | f.p. 80 |
|------------------------|---------|
| Model | Page |
| STEELOR | 82 |
| STRATOR | 83 |
| VISION M 1000 | 84 |
| VISION M 3000 | 85 |
| VISION M 4000 | 85 |

| Visitor/over-glasses | f.p. 86 | |
|----------------------|---------|--|
| Model | Page | |
| ONTOR | 88-89 | |
| OVOR | 90 | |
| VISITOR VISITOR XL | 91 | |

| Full-view safety goggles | f.p. 92 |
|--------------------------------------|---------|
| Model | Page |
| DEFENDOR | 94-95 |
| DEFENDOR XL | 96-97 |
| GONDOR | 98-99 |
| VENTOR | 100 |
| AVIATOR | 101 |
| PREVENTOR als Vollsicht-Schutzbrille | 102 |
| MIRADOR + KOPFBAND | 103 |
| PANTOR | 104 |
| PANTOR SHIELD | 105 |

| Face-protection visors | f.p. 106 | |
|------------------------|----------|--|
| Model | Page | |
| ULTRAVISOR | 107 | |
| SECTOR | 108 | |
| HECTOR | 109 | |

| Welder protection welding | f.p. 110 |
|-----------------------------|----------|
| Model | Page |
| RAPTOR | 112-113 |
| TERMINATOR | 114-115 |
| TENSOR | 116 |
| ONTOR | 117 |
| VISITOR | 118 |
| OPTOR CLIP | 119 |
| CLIPTOR | 120 |
| ULTRAVISOR | 121 |

| f.p. 122 |
|----------|
| Page |
| 122 |
| 123 |
| 124-125 |
| 131 |
| |

| BLUECUT - Technology | f.p. 126 | |
|------------------------|----------|--|
| Model | Page | |
| VICTOR BLUECUT | 128 | |
| TERMINATOR BLUECUT 580 | 129 | |
| OPTOR CLIP BLUECUT580 | 130 | |

| Accessories | f.p. 132 | |
|--------------------------|----------|--|
| Article | Page | |
| Glasses Cleaning Station | 133 | |
| Cleaning | 134 | |
| Storage | 135 | |
| Lamp Accessoires | 136 | |
| Product presentation | 137 | |

| Article-No Overview p |). | 140-142 |
|-----------------------|----|---------|
| | | |

Nach Artikelnummern sortierte Produkt-Listen der Schutzbrillen & Zubehörartikel

| Notes | p. 143 |
|-----------------------|--------|
| Raum für Ihre Notizen | |

Company Profile

INFIELD® - Safety Solutions for your protection!

INFIELD Safety is a manufacturer of tailored, high-quality safety spectacles and individual hearing protection devices. Since its inception in the 1990s INFIELD SAFETY has specialized in all issues concerning vision in the workplace and been a major presence in the market for personal protective equipment (PPE) products.

Particularly in the provision of safety spectacles for spectacle wearers (corrective protection glasses) INFIELD Safety now leads the market in Germany. For over 30 years great emphasis has been placed on functionality and design in the manufacture & development of safety spectacles. Supplying glasses for use with visual display units is also becoming more and more important. Here, too, INFIELD Safety offers individual solutions.

INFIELD Safety is a member of the Essilor Group, the global market leader in spectacle lenses. The success of the group, which operates in over 100 countries, is based on an old unbroken strategy of ongoing development for more than 160 years. From design to production INFIELD Safety develops a wide range of products that support, correct and protect the human eye.





INFIELD Safety is member of the ESSILOR Group

Current brochures & information



Safety glasses for glasses wearers Product catalogue



Ear protectionProduct catalogue




OFFICE-EYEWEARInformation about PC work glasses at VDU workstations



DIN EN 166 quality marks

Safety lens marking

The engraving on the upper edge of the safety lens contains only the most important information, so as not to obstruct the field of vision.



| Safety lens product marking | | |
|-----------------------------|---|--|
| Mark | Meaning | |
| 2C - 1,2 * | Filter/tint protection grade (UV radiation, colour coding, see pp. 6-7) | |
| GA | ID mark of the manufacturer INFIELD | |
| 1 | Optical class | |
| S F B oder A* | Mechanical strength | |
| Т | Mechanical strength in extreme temperatures | |
| 3 4 5 8 9* | Field of application combinations possible | |
| K | Resistance to scratches | |
| N | Anti - Fog | |
| CE | Conformity mark | |
| * Ontional accordi | ing to certification or area of use | |





Meets the requirements of PSA Guideline 89/686/EEC for workplace safety spectacles

| Spectacle-fi | rame product coding |
|---------------------|--|
| Mark | Meaning |
| GA | ID mark of the manufacturer INFIELD |
| 166 | Number of the EN DIN 166 standard |
| S F B oder A* | Mechanical strength |
| Т | Mechanical strength in extreme temperatures |
| 3 4 5 8 9 * | Field of application combinations possible |
| CE | Conformity mark |
| * Optional accordin | g to certification or area of use |

GA 166 F T 3 **(€**

Spectacle frame marking

You can see the spectacle frame marking printed clearly on the frame itself. It is only valid with the CE quality mark.

Spectacle marking

Filter-action / tint safety level


Detailed information on INFIELD safety-lens technology can be found on pages 8-9 of this catalogue.

Optical class

There are 3 different optical classes providing a qualitative grading of lenses. All our safety lenses are in Optical Class 1, corresponding to the highest quality level.

| Mechanical strength coding | | |
|----------------------------|---|--|
| Code | Meaning strength | |
| none | minimum strength | |
| S | enhanced strength | |
| F | low-energy impact (45 m/s) | |
| В | medium-energy impact (120 m/s) | |
| Α | high-energy impact (190 m/s) | |
| Т | protection against high-speed particles at extreme temperatures | |

| Field of application coding | | |
|-----------------------------|--------------------------------|--|
| Code | Meaning field of application | |
| none | standard application | |
| 3 | liquids | |
| 4 | grit | |
| 5 | gases and dust | |
| 8 | fault arc (safety face visor) | |
| 9 | molten metal and hot solids | |
| | | |



The positioning of marking is not specified. It is important that marking on safety lenses does not obstruct the wearer's field of vision.



Lens codes & article numbers

Composition of article numbers

You can see how our article-numbering system works below.

| Art. no.: safety spectacles | Model | Colour | Lens code |
|-----------------------------|-------|--------|-----------|
| Bsp: TERMINATOR Blue | 938 | 1 | 105 |

Information on the lens codes of safety spectacles

| Lens code | Name | Mat. | Colour | Coating | UV protection | Light trans- mission | Lens coding |
|--------------|----------------------------|---------------|---------------------|----------------|------------------|-------------------------|------------------------|
| 000 | Hard Glass | Hard Glass | Clear | none | 70% | 91% | 2C-1,2 GA 1 S CE |
| 006 | PC HC AF AS UV | PC | Clear | Clear HC AF AS | 100% | 91% | 2C-1,2 GA 1 F K N CE |
| 105 | PCHCUV | PC | Clear | Clear HC | 100% | 91% | 2C-1,2 GA 1 F K CE |
| 109 | PC SAR HC UV | PC | Clear | Clear SAR | 100% | 96% | 2C-1,2 GA 1 F CE |
| 111 | PCUV | PC | Clear | Clear | 100% | 91% | 2C-1,2 GA 1 F CE |
| 120 | PC CONTRAST HC UV | PC | Orange | CONTRAST HC | 100% | 47% | 2-1,7 GA 1 FT K CE |
| 125 | PC CONTRAST HC UV | PC | Amber | CONTRAST HC | 100% | 89% | 2-1,2 GA 1 FT K CE |
| 130 | PC SUN UV | PC | Blue Mirrored | MIRROR | 100% | 20% | 5-2,5 GA 1 FT CE |
| 131 | PC WE 1,7 HC UV | PC | Green | WELDING | 100% | 43% | 1,7 GA 1 F K CE |
| 132 | PC WE 2 HC UV | PC | Green | WELDING | 100% | 34% | 2 GA 1 F K CE |
| 133 | PC WE 3 HC UV | PC | Green | WELDING | 100% | 13% | 3 GA 1 F K CE |
| 135 | PC WE 5 HC UV | PC | Green | WELDING | 100% | 2% | 5 GA 1 F K CE |
| 136 | PC WE 6 HC UV | PC | Green | WELDING | 100% | 1% | 6GA1FKCE |
| 140 | PC SUN UV | PC | Silver Mirrored | MIRROR | 100% | 20% | 5-2,5 GA 1 FT CE |
| 145 | PC SUN UV | PC | Light Gold mirrored | MIRROR | 100% | 53% | 5-1,7 GA 1 FT CE |
| 147 | PC IR 4-1,7 HC UV | PC | Green 4-1.7 | INFRAROT | 100% | 55% | 4-1,7 GA 1 F CE |
| 150 | PC HC UV | PC | Clear (+1.50 Dpt) | Clear HC | 100% | 93% | 2C-1,2 GA 1 F K CE |
| 155 | PC AF AS UV | PC | Clear | Clear AF AS | 100% | 93% | 2C-1,2 GA 1 F N CE |
| 165 | PC HC/AF AS UV | PC | Clear | Clear HC/AF AS | 100% | 93% | 2C-1,2 GA 1 B CE |
| 190 | PC Photchromic HC AF AS UV | PC | Photchromic | PHOTOTROP | 100% | 31% bis 87% | 5-1,1<2 GA 1 FT K N CE |
| 200 | PC HC UV | PC | Clear (+2.00 Dpt) | Clear HC | 100% | 93% | 2C-1,2 GA 1 F K CE |
| 255 | AC AF AS | AC | Clear | Clear AF AS | 100% | 93% | 2C-1,2 GA 1 F N CE |
| 250 | PC HC UV | PC | Clear (+2.50 Dpt) | Clear HC | 100% | 93% | 2C-1,2 GA 1 F K CE |
| 625 | PC SUN HC UV | PC | Grey | SUN | 100% | 23% | 5-2,5 GA 1 F K CE |
| 625 AF | PC SUN AF AS UV | PC | Grey | SUN | 100% | 23% | 5-2,5 GA 1 F N CE |
| 695 | PC POL UV | PC | Grey | POLARISATION | 100% | 10% | 5-3,1 GA 1 FT CE |
| 735 | AC WE 5 | AC | Green | WELDING | 100% | 2% | 5 IV 1 F 9 CE |
| 824 | PC UV 530 | PC | Orange | UV 530 | 100% | 44% | 2-1,7 GA 1 FT K CE |
| 886 | PC SUN UV | PC | Red/Brown Mirrored | MIRROR | 100% | 12% | 2-3 GA 1 FT CE |



Designation (abbreviation): UV

INFIELD Safety safety lenses marked 'UV' absorb 100% of UV rays that damage the human eye.

Special temples for safety spectacles

Perfect fit and optimal retention

The temple is an important part of a pair of safety spectacles, as it is mainly responsible for their fit and comfort. INFIELD Safety provides a range of needs-based solutions.



Softflex Fit

The soft flexible loop of the Softflex Fit temple absorbs the tractive force of the frame and prevents pressure points developing behind the ear. Additionally, the rubberized temple tip, with its metal core, snugly accommodates the shape of the head and ensures that the safety spectacle fits perfectly and do not slip. The length-adjustable temple can also be adapted to the wearer's individual anatomy.



Easy Fit

This all-purpose temple stabilizes the glasses with its anatomically-shaped temple and flexible material. It allows the wearing position of the safety spectacle to adjust automatically to the wearer without exerting uncomfortable pressure.



Easy Fit Soft – Temple with additional rubber lining

Together with its additional soft rubber lining, this optimized Easy Fit temple ensures an even better fit and comfortable positioning of the safety spectacle, especially in the event of heavy perspiration.



Basic Fit - Metal temple with slip-secure rubber tip

With its deformable metal core, this standard variant can be adjusted to the anatomical shape of every head.



Soft Touch

The intelligent combination of two synthetic materials. The Soft Touch component, adjacent to the head and ear, provides a comfortable and slip-secure fit, whereas the somewhat more rigid synthetic part preserves the shape of the spectacle frame. By means of its length adjustability, the temple can also be adapted to the anatomical shape of the head.



Ergo Fit

This ergonomically-shaped temple is modelled on the natural shape of the head. This means that the spectacles sit safely without exerting pressure. The special soft cushion on the temple tip protects the head from side impacts and also ensures a comfortable fit.



Lens tints

Below you will find an overview of the different tints of the protective lenses for face protection glasses.

CLEAR colourless

| Available for lens material(s) | Polycarbonate, acetate |
|--------------------------------|------------------------|
| Standard | EN 166, EN 170 |
| UV protection | UV 385 |
| Optical quality | class 1 |
| Transmission | 91 to 96% |
| Lens designation | 2C-1,2 |

CLEAR colourless lenses are available in a number of designs with a range of coatings. More information on our coating technologies can be found on subsequent pages of this catalogue.



CONTRAST Amber

| Available for lens material(s) | Polycarbonate |
|--------------------------------|----------------|
| Standard | EN 166, EN 170 |
| UV protection | UV 385 |
| Optical quality | class 1 |
| Transmission | 89% |
| Lens designation | 2-1,2 |

Enhanced contrast for work in low light conditions.



CONTRAST Orange

| Available for lens material(s) | Polycarbonate |
|--------------------------------|----------------|
| Standard | EN 166, EN 170 |
| UV protection | UV 385 |
| Optical quality | class 1 |
| Transmission | 47% |
| Lens designation | 2-1,7 |


Enhanced contrast + anti-dazzle protection for work in low light conditions in the open air.



SUN Grey

| Available for lens material(s) | Polycarbonate |
|--------------------------------|------------------------|
| Standard | EN 166, EN 170, EN 172 |
| UV protection | UV 385 |
| Optical quality | class 1 |
| Transmission | 23% |
| Lens designation | 5-2,5 |

Anti-glare protection in sunlight



MIRROR Blue & Silver

| Available for lens material(s) | Polycarbonate |
|--------------------------------|------------------------|
| Standard | EN 166, EN 170, EN 172 |
| UV protection | UV 385 |
| Optical quality | class 1 |
| Transmission | 20% |
| Lens designation | 5-2,5 |

Protection from extreme natural and artificial glare and dissipation of radiated heat.



POLARISING

| Available for lens material(s) | Polycarbonate |
|--------------------------------|----------------|
| Standard | EN 166, EN 172 |
| UV protection | UV 385 |
| Optical quality | class 1 |
| Transmission | 10% |
| Lens designation | 5-3,1 |

Polarising lenses are perfect for water activities and very bright outdoor areas. With increased contrasts and unadulterated color representation it provides concentration and fatigue-free working.



Lens tints

MIRROR light Gold

| Available for lens material(s) | Polycarbonate |
|--------------------------------|------------------------|
| Standard | EN 166, EN 170, EN 172 |
| UV protection | UV 385 |
| Optical quality | class 1 |
| Transmission | 53% |
| Lens designation | 5-1.7 |


Protection from glare in varying light conditions



MIRROR Red/Brown

| Available for lens material(s) | Polycarbonate |
|--------------------------------|------------------------|
| Standard | EN 166, EN 170, EN 172 |
| UV protection | UV 385 |
| Optical quality | class 1 |
| Transmission | 12% |
| Lens designation | 2-3 |


Protection from glare during sport and leisure activities



BLUECUT 420 | 530 | 580

| Available for lens material(s) | Polycarbonate | | | | | |
|--------------------------------|----------------------------------|--|--|--|--|--|
| Standard | EN 166, EN 170, EN 172 | | | | | |
| UV protection | UV 400 | | | | | |
| Optical quality | Klasse 1 | | | | | |
| Transmission | 44 - 68% | | | | | |
| Lens designation | 2C-1,4 (420 / 530) / 2-1,7 (580) | | | | | |

Protection from high-level UV radiation and Blue-light stress, e. g. medical environments.



INFRARED

| Available for lens material(s) | Polycarbonate |
|--------------------------------|------------------------|
| Standard | EN 166, EN 170, EN 171 |
| UV protection | UV 400 |
| Optical quality | class 1 |
| Transmission | 55% |
| Lens designation | 4-1,7 |


Protection from Infrared radiation emitted from kilns and furnaces, for example.



WELDING

| Available for lens material(s) | Polycarbonate |
|--------------------------------|----------------|
| Standard | EN 166, EN 169 |
| UV protection | UV 400 |
| Optical quality | class 1 |
| Transmission | 1 to 43% |
| Lens designation | 1,7/2/3/5/6 |

A range of safety lenses for a variety of applications in welding operations. From welding to flame-cutting, 5 levels of welder protection are available.



PHOTOCHROMIC

| Available for lens material(s) | Polycarbonate |
|--------------------------------|----------------|
| Standard | EN 166, EN 172 |
| UV protection | UV 385 |
| Optical quality | class 1 |
| Transmission | 12 to 82% |
| Lens designation | 5-1,1 |
| | |

Safety lenses with a self-activating filter, which quickly quickly Reduces glare from solar radiation. The variable auto-tint function makes safety spectacles with this coating suitable for frequent and rapidly changing light conditions.





Coating technology

Ooptimal protection in all work situations

Our **coating**s are based on many years' experience developing products for personal protection equipment (PPE). Our problem-specific solutions for every hazardous situation.



CLEAR HC – super scratch resistant



CLEAR HC

Coating(s):

Designation (abbreviation): HC

Hard Coating

This special lacquer coating greatly enhances scratch-resistance on both surfaces of the lens. The hard layer also improves protection against chemical attack.

Areas of application: this coating is suitable for environments in which the safety spectacles need frequent cleaning. Dust and grit are just as easily removed as thin and viscous fluids.

CLEAR AF AS - anti-fog, scratch-resistant, antistatic



CLEAR AF AS

Coating(s):

Designation (abbreviation):

anti-fog AF

anti-fog anti-static

AS

This coating makes safety lens scratch-resistant, anti-fog and antistatic on both the inner and outer surfaces. In particular, a combination of anti-fog and antistatic effects ensures clear vision for long periods. The lens surfaces remain dirt-free for longer and are more easily cleaned.

Areas of application: this coating is suitable for work in constantly changing temperatures, when perspiration build-up is a problem and/or for activities in moist, warm and dusty environments.

Coating technology

CLEAR AFP - super scratch-resistant, anti-fog, antistatic



CLEAR AFP

Coating(s):

Designation (abbreviation):

hard coating anti-fog anti-static HC

The perfect coating combination of INFIELD CLEAR HC and CLEAR AF AS with enhanced scratch-resistance and anti-fog on both the inner and outer surfaces of the glasses. This improved anti-fog effect ensures that the glasses are fog resistant even with extreme temperature fluctuations. The enhanced scratch-resistance provides greater protection from external effects.

Areas of application: this coating is suitable for environments in which the safety spectacles need to be cleaned frequently. Dust and grit are just as easily removed as thin and viscous fluids. Additionally, this coating is suitable for work in constantly changing temperatures, when perspiration build-up is a problem and/or for activities in moist, warm and dusty environments.

CLEAR SAR – super anti-reflection



CLEAR SAR

Coating(s):

Designation (abbreviation):


super anti-reflex SAR

hard coating

CLEAR SAR eliminates practically all distracting reflections. Particularly in working environments where safety spectacles have to be worn under bright artificial light, this super anti-reflection effect helps prevent tired eyes and supports concentration. With their additional hard layer, safety lenses with CLEAR SAR are also scratch and chemical-resistant.

Areas of application: this coating is particularly suited to production areas where safety spectacles have to be worn and to industrial environments with strong artificial light, e.g. assembly shops.

> Further information on CLEAR SAR can be found on page 14.






Safety lens materials ...

The right material for every requirement

The choice of the right safety-lens material depends on the intended use, working environment and field of activity. INFIELD Safety safety lenses are made from both plastic and mineral glass.



... and their properties

Plastic

Plastic lenses are particularly useful because they weigh so little. Safety lenses made of Polycarbonate are especially good at protecting against mechanical hazards. Acetate lenses are particularly resistant to chemical attack.



Mineral glass

Safety lenses made of mineral glass are recommended for very dusty and sandy working environments, as this material exhibits the highest resistance to scratching.





CLEAR SAR AntiReflex



SUPER ANTI REFLECTION SAFETY GLASSES | CLEAR SAR



TERMINATOR - ANTIREFLEXPage 15



VICTOR - ANTIREFLEX
Page 16



ONTOR - ANTIREFLEX
Page 17

TERMINATOR - ANTIREFLEX





The Best seller with Super anti reflection coating

RX-Clip

Metal

Extra

The **TERMINATOR - ANTIREFLEX** with super anti reflection coating is particularly suitable for long periods working under bright artificial light. Disturbing reflections generated by bright light sources, can severely impact the eye over an entire working day. The super anti reflective coating reduces these disturbing reflections and ensures a work free of fatigue.



TERMINATOR 27 g GA 166 FT CE **Soft Touch ANTIREFLEX Polycarbonate** 100% 10 pcs. Lens material Packing unit Temple technology Features Weight Code - version UV protection Features & Quick Info Lightweight Soft adjustable nose pad Customized configuration or Length-adjustable temple Easy to change safety lens branding with colour and logo on request Individually adjustable safety lens angle Prescription eyewear option with the RX-Clip FRAME PROPERTIES **LENS PROPERTIES TERMINATOR-ANTIREFLEX** Fig. [1] HC SAR 2C - 1.2 GA1FCE 9380 109 Black Clear

Easy-to-fit clip insert

Plastic for individual prescription

TERMINATOR RX-Clip



VICTOR - ANTIREFLEX

More comfortable with new softer temple materials

New Design





Sporty Design with Super anti reflection coating

The **VICTOR - ANTIREFLEX** with super anti reflection coating is particularly suitable for long periods working under bright artificial light. Disturbing reflections generated by bright light sources, can severely impact the eye over an entire working day. The super anti reflective coating reduces these disturbing reflections and ensures a work free of fatigue.



VICTOR

ANTIREFLEX 30 g GA 166 F CE Polycarbonate 100% 10 pcs. Easy Fit Soft

Features Weight Code - version Lens material UV protection Packing unit Temple technology

Features & Quick Info

Best comfort due to new materials

Additional rubber lip prevents the ingress of foreign bodies from above

Unrestricted field of vision

Sporty design

Customized configuration or branding with colour and logo on request

| Fig. | FRAME PROPERTIES | | | VICTOR-ANTIREFLEX | | | | | |
|----------|---|----|------------|-------------------|----------|--------|-------------|--|--|
| no. | frame colour(s) | co | pating(s)* | | | | article no. | | |
| [1] | Grey Turquoise | НС | SAR | Clear | 2C - 1,2 | GA1FCE | 9753 109 | | |
| * Coatir | * Coatings: HC = scratch-resistant AF AS = anti-fog, antistatic, scratch-resistant HC AF AS = scratch-resistant, anti-fog, antistatic SAR super anti-reflex | | | | | | | | |

ONTOR - ANTIREFLEX





Universal Safety Glasses with Super anti reflection coating

The **ONTOR - ANTIREFLEX** with super anti reflection coating is suitable for wearing on their own or over private prescription spectacles. Strong reflections can occur when using spectacles. The super anti reflection coating reduces these disturbing reflections and ensures a more effortless working day.

Turquoise

ONTOR

[1]

Black



| AN | ΓIREFLEX | 44 g | GA 166 FT CE Polycarbona | | 44 g GA 166 FT CE Polycarbonate | | 4 g GA 166 FT CE Polycarbonate 100% 10 | | 10 pcs. | Ergo Fit | | Customized configuration or branding with colour | |
|-------|------------------|---------------|---------------------------|----------------------|--|-------------------------|--|--------------------|---------|---------------------|--|--|--|
| Featu | ires | Weight | Code – version | Lens material | UV pr | protection Packing unit | | Temple technology | | and logo on request | | | |
| Featı | ures & Quick | Info | | | | | | | | | | | |
| 3 | Universally adj | ustable as s | afety and visitor glasses | 5 | 3 | | , | 0 1 | | escription glasses | | | |
| 3 | Additional rubb | per lip preve | ents the ingress of forei | gn bodies from above | n bodies from above Special soft cushion on the temple protects from side impact | | | | | | | | |
| 3 | Individually adj | ustable ten | nple length | | 3 | Individ | lually adjustab | le safety lens ang | gle | | | | |
| Fig. | FR | AME PRO | PERTIES | | LENS P | ROPER | TIES | | ONT | OR - ANTIREFLEX | | | |
| no. | | | ur(s) | | | | | le(s) | | article no. | | | |

2C - 1,2

Clear

GA1FCE


SAR

9090 109

C. . - t - . - - - - - - |



Plastic frame spectacles



INFIELD Safety's tailored plastic safety spectacles meet the most stringent material requirements. Hence the greatest value was placed on functionality and design in their development. There are various colour combinations and a range of different sizes to suit every taste and requirement. Our plastic safety spectacles are light and gentle on the skin. Their comfortable fit makes wearing them a pleasure.

Product overview

PLASTIC FRAME SPECTACLES



TERMINATOR X-TRA
Page 20-23



TERMINATOR PLUS
Page 24-25



TERMINATOR PLUS

DIOPTRIEPage 26-27



TERMINATOR
Page 28-35



TERMINATOR SMALLPage 36-37



FLEXOR PLUS Page 38-39



FLEXOR PLUS OUTDOOR
Page 40-41



FLEXOR PLUS XL Page 42-43



MILOR Page 44-45



PROTOR
Page 46



PREVENTOR Page 47



VICTOR
Page 48-49



VICTOR SMALL Page 50-51



SENATOR Page 52-53



WINDOR/WINDOR XL Page 54-55



MIRADOR Page 56



MATADOR Page 57



VELOR Page 58



VELOR DIOPTRIE
Page 59



COMBORPage 60-61



RAPTOR Page 62-63



CONDOR Page 64



TENSOR Page 65



EXOR Page 66-67



PRIMOR Page 68



VOLTOR Page 69



HUNTOR Page 70



NESTOR/NESTOR SMALL Page 71



VISION 12 Page 72



VISION 12 READER
Page 73



OPTOR Page 74



OPTOR PLUS Page 75



OPTOR XXS
Page 76



OPTOR XXS PLUS
Page 77



SUPERIOR Page 78





TERMINATOR X-TRA

When the best is improved – you get something X-TRA!

The Terminator product line is constantly evolving. The ever-growing and varied applications in the workplace are testament to our innovative ideas, developed through close dialogue with our customers. Introducing the next innovation of our proven technologies – the new **TERMINATOR X-TRA**.

[1] Adjustable temple length

The individually adjustable arm lengths ensure optimum and pressure-free fit to the ears and temporal area.

[2] Variable temple angle

The inclination of the arms ensure a comfortable and correct fit for every face profile, in all work situations.

[3] Interchangeable lenses

For preference or for differing requirements (eg. changing light conditions) interchangeable lenses are available



[4] Interchangeable arms and headband

The arms of the new TERMINATOR X-TRA can quickly be replaced with an adjustable, elastic headband. Ensuring a secure, comfortable fit in the most demanding of situations.



[5] Perfect fit around the nose

The soft nosepiece adapts anatomicaly to the wearer for day-long comfort



[7] Soft Face foam

The all-round soft inner seal enhances safety in case of impact. Due to the special ventilation system, a high degree of wearer comfort is guaranteed.





[6]

For spectacle wearers: RX-CLIP IN

Spectacle wearers can have their prescription glazed into the RX-CLIP IN. Specially designed for the **TERMINATOR X-TRA**.



[6] Modified temples

Low weight and increased comfort plus the special vented design improves air circulation and helps to Reduce perspiration at the points of contact during strenuous activity.

All model variants and detailed product information for the **TERMINATOR X-TRA** can be found on the following pages of this brochure.





TERMINATOR X-TRA







TERMINATOR X-TRA

35 g

GA 166 FT CE

Polycarbonate

100%

10 pcs.

Soft touch or elastic cloth strap

Features

Weight

Code – version

Lens material

UV protection

Packing unit

Temple technology

| Fea | tures & Quick Info | | | | |
|-----|--|-----|--|---|--|
| 3 | Perfect eye-area coverage due to soft foam adaptor | 3 | Additional head-strap ensures a snug fit | | |
| 3 | Lightweight | 3 | Sporty design | Customized | |
| 3 | Length-adjustable temple | 3 | Soft nose pad, adjustable | configuration or branding with colour and logo on request | |
| 3 | Individually adjustable safety lens angle | 3 F | Easy to change safety lens | | |
| 3 | Outdoor version available | 3 1 | Prescription eyewear option with the RX-Clip |) | |

| Fig. | FRAME PROPERTIES | | | TERMINATOR X-TRA | | | | |
|------|------------------|----|----|---------------------|-------|----------|---------------|-------------|
| no. | | С | | | | | code(s) | article no. |
| [1] | Black | НС | AF | AS | Clear | 2C - 1,2 | | 9320 006 |
| [2] | Black | | AF | AS | Clear | 2C - 1,2 | GA 1 FT N CE | 9320 155 |
| [3] | Orange | НС | AF | AS | Clear | 2C - 1,2 | GA 1 FT KN CE | 9321 006 |
| [4] | Orange | | AF | AS | Clear | 2C - 1,2 | GA 1 FT N CE | 9321 155 |
| [5] | Green | НС | AF | AS | Clear | 2C - 1,2 | GA 1 FT KN CE | 9322 006 |
| [6] | Green | | AF | AS | Clear | | GA 1 FT N CE | 9322 155 |

*Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistatic

| Extra |
|-----------|
| accessory |

| F | X-Clip |
|---|---------|
| | Crystal |

| Easy-to-fit clip insert | | | | | | |
|---------------------------|-------------------------------------|--|--|--|--|--|
| material/glass properties | Plastic for individual prescription | | | | | |
| | | | | | | |

TERMINATOR X-TRA RX-Clip
article no. 2014

TERMINATOR X-TRA



OUTDOOR/SPORT

All Outdoor/Sport models can be found on our homepage











| Fig. | FRAME PROPERTIES | | LENS PROPERTIES | | | | | | |
|------|------------------|-----------|-----------------|--------|---------|--------------|-------------|--|--|
| no. | frame colour(s) | coating(s | | | | code(s) | article no. | | |
| [1] | Black | AF | AS | Orange | 2 - 1,7 | GA 1 FT N CE | 9320 120 AF | | |
| [2] | Black | AF | AS | Grey | 5 - 2,5 | GA 1 FT N CE | 9320 625 AF | | |
| [3] | Orange | AF | AS | Orange | 2 - 1,7 | GA 1 FT N CE | 9321 120 AF | | |
| [4] | Orange | AF | AS | Grey | 5 - 2,5 | GA 1 FT N CE | 9321 625 AF | | |
| [5] | Green | AF | AS | Grey | 5 - 2,5 | | | | |

| Extra |
|-----------|
| accessorv |

| RX-CLIP | | | | | | | |
|---------|---------|--|--|--|--|--|--|
| | Crystal | | | | | | |

| Easy-to-fit clip insert | | | | | | | |
|---------------------------|-------------------------------------|--|--|--|--|--|--|
| material/glass properties | Plastic for individual prescription | | | | | | |

| TERMINATOR X | -TRA RX-Clip |
|--------------|--------------|
| | 2014 |



TERMINATOR PLUS







Additional rubber lip

The additional rubber lip on the top frame edge increases safety by preventing the ingress of foreign bodies from above.

TERMINATOR PLUS

30 g

GA 166 FT CE

Polycarbonate

100%

10 pcs.

Soft Touch

Features

Weight

Code - version

Lens material

UV protection

Packing unit

Temple technology

Features & Quick Info

Additional rubber lip prevents the ingress of foreign bodies from above

Available as terminator plus dioptre with reading accessory

Lightweight

Sporty design

Length-adjustable temple

Soft nose pad, adjustable

Customized configuration or branding with colour and logo on request

Individually adjustable safety lens angle Easy to change safety lens Outdoor version available

| Fig. | FRAME PRO | PERTIES | | | | TERMINATOR PLUS | | | |
|------------|------------------------|----------------------|-------|----------|-----------|--------------------------|----------------|----------------|-------------|
| no. | frame col | | C | oating(s | | | colour code(s) | | article no. |
| [1] | Black | Mint | НС | AF | AS | Clear | 2C - 1,2 | GA 1 FT KN CE | 9395 006 |
| [2] | Black | Mint | НС | | | Clear | 2C - 1,2 | GA 1 FT K CE | 9395 105 |
| [3] | Black | Mint | | AF | AS | Clear | 2C - 1,2 | GA 1 FT N CE | 9395 155 |
| [4] | Silver | Orange | НС | AF | AS | Clear | 2C - 1,2 | GA 1 FT KN CE | 9396 006 |
| [5] | Silver | Orange | НС | | | Clear | 2C - 1,2 | GA 1 FT K CE | 9396 105 |
| [6] | Silver | Orange | | AF | AS | Clear | | GA 1 FT N CE | 9396 155 |
| * Coatings | HC = serateh resistant | AFAC - auti fac auti | -+-+i | atab ua | aint aunt | L HC AF AS = serateb res | istant suti (| ion autichatia | |

TERMINATOR PLUS



OUTDOOR/SPORT

All Outdoor/Sport models can be found on our homepage




| Fig. | FRAME PRO | PERTIES | | LENS PROPERTIES | | | | | |
|------|-----------|---------|-------------|-------------------|---------|--------------|-------------|--|--|
| no. | frame col | | coating(s)* | | | code(s) | article no. | | |
| [1] | Black | Mint | НС | Orange | 2 - 1,7 | GA 1 FT K CE | 9395 120 | | |
| [2] | Black | Mint | HC | Amber | 2 - 1,2 | GA 1 FT K CE | 9395 125 | | |
| [3] | Black | Mint | HC | Silver reflective | 5 - 2,5 | GA 1 FT CE | 9395 140 | | |
| [4] | Black | Mint | HC | Gold reflective | 5 - 1,7 | GA 1 FT CE | 9395 145 | | |
| [5] | Black | Mint | HC | Grey | 5 - 2,5 | GA 1 FT K CE | 9395 625 | | |
| [6] | Silver | Orange | HC | Orange | 2 - 1,7 | GA 1 FT K CE | 9396 120 | | |
| [7] | Silver | Orange | HC | Silver reflective | 5 - 2,5 | GA 1 FT CE | 9396 140 | | |
| [8] | Silver | Orange | HC | Gold reflective | 5 - 1,7 | GA 1 FT CE | 9396 145 | | |
| [9] | Silver | Orange | НС | Grey | 5 - 2,5 | GA 1 FT K CE | 9396 625 | | |

EYE PROTECTION 2021 | 25



TERMINATOR PLUS DIOPTRE





The ideal safety lens solution for wearers of reading glasses

The integrated reading accessory in the lower part of the safety lens enables sharp vision close-up. The inconvenience of changing to reading glasses is eliminated and the eye remains protected at all times.

With its sharply curved safety lenses, **TERMINATOR PLUS DIOPTRE** protects the eyes effectively from foreign bodies.

TERMINATOR PLUS DIOPTRE



Integrated reading accessory:

TERMINATOR PLUS DIOPTRE is available with inserts of strength +1.50/+2.00/+2.50 dioptres.





TERMINATOR PLUS DIOPTRE

30 g

GA 166 FT CE

Polycarbonate

100%

10 pcs.

Soft Touch

Features

Weight

Code – version

Lens material

UV protection

Soft nose pad, adjustable

Packing unit

Temple technology

Features & Quick Info

Reading accessory with various strengths (+1.50/+2.00/+2.50)

Additional rubber lip prevents the ingress of foreign bodies from above

Lightweight

Sporty design


Customized configuration or branding with colour and logo on request

3 Length-adjustable temple

Individually adjustable safety lens angle

| FRAME PRO | OPERTIES | | | TERMINATOR PLUS DIOPTRE | | | | |
|-----------|----------------------|------------|---|---|---|---|--|---|
| frame co | lour(s) | coating | | reading accessory | | | code(s) | article no. |
| Black | Grey | НС | | 2,50 | Clear | | | 9380 250 |
| Black | Mint | НС | | 2,00 | Clear | 2C - 1,2 | GA 1 FT K CE | 9395 200 |
| Silver | Orange | НС | | 1,50 | Clear | | | 9396 150 |
| | frame co Black Black | Black Mint | frame colour(s) coating Black Grey HC Black Mint HC | frame colour(s) coating(s)* Black Grey HC Black Mint HC | frame colour(s) Black Grey HC 2,50 Black Mint HC 2,00 | frame colour(s) Black Grey HC 2,50 Clear Black Mint HC 2,00 Clear | frame colour(s) coating(s)* reading accessory accessory colour Black Grey HC 2,50 Clear 2C - 1,2 Black Mint HC 2,00 Clear 2C - 1,2 | frame colour(s) coating(s)* reading accessory account code(s) Black Grey HC 2,50 Clear 2C-1,2 GA1FTKCE Black Mint HC 2,00 Clear 2C-1,2 GA1FTKCE |





TERMINATOR - our bestseller with an almost unlimited number of combinations

The safety spectacles for all requirements in the workplace and for leisure. The vast range of lens tints and finishes is complemented by the choice of frame colours. Hence everyone can find his or her **TERMINATOR**, for everyday working, sport and leisure; and there is even a variant for spectacle wearers with a clip insert. Owing to the multiplicity of lens technologies used, **TERMINATOR** is also available in three different welder protection variants and for activities under strong UV light.

With a range of adjustability options for temple, lens angles and soft nose pad, **TERMINATOR** is suitable for any shape of face. **TERMINATOR SMALL** has been developed for narrower faces. It combines all the features of the **TERMINATOR** in a somewhat smaller pair of safety spectacles.



TERMINATOR BLACK All designs on pp. 30 - 31



TERMINATOR BLUE All designs on p. 32



TERMINATOR Orange All designs on p. 33



TERMINATOR CarbonAll designs on p. 34



TERMINATOR RED All designs on p. 35



Frame colour 1 of 5 | Black





For spectacle wearers: TERMINATOR CLIP

Spectacle wearers can easily and quickly insert the **RX-Clip** with their own prescription into the **TERMINATOR**. The **RX-Clip** is available for all frame colours.







27 g

GA 166 FT CE

Polycarbonate

100%

10 pcs.

Soft Touch

Features

Weight

it Code -

Code – version

Lens material

UV protection

Packing unit

Temple technology

| Fe | atures & Quick Info | | | |
|----|--|---|--|---|
| 3 | Lightweight | 3 | Sporty design | |
| 3 | Length-adjustable temple | 3 | Soft adjustable nose pad | Customized configuration or |
| 3 | Individually adjustable safety lens angle | 3 | Easy to change safety lens | branding with colour and logo on request |
| 3 | Outdoor, welder protection and UV 530 versions available | 3 | Prescription eyewear option with the RX-Clip | |

7 Super anti-reflexversion available (CLEAR SAR) 4 Available as TERMINATOR SMALL for narrow face shapes

| Fig. | FRAME PROPERTIES | | | | TERMINATOR | | | |
|--------|------------------|----|-----|----|------------|----------|---------------|-------------|
| no. | frame colour(s) | C | | | | | code(s) | article no. |
| [1] | Black | НС | AF | AS | Clear | 2C - 1,2 | GA 1 FT KN CE | 9380 006 |
| [2] | Black | НС | | | Clear | 2C - 1,2 | GA 1 FT K CE | 9380 105 |
| [3] AN | Black | НС | SAR | | Clear | 2C - 1,2 | GA1FCE | 9380 109 |
| [4] | Black | | AF | AS | Clear | 2C - 1,2 | GA 1 FT N CE | 9380 155 |

*Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistatic | SAR super anti-reflex

| Extra | |
|-----------|--|
| accessory | |

| RX-Clip | | | | | | |
|---------|-------|--|--|--|--|--|
| | Metal | | | | | |

| Easy-to-fit clip insert | | | | | |
|---------------------------|-------------------------------------|--|--|--|--|
| material/glass properties | Plastic for individual prescription | | | | |

TERMINATOR RX-Clip
article no. 2015

Frame colour 1 of 5 | Black

PHOTOCHROMIC & POLARISING version of TERMINATOR Black available

WELDING | WELDER PROTECTION

All details of Welding Protection models from p. 94







UV/IR PROTECTION

All details of the IR Protection model on p. 108



OUTDOOR/SPORT

All details of Outdoor/Sport models can be found on our homepage













| Fig. | FRAME PROPERTIES | | LENS PROPERTIES | | | | | | | |
|------|------------------|-------------|----------------------|---------|--------------|-------------|--|--|--|--|
| no. | frame colour(s) | coating(s)* | colour | | code(s) | article no. | | | | |
| [1] | Black | HC | Green | 2 | GA 1 FT K CE | 9380 132 | | | | |
| [2] | Black | НС | Green | 3 | GA 1 FT K CE | 9380 133 | | | | |
| [3] | Black | НС | Green | 5 | GA 1 FT K CE | 9380 135 | | | | |
| [4] | Black | HC | Orange UV 530 | 2 - 1,7 | GA 1 FT K CE | 9380 420 | | | | |
| [5] | Black | НС | Orange | 2 - 1,7 | GA 1 FT K CE | 9380 120 | | | | |
| [6] | Black | НС | Amber | 2 - 1,2 | GA 1 FT K CE | 9380 125 | | | | |
| [7] | Black | HC | Silver reflective | 5 - 2,5 | GA 1 FT CE | 9380 140 | | | | |
| [8] | Black | НС | Gold reflective | 5 - 1,7 | GA 1 FT CE | 9380 145 | | | | |
| [9] | Black | HC | Red/Brown reflective | 2 - 3,0 | GA 1 FT CE | 9380 186 | | | | |
| [10] | Black | HC | Grey | 5 - 2,5 | GA 1 FT K CE | 9380 625 | | | | |

| Extra |
|-----------|
| accessory |

| RX-Clip | | | | | |
|---------|-------|--|--|--|--|
| colour | Metal | | | | |

| Easy-to-fit clip insert | | | | | |
|---------------------------|-------------------------------------|--|--|--|--|
| material/glass properties | Plastic for individual prescription | | | | |

TERMINATOR RX-Clip
article no. 2015



Frame colour 2 of 5 | Blue



OUTDOOR/SPORT

All details of Outdoor/Sport models can be found on our homepage









TERMINATOR

27 g

GA 166 FT CE

Polycarbonate

100%

10 pcs.

Soft Touch

Features

3

Weight

Code – version

Lens material

UV protection Packing unit

Temple technology

Features & Quick Info

Lightweight Length-adjustable temple Sporty design

Soft adjustable nose pad

Easy to change safety lens

Customized configuration or branding with colour

and logo on request

Individually adjustable safety lens angle Prescription eyewear option with the RX-clip

| Fig. | FRAME PROPERTIES | | | TERMINATOR | | | | |
|------|------------------|----|----|------------|---------------------|-------------|---------------|-------------|
| no. | frame colour(s) | со | | | | | code(s) | article no. |
| [1] | Blue | НС | AF | AS |] Clear | · · · · · · | GA 1 FT KN CE | 9381 006 |
| [2] | Blue | НС | | |] Clear | 2C - 1,2 | GA1FTKCE | 9381 105 |
| [3] | Blue | | AF | AS |] Clear | 2C - 1,2 | GA1FTNCE | 9381 155 |
| [4] | Blue | НС | | | Orange | 2 - 1,7 | GA 1 FT K CE | 9381 120 |
| [5] | Blue | HC | | |] Silver reflective | 5 - 2,5 | GA 1 FT CE | 9381 140 |
| [6] | Blue | НС | | | Gold reflective | 5 - 1,7 | GA 1 FT CE | 9381 145 |
| [7] | Blue | НС | | | Grey | | GA 1 FT K CE | 9381 625 |

| Extra |
|-----------|
| accessory |

| RX-Clip | | | | | | | |
|---------|-------|--|--|--|--|--|--|
| | Metal | | | | | | |

| Easy-to-fit clip insert | | | | | |
|---------------------------|-------------------------------------|--|--|--|--|
| material/glass properties | Plastic for individual prescription | | | | |
| | | | | | |

TERMINATOR RX-Clip 2015

Frame colour 3 of 5 | Orange



OUTDOOR/SPORT

All details of Outdoor/Sport models can be found on our homepage









TERMINATOR

27 g

GA 166 FT CE

Polycarbonate

100%

10 pcs.

Soft Touch

Features

Weight

Code – version

Lens material

UV protection

Packing unit

Temple technology

| 3 | Lightweight | 3 | Sporty design | |
|---|--|--|----------------------------|---|
| 3 | Length-adjustable temple | 3 | Soft adjustable nose pad | Customized configuration or |
| 3 | Individually adjustable safety lens angle | 3 | Easy to change safety lens | branding with colour and logo on request |
| 3 | Prescription eyewear option with the RX-clip | ······································ | | |

| Fig. | FRAME PROPERTIES | | | TERMINATOR | | | | |
|------|------------------|----|----|------------|---------------------|----------|---------------|-------------|
| no. | frame colour(s) | C | | | | | code(s) | article no. |
| [1] | Orange | НС | AF | AS |] Clear | 2C - 1,2 | GA 1 FT KN CE | 9383 006 |
| [2] | Orange | НС | | |] Clear | 2C - 1,2 | GA 1 FT K CE | 9383 105 |
| [3] | Orange | | AF | AS |] Clear | 2C - 1,2 | GA 1 FT N CE | 9383 155 |
| [4] | Orange | НС | | | Orange | 2 - 1,7 | GA 1 FT K CE | 9383 120 |
| [5] | Orange | НС | | |] Silver reflective | 5 - 2,5 | GA 1 FT CE | 9383 140 |
| [6] | Orange | НС | | | Gold reflective | 5 - 1,7 | GA 1 FT CE | 9383 145 |
| [7] | Orange | НС | | | Grey | | GA 1 FT K CE | 9383 625 |

* Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistatic

| Extra |
|-----------|
| accessory |

| RX-Clip | | | | | | |
|---------|-------|--|--|--|--|--|
| | Metal | | | | | |

| Easy-to-fit clip insert | | | | |
|---------------------------|-------------------------------------|--|--|--|
| material/glass properties | Plastic for individual prescription | | | |

TERMINATOR RX-Clip
article no. 2015



Frame colour 4 of 5 | Carbon



OUTDOOR/SPORT

All details of Outdoor/Sport models can be found on our homepage







TERMINATOR

27 g

GA 166 FT CE

Polycarbonate

100%

10 pcs.

Soft Touch

Features

Weight

Code – version

Lens material

UV protection

Packing unit

Temple technology

| Features & Quick Info | | | | | | |
|-----------------------|--|---|----------------------------|--|---|--|
| 3 | Lightweight | 3 | Sporty design | | | |
| 3 | Length-adjustable temple | 3 | Soft, adjustable nose pad | | Customized configuration or | |
| 3 | Individually adjustable safety lens angle | 3 | Easy to change safety lens | | branding with colour and logo on request | |
| 3 | Prescription eyewear option with the RX-clip | | | | | |

| Fig. | FRAME PROPERTIES | | | TERMINATOR | | | | |
|------|------------------|----|----------|------------|-------------------|----------|---------------|-------------|
| no. | frame colour(s) | CO | oating(s | | colour | | code(s) | article no. |
| [1] | Carbon | НС | AF | AS | Clear | 1 ' | GA 1 FT KN CE | 9382 006 |
| [2] | Carbon | HC | | | Clear | 2C - 1,2 | GA 1 FT K CE | 9382 105 |
| [3] | Carbon | | AF | AS | Clear | 2C - 1,2 | GA 1 FT N CE | 9382 155 |
| [4] | Carbon | HC | | | Silver reflective | 5 - 2,5 | GA 1 FT CE | 9382 140 |
| [5] | Carbon | HC | | | Gold reflective | 5 - 1,7 | GA 1 FT CE | 9382 145 |
| [6] | Carbon | НС | | | Grey | | GA 1 FT K CE | 9382 625 |

*Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistatic

| Extra |
|-----------|
| accessory |

| RX-Clip | | | | | |
|---------|-------|--|--|--|--|
| | Metal | | | | |

| Easy-to-fit clip insert | | | | | |
|---------------------------|-------------------------------------|--|--|--|--|
| material/glass properties | Plastic for individual prescription | | | | |
| | | | | | |

TERMINATOR RX-Clip 2015

Frame colour 5 of 5 | Red



OUTDOOR/SPORT

All details of Outdoor/Sport models can be found on our homepage









TERMINATOR

27 g

GA 166 FT CE

Polycarbonate

100%

10 pcs.

Soft Touch

Features

Weight

Code - version

Lens material

UV protection Packing unit

Temple technology

| Features & Quick Info | | | | | | |
|------------------------|----------------------------|---|----------------------------|---|--|--|
| S Lightweight | | 3 | Sporty design | | | |
| | emple | 3 | Soft, adjustable nose pad | Customized configuration or | | |
| 5 Individually adjusta | ble safety lens angle | 3 | Easy to change safety lens | branding with colour and logo on request | | |
| 3 Prescription evewe | ar option with the RX-clip | | | | | |

| Fig. | FRAME PROPERTIES | | | TERMINATOR | | | | |
|------|------------------|-------------|----|------------|-------------------|----------|--------------|-------------|
| no. | frame colour(s) | coating(s)* | | | | code(s) | | article no. |
| [1] | Red | НС | | | Clear | 1 | GA 1 FT K CE | 9384 105 |
| [2] | Red | | AF | AS | Clear | 2C - 1,2 | GA 1 FT N CE | 9384 155 |
| [3] | Red | HC | | | Orange | 2 - 1,7 | GA 1 FT K CE | 9384 120 |
| [4] | Red | HC | | | Silver reflective | 5 - 2,5 | GA 1 FT CE | 9384 140 |
| [5] | Red | HC | | | Gold reflective | 5 - 1,7 | GA 1 FT CE | 9384 145 |
| [6] | Red | НС | | | Grey | | GA 1 FT K CE | 9384 625 |


| RX-CLIP | | | | | | |
|---------|-------|--|--|--|--|--|
| | Metal | | | | | |

| Easy-to-fit clip insert | | | | | |
|---------------------------|-------------------------------------|--|--|--|--|
| material/glass properties | Plastic for individual prescription | | | | |

TERMINATOR RX-CLIP 2015



TERMINATOR SMALL



The 'little' TERMINATOR

TERMINATOR SMALL has been specially developed for smaller heads and has all the advantages of the 'big' **TERMINATOR**. Hence all wearers of safety spectacles with narrow face shapes are also optimally protected.

TERMINATOR SMALL





OUTDOOR/SPORT



All details of Outdoor/Sport models can be found on our homepage

TERMINATOR

SMALL23 gGA 166 FH* CEPolycarbonate100%10 pcs.Soft TouchFeaturesWeightCode - versionLens materialUV protectionPacking unitTemple technology

* H = certified for narrow face shape

| Fea | Features & Quick Info | | | | | | | |
|-----|---------------------------------|---|---|---------------------------------------|--|--|--|--|
| 3 | For narrow face shapes | 3 | Sporty design | Customized | | | | |
| 3 | Particularly low-weight glasses | 3 | Soft, adjustable nose pad | configuration or branding with colour | | | | |
| 3 | Length-adjustable temple | 3 | Individually adjustable safety lens angle | and logo on request | | | | |
| Л | Outdoor version available | | | | | | | |

| Fig. | FRAME PROPERTIES | | LENS PROPERTII | TERMINATOR SMALL | | | | | | | |
|---------------|---|-------------|----------------|------------------|--------------|-------------|--|--|--|--|--|
| no. | frame colour(s) | coating(s)* | | | code(s) | article no. | | | | | |
| [1] | White | НС | Clear | - / | GA 1 FT K CE | 9388 105 | | | | | |
| [2] | White | AF A | S Clear | 2C - 1,2 | GA 1 FT N CE | 9388 155 | | | | | |
| [3] | White | НС | Grey | | GA 1 FT K CE | 9388 625 | | | | | |
| * Coatings: I | * Coatings: HC = scratch-resistant AF AS = anti-fog, antistatic, scratch-resistant HC AF AS = scratch-resistant, anti-fog, antistatic | | | | | | | | | | |



FLEXOR PLUS





Lightweight and Super Flexible

The ultra light **FLEXOR PLUS** is highly flexible and sits comfortably on your face without any pressure.


| FLEXOR PLUS | 24 g | GA 166 FT CE | Polycarbonate | 100% | 10 pcs. | Easy Fit Soft |
|-------------|-------------|----------------|---------------|---------------|--------------|-------------------|
| Features | Weight | Code – version | Lens material | UV protection | Packing unit | Temple technology |
| | | | | | | |

| Fea | tures & Quick Info | | | |
|-----|--|---|---|---------------------------------------|
| 3 | Extremely flexible and robust | 3 | Pressure-free fit due to soft materials | Customized |
| 3 | Adjustable nose pads | 3 | Rubberized temples for slip-resistant fit | configuration or branding with colour |
| 3 | Additional rubber strip protects against foreign bodies from above | 3 | Exceptionally light weight | and logo on request |
| 3 | Unrestricted field of view | 3 | High shock absorption | |

| Fig. | FRAME PRO | | | | LENS PR | FLEXOR PLUS | | | |
|---------------|-------------------------|----------------------|------|-----------|---------|-------------------|------------------|----------------|-------------|
| no. | frame colour(s) | | co | oating(s) | | | | code(s) | article no. |
| [1] | Grey | Orange | НС | | | Clear | 2C - 1,2 | GA 1 FT K CE | 9021 105 |
| [2] | Grey | Orange | | AF | AS | Clear | 2C - 1,2 | GA 1 FT N CE | 9021 155 |
| [3] | Grey | Turquoise | НС | | | Clear | 2C - 1,2 | GA 1 FT K CE | 9022 105 |
| [4] | Grey | Turquoise | | AF | AS | Clear | 2C - 1,2 | GA 1 FT N CE | 9022 155 |
| * Continues I | IIC = soustab vasiataut | AFAS = anti faz anti | +-+1 | - 4 - I | | LUCATAS = soustab | wasistant anti 6 | tistatis CAR | :a |

* Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistatic | SAR super anti-refle.

FLEXOR PLUS



The distance from the eye to the protective lens is adjustable. This ensures your eyelashes will always keep clear of the lens. In addition, the nose pads can be adapted to the width of the nose giving the perfect fit.



Additional rubber strip: The additional rubber strip on the upper edge of the frame increases the safety for protection against foreign bodies penetrating from above



Anti-slip: The inside of the spectacle and the nose support is completely rubberized. This provides an extremely slip-resistant fit.



Robust: Protective eyewear is not just at risk from impact. It can be damaged by the daily stress. The **FLEXOR PLUS** is extremely flexible and always retains its correct shape.





FLEXOR PLUS & FLEXOR PLUS OUTDOOR



FLEXOR PLUS with clear and tinted safety lenses

The **FLEXOR PLUS** with clear safety lenses is available in scratch-resistant and fog-free versions. The tinted **FLEXOR PLUS OUTDOOR** versions are all fog free and provide options for enhanced visual contrast and protection against glare and sun during outdoor activities.

FLEXOR PLUS OUTDOOR









OUTDOOR/SPORT

All details of Outdoor/Sport models can be found on our homepage

FLEXOR PLUS OUTDOOR-/SPORT

24 g

GA 166 FT CE

Polycarbonate

100%

10 pcs.

Easy Fit Soft

Features

Weight

Code – version

Lens material

UV protection

Packing unit

Temple technology

Features & Quick Info

- Extremely flexible and robustAdjustable nose pads
- Additional rubber strip protects against foreign bodies from above
- Unrestricted field of view

- Pressure-free fit due to soft materials
- 3 Rubberized temples for slip-resistant fit
- Exceptionally light weight
- 3 High shock absorption

| Customized | | | | | | | |
|----------------------|--|--|--|--|--|--|--|
| configuration or | | | | | | | |
| branding with colour | | | | | | | |
| and logo on request | | | | | | | |

| Fig. | FRAME PROPERTII | ES | | FLEXOR PLUS OUTDOOR | | | | |
|-----------|-------------------------------------|---------------------|-------------|------------------------|-----------------------------------|-----------------|-------------------------|-------------|
| no. | frame colour(s) | | coating(s)* | | | code(s) | | article no. |
| [1] | Black | urquoise | AF | AS | Grey | 5 - 2,5 | GA 1 FT N CE | 9023 625 AF |
| [2] | | ellow | AF | AS | Amber | 2 - 1,2 | GA 1 FT N CE | 9024 125 AF |
| [3] | White B | llue | AF | AS | Blue reflective | 5 - 2,5 | GA 1 FT CE | 9025 130 AF |
| [4] | Brown R | led | AF | AS | Red/Brown reflective | | | 9026 886 AF |
| * Coating | s: HC = scratch-resistant AF AS = | anti-fog, antistati | c, scratcl | h-resista | ant HC AF AS = scratch-resistan | t, anti-fog, aı | ntistatic SAR super o | ınti-reflex |



FLEXOR PLUS XL



FLEXOR PLUS XL with panoramic lens

Particularly effective eye cover due to the special panoramic lens.

OUTDOOR/SPORT



All details of Outdoor/Sport models can be found on our homepage

Individually adjustable safety lens angle

The angle of the safety lens is adjustable for every face and every working situation



 FLEXOR PLUS XL
 25 g
 GA 166 FT CE
 Polycarbonat
 100%
 10 pcs.
 Easy Fit Soft

 Features
 Weight
 Code - version
 Lens material
 UV protection
 Packing unit
 Temple technology

| Fea | tures & Quick Info | | | |
|-----|--|---|---|---------------------------------------|
| 3 | Individually adjustable protection lens angle | 3 | Large panoramic lens | |
| 3 | Extremely flexible and robust | 3 | Pressure-free fit due to soft materials | |
| 3 | Adjustable nose pads | 3 | Rubberized temples for slip-resistant fit | Customized |
| 3 | Additional rubber strip protects against foreign bodies from above | 3 | Exceptionally light weight | configuration or branding with colour |
| 3 | Unrestricted field of view | 3 | High shock absorption | and logo on request |

| Fig. | FRAME PROPERTIES | | | LENS PROP | ERTIES | FLEXOR PLUS XL | |
|---------------|---|--------------------|----------------|------------------------------|------------------|----------------|-------------|
| no. | frame colour(s) | coating(s | | | | code(s) | article no. |
| [1] | Blue Grey | HC AF | AS | Clear | 2C - 1,2 | GA 1 FT KN CE | 9027 006 |
| [2] | Blue Grey | AF | AS | Clear | 2C - 1,2 | GA 1 FT N CE | 9027 155 |
| [3] | Blue Grey | AF | AS | Grey | 5-2,5 | GA 1 FT N CE | 9027 625 AF |
| * Coatings: H | HC = scratch-resistant AF AS = anti-fog, anti | HC AF AS = scratch | -resistant, an | nti-fog, antistatic SAR su | ıper anti-reflex | | |

FLEXOR PLUS XL





MILOR





Soft foam adaptor ensures higher safety when worn

The soft foam adaptor ensures perfect safety for the eye area in every working situation. Also the face is protected against injuries in frontal impacts.



| MILOR | 35 g | GA 166 F CE | Polycarbonate | 100% | 10 pcs. | Easy Fit Soft |
|----------|--------|----------------|---------------|---------------|--------------|----------------------|
| Features | Weight | Code – version | Lens material | UV protection | Packing unit | Temple technology |

| Feat | tures & Quick Info | | | |
|------|---|---|--|--|
| 3 | Soft clip ensures comfort when worn | 3 | Very good eye cover | Customized |
| 3 | Individually adjustable safety lens angle | 3 | Non-slip temple | configuration or branding with colour |
| 3 | High protection even without softclip | 3 | Especially for tough industrial environments | and logo on request |

| Fig. | FRAME P | | LENS PROPERTIES | | | | | MILOR | |
|-------------|---|------|-----------------|----|----|-------|----------|--------------|-------------|
| no. | frame | | с | | | | code(s) | | article no. |
| [1] | Blue | Grey | | AF | AS | Clear | 2C - 1,2 | GA1FNCE | 9232 155 |
| [2] | Blue | Grey | НС | AF | AS | Clear | 2C - 1,2 | GA 1 F KN CE | 9232 006 |
| * Coatings: | * Coatings: HC = scratch-resistant AF AS = anti-fog, antistatic, scratch-resistant HC AF AS = scratch-resistant, anti-fog, antistatic SAR super anti-reflex | | | | | | | | |

MILOR





PROTOR



New Design

New materials for temples,
more soft and comfortable

Additional rubber lip

The additional rubber lip on the top frame edge increases safety by preventing the ingress of foreign bodies from above.



OUTDOOR/SPORT





All details of Outdoor/Sport models can be found on our homepage

PROTOR25 gGA 166 FT CEPolycarbonate100%10 pcs.Easy Fit SoftFeaturesWeightCode - versionLens materialUV protectionPacking unitTemple technology

| Fea | tures & Quick Info | | | |
|-----|---|---|---|---------------------------------------|
| 3 | Very leightweight | 3 | Sporty design | Customizad |
| 3 | Particularly cuddly mix of materials | 3 | Unrestricted field of vision | configuration or branding with colour |
| 3 | Additional rubber lip protects against foreign objects from above | 3 | Soft nose pad | and logo on request |
| 3 | Outdoor version available | 3 | Ergonomic glasses temples for high wearing co | |

| Fig. | FRAME PROPERTIES | | | PROTOR | | | |
|-----------|---|------------------|---------|--------------------------|----------------|--------------|-------------|
| no. | frame colour(s) | coating(s)* | | | | | article no. |
| [1] | Blue | AF | AS | Clear | 2C - 1,2 | GA1FNCE | 9731 155 |
| [2] | Grey White | AF | AS | Clear | 2C - 1,2 | GA1FNCE | 9730 155 |
| [3] | Blue | AF | AS | Grey | 5 - 2,5 | GA1FNCE | 9731 625 AF |
| [4] | Grey White | AF | AS | Grey | 5 - 2,5 | GA1FNCE | 9730 625 AF |
| * Coating | gs: HC = scratch-resistant AF AS = anti-fog, antist | atic, scratch-re | sistant | HC AF AS = scratch-resis | tant, anti-fog | , antistatic | |

PREVENTOR



FULL-VIEW

With the additional adjustable head-strap, the **PREVENTOR** turns to a close-fitting full-view safety google.



For spectacle wearers: RX-Clip

Spectacle wearers can easily and quickly insert the **RX-Clip** with their own prescription value into the **PREVENTOR**.

PREVENTOR 59 g

GA 166 FT CE GA 166 BT3 4 CE*

Polycarbonate

100% 10 pcs.

Soft touch or elastic cloth strap

Features

Weight

Code – version

Lens material

UV protection P

Packing unit

Temple technology

* code with head-strap

| Feat | cures & Quick Info | | | | |
|------|--|---|--|--|--|
| 3 | Compact and very leightweight full-view safety goggle (with headband) Tight wraparound seal | | Non-slip temple ends | Customized configuration | |
| 3 | | | Soft nose pad | or branding with colour and logo on request | |
| 3 | Individually adjustable safety lens angle | 3 | Indirect ventilation system prevents fogging | | |
| 3 | Prescription lenses can be inserted with the rx insert | 3 | Additional head-strap ensures a snug fit | | |

| Fig. | FRAME PROPERTIES | | | | | PREVENTOR | | | |
|------|------------------|-----------|-------------|----|----|-----------|----------|-----------------|-------------|
| no. | frame colour(s) | | coating(s)* | | | | code(s) | | article no. |
| [1] | Grey | Turquoise | НС | AF | AS | Clear | 2C - 1,2 | GA 1 F BT KN CE | 9584 006 |
| [2] | Blue | Grey | НС | AF | AS | Clear | 2C - 1,2 | GA 1 F BT KN CE | |

Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistati

| Extra |
|-----------|
| accessory |

| RX - CLIP | | | | | | | |
|-----------|---------|--|--|--|--|--|--|
| colour | Crystal | | | | | | |

| Easy | r-to-fit clip insert |
|---------------------------|-------------------------------------|
| material/glass properties | Plastic for individual prescription |

PREVENTOR RX - CLIP
article no. 2019



VICTOR

Also available with super non-reflecting safety lens

CLEAR SAR with ANTIREFLEX

New Design

New materials for temples, more soft and comfortable



Additional rubber lip

The additional rubber lip on the top frame edge increases safety by preventing the ingress of foreign bodies from above.







VICTOR

30 g

GA 166 F CE

Additional rubber lip prevents the ingress of foreign bodies from above

Polycarbonate

100%

10 pcs.

Unrestricted field of vision

Easy Fit Soft

Features

Weight

nt Code – version

Lens material

UV protection

Packing unit

Temple technology

Features & Quick Info

Best comfort due to new materials

Sporty design

Customized
configuration or
branding with colour

Outdoor version available

Soft nose-piece

branding with colour and logo on request

Super anti-reflexversion available (procoat clear sar)

Available as VICTOR SMALL for narrow face shapes

| Fig. | FRAME PROPERTIES | | | | VICTOR | | | | |
|-------------|------------------|-----------|----|-----|--------|-------|----------|---------|-------------|
| no. | | | С | | | | | code(s) | article no. |
| [1] | Grey | Turquoise | | AF | AS | Clear | _ ′ | GA1FNCE | 9753 155 |
| [2] ANTIREF | Grey | Turquoise | НС | SAR | | Clear | 2C - 1,2 | GA1FCE | 9753 109 |
| [3] | Blue | Grey | | AF | AS | Clear | 2C - 1,2 | GA1FNCE | 9754 155 |
| [4] | Orange | Black | | AF | AS | Clear | | GA1FNCE | 9752 155 |

*Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistatic | SAR super anti-reflex

VICTOR



OUTDOOR/SPORT

All details of Outdoor/Sport models can be found on our homepage







| Fig. | FRAME PROPERTIES | | LENS PROPERTIES | | | | | | | | |
|---------------|---|---|-----------------|---------------|-------------|--|--|--|--|--|--|
| no. | frame colour(s) | coating(s)* | | | article no. | | | | | | |
| [1] | Grey Turquoise | AF AS | Grey | 5-2,5 GA1FNCE | 9753 625 AF | | | | | | |
| [2] | Blue Grey | AF AS | Grey | 5-2,5 GA1FNCE | 9754 625 AF | | | | | | |
| [3] | Orange Black | AF AS | Grey | 5-2,5 GA1FNCE | 9752 625 AF | | | | | | |
| * Coatings: I | HC = scratch-resistant AF AS = anti-fog, antist | * Coatings: HC = scratch-resistant AF AS = anti-fog, antistatic, scratch-resistant HC AF AS = scratch-resistant, anti-fog, antistatic SAR super anti-reflex | | | | | | | | | |



VICTOR SMALL



The 'small' VICTOR

VICTOR SMALL has been specially developed for narrow face shapes and has all the advantages of the regular **VICTOR**. Hence all wearers of safety spectacles with narrow face shapes are also optimally protected.

VICTOR SMALL



New Design New materials for temples, more soft and comfortable



OUTDOOR-/SPORT





All details of Outdoor/Sport models can be found on our homepage



Additional rubber lip

The additional rubber lip on the top frame edge increases safety by preventing the ingress of foreign bodies from above.

VICTOR SMALL

Features

29 g Weight **GA 166 FH CE**

Polycarbonate

100%

10 pcs.

Easy Fit Soft

Lens material UV protection Packing unit Temple technology

Code - version

Features & Quick Info

For narrow face shapes

Best comfort due to new materials

Additional rubber lip prevents the ingress of foreign bodies from above

Outdoor version available

3 Lightweight

Unrestricted field of vision

Indirect ventilation system


Soft nose-piece

Customized configuration or branding with colour and logo on request

| Fig. | FRAME PROPERTIES | | VICTOR SMALL | | |
|------------|--|------------------------|------------------------------|--------------------------|-------------|
| no. | frame colour(s) | coating(s)* | | | article no. |
| [1] | Blue Grey | AF AS | Clear | 2C - 1,2 GA 1 F N CE | 9761 155 |
| [2] | White Voilet | AF AS | Clear | 2C - 1,2 GA 1 F N CE | 9760 155 |
| [3] | Blue Grey | AF AS | Grey | 5-2,5 GA1FNCE | 9761 625 AF |
| [4] | White Voilet | AF AS | Grey | 5-2,5 GA1FNCE | 9760 625 AF |
| * Coatings | : HC = scratch-resistant AF AS = anti-fog. antis | tatic scratch-resistan | t HC AF AS = scratch-resis | tant anti-fog antistatic | |



SENATOR



Sporty all-rounder, also for tough industrial environments

With its sporty wraparound design, adjustable temple angle, soft nose-pad and the additional foam insert on the upper edge, the **SENATOR** is perfectly suited to tough industrial environments as well as indoor and outdoor sports.

SENATOR



New Design New materials for temples, more soft and comfortable





OUTDOOR-/SPORT



All details of Outdoor/Sport models can be found on our homepage



Protection from the ingress of foreign bodies from above

The additional foam lip on the top frame edge increases safety by preventing the ingress of foreign bodies from above. Additionally, the glasses are a snug fit on the forehead and provide protection from frontal impacts.

| C | | NI | ٧. | \mathbf{T}_{ℓ} | | D |
|---|---|----|----|---------------------|---|---|
| 3 | 드 | ľ | А | 1. | U | П |

34 g

GA 166 F CE Code - version

Polycarbonate Lens material

100% UV protection

10 pcs. Packing unit

Easy Fit Soft

Temple technology

Features Weight Features & Quick Info

Especially for tough industrial environments

Additional foam lip prevents the ingress of foreign bodies from above

Individually adjustable protection lens angle

Sporty design

Soft nose-piece

Customized configuration or branding with colour and logo on request


Unrestricted field of vision

Outdoor version available

| FRAME PRO | | | SENATOR | | | | |
|-----------------|---------------------------|--|---|---|---|--|--|
| frame colour(s) | | coating(s)* | | | | | article no. |
| Crystal | Green | AF | AS | Clear | 2C - 1,2 | GA1FNCE | 9805 155 |
| Mint | Black | AF | AS | Clear | 2C - 1,2 | GA 1 F N CE | 9806 155 |
| Grey | Orange | AF | AS | Clear | 2C - 1,2 | GA 1 F N CE | 9807 155 |
| Mint | Black | AF | AS | Grey | 5 - 2,5 | GA 1 F N CE | 9806 625 AF |
| Grey | Orange | AF | AS | Grey | | | 9807 625 AF |
| | Crystal Mint Grey Mint | Crystal Green Mint Black Grey Orange Mint Black | frame colour(s) Crystal Green AF Mint Black AF Grey Orange AF Mint Black AF | frame colour(s) Crystal Green AF AS Mint Black AF AS Grey Orange AF AS Mint Black AF AS | frame colour(s) coating(s)* colour Crystal Green AF AS Clear Mint Black AF AS Clear Grey Orange AF AS Clear Mint Black AF AS Grey | frame colour(s) coating(s)* colour □ Crystal □ Green AF AS □ Clear 2C - 1,2 ■ Mint □ Black AF AS □ Clear 2C - 1,2 □ Grey □ Orange AF AS □ Clear 2C - 1,2 ■ Mint □ Black AF AS □ Grey 5 - 2,5 | frame colour(s) coating(s)* colour code(s) Crystal Green AF AS Clear 2C - 1,2 GA 1 F N CE Mint Black AF AS Clear 2C - 1,2 GA 1 F N CE Grey Orange AF AS Clear 2C - 1,2 GA 1 F N CE Mint Black AF AS Grey 5 - 2,5 GA 1 F N CE |



WINDOR | WINDOR XL



WINDOR | WINDOR XL

The wraparound safety lens provides an unobstructed field of vision. The glasses fit closely and snugly on the head thanks to Ergo Fit temple technology. The special soft pad also provides protection from side impacts. With its especially large panoramic lens, the **WINDOR XL** version provides even better eye cover.

WINDOR | WINDOR XL



| WINDOR XL | 29 g | GA 166 F CE | Polycarbonate | 100% | 10 pcs. | Ergo Fit |
|-----------|--------|--------------------|---------------|---------------|--------------|-------------------|
| Features | Weight | Code – version | Lens material | UV protection | Packing unit | Temple technology |

| Fea | tures & Quick Info | | | |
|-----|--|---|---|---------------------------------------|
| 3 | Individually adjustable safety lens angle | 3 | Effective eye cover due to a very wide safety l | |
| 3 | Special soft pad on the temple protects against side impacts | 3 | Sporty design | Customized |
| 3 | WINDOR XL version with an even larger panoramic lens | 3 | Soft nose-piece | configuration or branding with colour |
| 3 | WINDOR is available as an outdoor version | 3 | Lightweight | and logo on request |

| Fig. | FRAME PRO | PERTIES | | | WINDOR WINDOR XL | | | | | | |
|-------------|---|---------|----|----------|---------------------|-------|----------|---------|---------------------|--|--|
| no. | frame cold | our(s) | C | oating(s | | | | code(s) | article no. | | |
| [1] | Black | Orange | НС | | | Clear | 2C - 1,2 | GA1FKCE | 9070 105 | | |
| [2] | Black | Orange | НС | | | Grey | | GA1FCE | 9070 625 | | |
| [3] | Black | Orange | | AF | AS | Clear | 2C - 1,2 | GA1FCE | XL: 9071 155 | | |
| * Coatings: | * Coatings: HC = scratch-resistant AF AS = anti-fog, antistatic, scratch-resistant HC AF AS = scratch-resistant, anti-fog, antistatic | | | | | | | | | | |



MIRADOR





For spectacle wearers: RX-Clip

Spectacle wearers can easily and quickly insert the **RX-Clip** with their own prescription value? into the **MIRADOR**.

FULL VIEW

With the additional adjustable head-strap, **MIRADOR** is the close-fitting pair of glasses with an unobstructed view.

All details of full-view glasses from p. 92



OUTDOOR/SPORT

MIRADOR is available in an outdoor version with various lens tint.

All details of Outdoor/ Sport models can be found on our homepage

MIRADOR ab 43 g

GA 166 F CE GA 166 B CE*

Code - version

Polycarbonate

Lens material

100%
UV protection

10 pcs.
Packing unit

Easy Fit Soft + elastic cloth strap

Temple technology

* includes head-strap

Features & Quick Info

Features

Soft plastic adaptor provides better sealing around the eyes

3 Non-slip temple ends

Customized **configuration or branding** with colour and logo on request

3 Indirect ventilation system

Soft nose-piece

Certified as safety spectacles with the head-strap

Prescription eyewear option with the RX insert

Additional head-strap ensure a snug fit

Weight

Photochromic outdoor version also available

| Fig. | FRAME PRO | PERTIES | | | MIRADOR | | | | |
|------|------------|---------|-------------|----|---------|--------------|----------|----------------|-------------|
| no. | frame colo | ur(s) | coating(s)* | | | | | | article no. |
| [1] | Crystal | Black | НС | AF | AS | Clear | 2C - 1,2 | GA 1 F B KN CE | 9350 006 |
| [2] | Crystal | Orange | НС | AF | AS | Clear | 2C - 1,2 | GA1FBKNCE | 9351 006 |
| [3] | Crystal | Orange | НС | AF | AS | photochromic | | 2 GA 1 F KN CE | 9351 190 |

Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, anti

| Extra | |
|-----------|--|
| accessory | |

| F | X-Clip |
|---|---------|
| | Crystal |

| Easy_to-fit clip insert | | | | | | | |
|---------------------------|-------------------------------------|--|--|--|--|--|--|
| material/glass properties | Plastic for individual prescription | | | | | | |
| | | | | | | | |

MIRADOR RX-Clip
article no. 2013

MATADOR





MATADOR30 gGA 166 F CEPolycarbonate100%10 pcs.Easy FitFeaturesWeightCode - versionLens materialUV protectionPacking unitTemple technology

Features & Quick Info

Soft clip ensures comfort when worn

Soft clip ensures comfort when worn

Soft clip ensures comfort when worn

Generously-proportioned safety lens for wide field of view

Customized configuration or branding with colour and logo on request

| Fig. | FRAME PR | OPERTIES | | | | MATADOR | | | | | |
|------------|---|----------|----------|----|-------------|---------|----------|--------------|----------|--|-------------|
| no. | frame c | | coating(| | coating(s)* | | | | | | article no. |
| [1] | Crystal | Orange | НС | AF | AS | Clear | 2C - 1,2 | GA 1 F KN CE | 9230 006 | | |
| [2] | Crystal | Orange | НС | | | Clear | 2C - 1,2 | GA1FKCE | 9230 105 | | |
| [3] | Crystal | Orange | | AF | AS | Clear | 2C - 1,2 | GA 1 F N CE | 9230 155 | | |
| * Coatings | * Coatings: HC = scratch-resistant AF AS = anti-fog, antistatic, scratch-resistant HC AF AS = scratch-resistant, anti-fog, antistatic | | | | | | | | | | |



VELOR





OUTDOOR/SPORT



All details of Outdoor/Sport models can be found on our homepage

| VELOR | 34 g | GA 166 F CE | Polycarbonate | 100% | 10 pcs. | Easy Fit Soft or elastic head-strap |
|----------|--------|----------------|---------------|---------------|--------------|-------------------------------------|
| Features | Weight | Code – version | Lens material | UV protection | Packing unit | Temple technology |

| Fea | tures & Quick Info | | | |
|-----|--|---|--|---------------------------------------|
| 3 | Soft face rest reduces risk of injury | 3 | Optional head-strap ensures a snug fit | |
| 3 | Available as VELOR Dioptre with reading accessory | 3 | Very good eye cover | Customized |
| 3 | Large-dimensioned safety lens for a wide field of vision | 3 | Soft nose-piece | configuration or branding with colour |
| 3 | Outdoor version available | 3 | Sporty design | and logo on request |

| Fig. | FRAME P | ROPERTIES | | | | VELOR | | | |
|-------------|------------------------|------------------------|---|-------------|---------|------------------------|----------------|----------------|-------------|
| no. | frame | | С | coating(s)* | | | | code(s) | article no. |
| [1] | Black | Turquoise | | AF | AS | Clear | 2C - 1,2 | GA1FNCE | 9600 155 |
| [2] | Black | Grey | НС | AF | AS | Clear | 2C - 1,2 | GA 1 F KN CE | 9601 006 |
| [3] | Black | Grey | | AF | AS | Clear | 2C - 1,2 | GA1FNCE | 9601 155 |
| [4] | Black | Turquoise | | AF | AS | Grey | 5 - 2,5 | GA 1 F N CE | 9600 625 AF |
| [5] | Black | Grey | *************************************** | AF | AS | Grey | | GA1FNCE | 9601 625 AF |
| * Coatings: | HC = scratch-resistant | AF AS = anti-fog, anti | static, sci | atch-re | sistant | HC AF AS = scratch-res | istant, anti-f | og, antistatic | |

VELOR DIOPTRE







The ideal safety-lens solution for wearers of reading glasses

The integrated reading accessory in the lower part of the lens enables sharp close-up vision. The inconvenience of switching to reading glasses is eliminated and the eyes remain protected at all times. The **VELOR DIOPTRE** is available with inserts of strength $\pm 1.50/\pm 2.00/\pm 2.50$ dioptres.

Just like the **TERMINATOR PLUS DIOPTRE**, **VELOR DIOPTRE** protects the eyes effectively from foreign bodies with its sharply curved lenses.



VELOR DIOPTRE34 gGA 166 F CEPolycarbonate100%10 pcs.Easy Fit Soft or elastic head-strapFeaturesWeightCode - versionLens materialUV protectionPacking unitTemple technology

| Fea | tures & Quick Info | | | |
|-----|--|---|--|---------------------------------------|
| 3 | Reading accessory in various strengths (+1.50/+2.00/+2.50) | 3 | Sporty design | Customized |
| 3 | Soft face rest reduces risk of injury | 3 | Optional head-strap ensures a snug fit | configuration or branding with colour |
| 3 | Large-dimensioned safety lens for a wide field of vision | 3 | Soft nose-piece | and logo on request |
| 3 | Very good eye cover | | | |

| Fig. | FRAME P | PROPERTIES | | | VELOR DIOPTRE | | | | | | | | |
|-------------|-----------------------|---------------------------|----------------|--|----------------------|-------|----------|---------|-------------|--|--|--|--|
| no. | frame | colour(s) | coating | | reading accessory | | | code(s) | article no. | | | | |
| [1] | Black | Turquoise | AF | AS | 1,50 | Clear | | GA1FNCE | 9600 150 | | | | |
| [2] | Black | Grey | AF | AS | 2,00 | Clear | | GA1FNCE | 9601 200 | | | | |
| [3] | Black | Orange | AF | AS | 2,50 | Clear | 2C - 1,2 | GA1FNCE | 9602 250 | | | | |
| * Coatings: | HC = scratch-resistan | t AF AS = anti-fog, ant | tistatic, scra | *Coatings: HC = scratch-resistant AF AS = anti-fog, antistatic, scratch-resistant HC AF AS = scratch-resistant, anti-fog, antistatic | | | | | | | | | |



COMBOR









Interchangeable: temple or head-strap

The temple can be easily exchanged for a comfortable elastic head-strap in just a few movements. An extremely secure fit is assured, even in extreme conditions.

COMBOR

35 g

GA 166 F CE

Polycarbonate

100%

10 pcs.

Easy Fit or elastic head-strap

Features

Weight

Code – version

Lens material

UV protection

Packing unit

Temple technology

Features & Quick Info

5 Full coverage of the eyes due to a soft foam border

The lenses are easily exchanged

Optional head-strap ensures a snug fit
 Can also be used as an outdoor variant by changing the lens

Particularly suitable for tough industrial environments

Prescription eyewear option with the RX insert

3 Soft nose-piece

Sporty design

Customized configuration or branding with colour and logo on request

Outdoor version available

| Fig. | FRAME PROPERTIES | | | | COMBOR | | |
|------|------------------|-------------|----|-------|----------|---------|-------------|
| no. | frame colour(s) | coating(s)* | | | code(s) | | article no. |
| [1] | Grey Blue | AF | AS | Clear | 2C - 1,2 | GA1FNCE | 9610 155 |
| [2] | Black Grey | AF | AS | Clear | 2C - 1,2 | GA1FNCE | 9611 155 |
| [3] | Black Red | AF | AS | Clear | 2C - 1,2 | GA1FNCE | 9614 155 |

Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistati

COMBOR



OUTDOOR/SPORT

All details of Outdoor/Sport models can be found on our homepage

COMBOR Outdoor Set with exchangeable Outdoor lenses, elastic head-strap, **RX inserts** for spectacle wearers and micro-fibre pouch.

The optional Orange-tinted lenses increase contrast.



FOR SPECTACLE WEARERS: RX INSERT

Spectacle wearers can convert the **COMBOR** into personalized safety spectacles with the exchangeable **RX inserts**. **RX inserts** are available in Grey, Black, Blue and Crystal.

| Fig. | RX INSERT | | | | | | | | |
|--|-----------|--|--|--|--|--|--|--|--|
| | colour(s) | | | | | | | | |
| [1] | Black | | | | | | | | |
| [2] | Crystal | | | | | | | | |
| [3] | Grey | | | | | | | | |
| [4] | Blue | | | | | | | | |
| If you are interested and would like further information, send us a short email to: info@infield-safety.de | | | | | | | | | |





RAPTOR







Comfortable fit with Softflex temple

The RAPTOR temple provide particularly effective support and ensure a non-slip, pressure-free fit.

| RAPTOR | 24 g | GA 166 FT CE | Polycarbonate | 100% | 10 pcs. | Softflex Fit |
|---------------|-------------|----------------|---------------|---------------|--------------|-------------------|
| Features | Weight | Code – version | Lens material | UV protection | Packing unit | Temple technology |

| Fea | Features & Quick Info | | | | | | | | |
|-----|---|---|---|---|--|--|--|--|--|
| 3 | Exceptionally lightweight safety spectacles | 3 | Sporty design | Customized | | | | | |
| 3 | Comfortable to wear due to softflex temple ends | | Excellent protection with wraparound technology | configuration or branding with colour and logo on request | | | | | |
| 3 | Outdoor version available | 3 | Welder protection version available | and logo on request | | | | | |

| Fig. | FRAME PROPERTIES | | | RAPTOR | | | | |
|------|------------------|----|----|--------|-------|----------|--------------|-------------|
| no. | frame colour(s) | cc | | | | | code(s) | article no. |
| [1] | Black | НС | | | Clear | 2C - 1,2 | GA 1 FT K CE | 9060 105 |
| [2] | Black | | AF | AS | Clear | 2C - 1,2 | GA 1 FT N CE | 9060 155 |
| [3] | Blue | НС | | | Clear | 2C - 1,2 | GA 1 FT K CE | 9062 105 |
| [4] | Blue | | AF | AS | Clear | | GA 1 FT N CE | 9062 155 |

* Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistati

RAPTOR



OUTDOOR/SPORT

All details of Outdoor/Sport models can be found on our homepage



WELDING PROTECTION

All details of Welding Protection | Welding models from p.102







| Fig. | FRAME PROPERTIES | | LENS PROPERTIES | | | | | | |
|------|------------------|-------------|-----------------|---------|--------------|-------------|--|--|--|
| no. | frame colour(s) | coating(s)* | | | code(s) | article no. | | | |
| [1] | Black | НС | Grey | 5 - 2,5 | | 9060 625 | | | |
| [2] | Blue | HC | Grey | 5 - 2,5 | GA 1 FT K CE | 9062 625 | | | |
| [3] | Orange | HC | Orange | 2 - 1,7 | GA 1 FT K CE | 9063 120 | | | |
| [4] | Black | HC | Amber | | GA 1 FT K CE | 9064 125 | | | |
| [5] | Blue | HC | Blue reflective | | GA 1 F CE | 9065 130 | | | |
| [6] | Black | HC | Green | 2 | GA 1 FT K CE | 9060 132 | | | |
| [7] | Black | HC | Green | 3 | GA 1 FT K CE | 9060 133 | | | |
| [8] | Black | НС | Green | 5 | GA 1 FT K CE | 9060 135 | | | |

* Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistatic



CONDOR





OUTDOOR/SPORT





All details of Outdoor/Sport models can be found on our homepage



Feather-light design

The **CONDOR** is a very light and barely perceptible pair of safety spectacles. Additional side protection ensures particularly effective protection for the eyes. The flexible temple and soft nose pad provide a snug fit.

| CONDOR | 26 g | GA 166 F CE | Polycarbonate | 100% | 10 pcs. | Easy Fit Soft |
|----------|--------|----------------|---------------|---------------|--------------|-------------------|
| Features | Weight | Code – version | Lens material | UV protection | Packing unit | Temple technology |

| Feat | tures & Quick Info | | | |
|------|--|---|------------------------------------|--|
| 3 | Exceptionally lightweight safety spectacle | 3 | Non-slip temple in two-tone design | Customized |
| 3 | Additional side protection | 3 | Soft nose pad | configuration or branding with colour |
| 2 | Outdoor version available | *************************************** | | and logo on request |

| Fig. | FRAME PROPERT | ΓIES | | | CONDOR | | | |
|-------------|--------------------------------|-----------------|------------------|-----------|---------------------------|----------------|-------------------|-------------|
| no. | frame colour(s) | | coating(| | | | | article no. |
| [1] | Black | Crystal | НС | | Clear | _ ′ | GA 1 F K CE | 9050 105 |
| [2] | Black | Crystal | НС | | Grey | | GA 1 F K CE | 9050 625 |
| [3] | Green | Crystal | НС | | Clear | 2C - 1,2 | GA1FKCE | 9051 105 |
| [4] | Green | Crystal | НС | | Grey | | GA1FKCE | 9051 625 |
| * Coatings: | HC = scratch-resistant AF AS | = anti-fog, ant | istatic, scratch | -resistan | t HC AF AS = scratch-re | esistant, anti | i-fog, antistatic | |

TENSOR





OUTDOOR/SPORT



All details of Outdoor/Sport models can be found on our homepage

WELDER PROTECTION



All details of Welding Protection from p.102

TENSOR

29 g

GA 166 F CE

Polycarbonate

100%

10 pcs.

Easy Fit Soft + adjustable head-strap

Features

Weight

Code – version

Lens material

UV protection

Packing unit

Temple technology

Features & Quick Info

0

Additional head-strap ensures that the glasses sit securely

3

Individually adjustable protection lens angle

Customized **configuration or branding** with colour and logo on request

Outdoor version available


3 Welder protection version available

| Fig. | FRAME PROPERTIES | | | | TENSOR | | | |
|------|------------------|----|----|----|--------|----------|---------|-------------|
| no. | frame colour(s) | С | | | | | code(s) | article no. |
| [1] | Smoke | НС | | | Clear | 2C - 1,2 | GA1FKCE | 9340 105 |
| [2] | Smoke | | AF | AS | Clear | 2C - 1,2 | GA1FNCE | 9340 155 |
| [3] | Smoke | НС | | | Grey | 5 - 2,5 | GA1FKCE | 9340 625 |
| [4] | Smoke | • | AF | AS | Green | 2 | GA1FNCE | 9340 132 AF |

Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistati




EXOR



EXOR - the aspherical corrected safety spectacle by INFIELD

The predominantly sharp curvature of the lenses of safety spectacles can cause slight aberrations and distortions in peripheral areas, which may be distracting.

Light rays are refracted more strongly around the edges than in the centre of the lenses. In extreme cases, this can cause headaches and dizziness. **EXOR** counteracts these problems with the aspherical design of the front surface of the lens. Peripheral light rays are refracted just like rays in the centre of the safety lens. The wearer of the glasses sees an interference-free field. This means that precision work, requiring great accuracy can be undertaken.



EXOR





Increased protection without visual distortion

The **EXOR** offers very good eye area coverage and additional upper protection due to the integrated top lip. The individually adjustable temple length ensures a comfortable, pressure free fit at the ears and temple area. The aspherically corrected lens reduces distortions and visual discomfort.

EXOR26 gGA 166 F CEPolycarbonate100%10 pcs.Easy Fit SoftFeaturesWeightCode - versionLens materialUV protectionPacking unitTemple technology

| Fea | tures & Quick Info | | | |
|-----|--|---|---------------------------------------|---------------------------------------|
| 3 | Aspherical lens design counteracts image aberrations | 3 | Individually adjustable temple length | Customized |
| 3 | Excellent fit due to Wraparound technology | 3 | Soft nose pad | configuration or branding with colour |
| 3 | Integrated upper eye cover | 3 | Lightweight | and logo on request |

| Fig. | FRAME PROPERTIES | | | | LENS PROPER | | EXOR | | |
|---------------|--|----|----|----|-------------|----------|--------------|-------------|--|
| no. | frame colour(s) | C | | | | code(s) | | article no. | |
| [1] | Black | НС | AF | AS | Clear | 2C - 1,2 | GA 1 F KN CE | 9390 006 | |
| [2] | Black | НС | | | Clear | 2C - 1,2 | GA1FKCE | 9390 105 | |
| [3] | Black | | AF | AS | Clear | 2C - 1,2 | GA1FNCE | 9390 155 | |
| * Coatings: I | *Coatings: HC = scratch-resistant AF AS = anti-fog, antistatic, scratch-resistant HC AF AS = scratch-resistant, anti-fog, antistatic | | | | | | | | |



PRIMOR





Excellent eye cover

With its integrated safety strip on the upper edge of the lens, **PRIMOR** provides excellent eye cover. The unostentatious and inconspicuous design is complemented by the adjustability of the temple.



PRIMOR26 gGA 166 F CEPolycarbonate100%10 pcs.Easy FitFeaturesWeightCode - versionLens materialUV protectionPacking unitTemple technology

| Feat | tures & Quick Info | | | |
|------|--|---|---|--|
| 3 | Integrated protection above the eyes | 3 | Adjustable temple length | Customized |
| 3 | Excellent fit due to Wraparound technology | 3 | Individually adjustable safety lens angle | configuration or branding with colour |
| 3 | Soft nose pad | 2 | Lightweight | and logo on request |

| Fig. | FRAME PROPERTIES | | | | PRIMOR | | |
|---|------------------|-------------|--|-------|----------|---------|-------------|
| no. | frame colour(s) | coating(s)* | | | | | article no. |
| [1] | Black | НС | | Clear | 2C - 1,2 | GA1FKCE | 9365 105 |
| * Coatings: HC = scratch-resistant AF AS = anti-fog, antistatic, scratch-resistant HC AF AS = scratch-resistant, anti-fog, antistatic | | | | | | | |

VOLTOR





For spectacle wearers: VOLTOR CLIPP

Spectacle wearers can easily insert the RX-Clip, containing their prescription lenses, into the **VOLTOR**.

OUTDOOR/SPORT



All details of Outdoor/Sport models can be found on our homepage

Increased safety from the foam lip

The additional foam lip on the upper edge of the frame increases safety by preventing the ingress of foreign bodies from above. Furthermore, the safety spectacles fit comfortably to the forehead and protect from frontal impacts.



VOLTOR32 gGA 166 F CEPolycarbonate100%10 pcs.Easy Fit SoftFeaturesWeightCode - versionLens materialUV protectionPacking unitTemple technology

| Fea | tures & Quick Info | | | |
|-----|--|---|---|---|
| 3 | Sporty panoramic lens design | 3 | Additional foam lip prevents the ingress of foreign bodies from | |
| 3 | Outdoor version available | 3 | Soft nose pad | Customized configuration |
| 3 | Prescription eyewear option with the RX insert | *************************************** | | or branding with colour and logo on request |

| Fig. | FRAME PRO | PERTIES | | | VOLTOR | | | |
|---|------------|-----------------|----|--|--------|----------|---------|-------------|
| no. | frame cold | frame colour(s) | | | | | code(s) | article no. |
| [1] | Black | Orange | НС | | Clear | 2C - 1,2 | GA1FKCE | 9650 105 |
| [2] | Black | Orange | НС | | Grey | 5-2,5 | GA1FKCE | 9650 625 |
| * Coatings: HC = scratch-resistant AF AS = anti-fog, antistatic, scratch-resistant HC AF AS = scratch-resistant, anti-fog, antistatic | | | | | | | | |

| Extra | R | X-Clip | Easy | VOLTOR RX-Clip | | |
|-----------|--------|---------|---------------------------|-------------------------------------|-------------|------|
| accessory | colour | Crystal | material/glass properties | Plastic for individual prescription | article no. | 2010 |



HUNTOR



OUTDOOR/SPORT



All details of Outdoor/Sport models can be found on our homepage



GA 166 FT CE Polycarbonate

Light and comfortable

100%

HUNTOR is a very light pair of glasses. The soft nose pad also ensures a very comfortable fit, even when the glasses are worn for longer periods.

10 pcs.

Easy Fit

| Features | Weight | Code – version | Lens mater | ial UV protection | Packing unit | Temple technology | _ |
|------------|---|----------------|------------|------------------------|----------------|---------------------------------------|---------------------|
| Features & | Quick Info | | | | | | |
| \sim | icted field of visio | | 3 | Excellent fit due to W | raparound tech | nnology | Customized |
| Excepti | g Exceptionally lightweight safety spectacles | | 3 | Soft nose pad | | configuration or branding with colour | |
| 0 | r version availabl | e | 3 | Sporty design | | | and logo on request |

| Fig. | FRAME PROPERTIES | | | | HUNTOR | | | |
|---------------|---|-------------|--|--------------|----------|---------|-------------|--|
| no. | frame colour(s) | coating(s)* | | | | | article no. | |
| [1] | Crystal | НС | | Clear | 2C - 1,2 | GA1FKCE | 9370 105 | |
| [2] | Crystal | НС | | Grey 5 - 2,5 | | GA1FKCE | 9370 625 | |
| * Coatings: I | * Coatings: HC = scratch-resistant AF AS = anti-fog, antistatic, scratch-resistant HC AF AS = scratch-resistant, anti-fog, antistatic | | | | | | | |

HUNTOR

23 g

NESTOR | NESTOR SMALL





Our lightest safety spectacles

Our aim was to design a particularly lightweight pair of glasses that continued to meet all the requirements of safety spectacles. With **NESTOR** we have achieved this. Perfect for activities requiring only moderate eye protection.

OUTDOOR/SPORT





All details of Outdoor/Sport models can be found on our homepage

NESTOR NESTOR SMALL

from 19 g

GA 166 F CE

Polycarbonate

100%

10 pcs.

Easy Fit

Features

Weight

Code - version

Lens material

UV protection

Packing unit

Temple technology

Features & Quick Info

Unrestricted field of vision

Outdoor version available

Exceptionally lightweight safety spectacles

Available in 2 different sizes

Customized configuration or branding with colour and logo on request

| Fig. | FRAME PROPERTIES | | LENS PROPERTIES | | | | | | NESTOR NESTOR SMALL | |
|------|------------------|----|-----------------|----|-------------|----------|---------|-------------|------------------------|--|
| no. | frame colour(s) | C | coating(s)* | | (s)* colour | | code(s) | article no. | | |
| [1] | Crystal | НС | | | Clear | 2C - 1,2 | | | 9360 105 | |
| [2] | Crystal | | AF | AS | Clear | 2C - 1,2 | GA1FNCE | | 9360 155 | |
| [3] | Crystal | НС | | | Clear | 2C - 1,2 | GA1FKCE | Small | 9360 105 S | |
| [4] | Smoke | НС | | | Grey | 5 - 2,5 | GA1FKCE | | 9360 625 | |
| [5] | Smoke | НС | | | Grey | 5 - 2,5 | GA1FKCE | Small | 9360 625 S | |
| [6] | Amber | НС | | | Amber | 2-1,2 | | | 9360 125 | |



VISION 12





Close fitting safety spectacles without lens curvature

The **VISION 12 PLANO** is equipped with lenses that have very little curvature. Due to the flat lens structure, less optical imaging errors occur than with curved lenses.

Especially with long wearing time over an entire working day, the VISION 12 Plano supports fatigue-free vision and the low weight promotes comfort and wearer acceptance.

GA1FKCE

2065 06 105 5617

| VISIO | N 12 32 g | GA 166 F CE | Polycarbonate | 100% | 10 pcs. | Easy Fit Soft | | |
|----------|-----------------------|--------------------|---------------|----------------------------|--------------|----------------------|--|--|
| Features | Weight | Code – version | Lens material | UV protection | Packing unit | Temple technology | | |
| Feature | s & Quick Info | | | | | | | |
| ~ | htweight, comfortab | | \sim | Yented for air circulation | | | | |
| 3 Sof | t nose pad | | 3 Sp | porty design | | | Customized configuration or branding with colour | |
| | egrated side protecti | | 0 | ery good eye cove | | | and logo on request | |
| Fig. | FRAME F | PROPERTIES | L | ENS PROPERT | TIES | | VISION 12 | |
| | | | / 14 | 12.4 | | | | |

Clear

[1]

VISION 12 READER





Safety spectacles for near vision activities

Safety spectacles for users of reading glasses to offer protection during near vision activities, e.g. sawing, drilling, abrasive cutting. In contrast to the "Terminator Plus Diopter" the corrected vision extends over the entire lens.

+1,5

+2,0

+2,5

| VISION 12 READER | 32 g | GA 166 F CE | Polycarbonate | 100% | 10 pcs. | Easy Fit Soft |
|-------------------------|-------------|----------------|---------------|---------------|--------------|----------------------|
| Features | Weight | Code – version | Lens material | UV protection | Packing unit | Temple technology |

| Fea | tures & Quick Info | | | | | |
|-----|--|---|--|---------------------------------------|--|--|
| 3 | Lightweight, comfortable fit | 3 | Vented for air circulation | Customized | | |
| 3 | Soft nose pad | 3 | Sporty design | configuration or branding with colour | | |
| 3 | Integrated side protection | 3 | Very good eye cover | and logo on request | | |
| 3 | Safety spectacles for reading lens users | 3 | Perfect for near vision activities, e. G. Sawing, drilling, abrasive cutting | | | |

| Fig. | FRAME PROPERTIES | | LEN | | VISION 12 READER | | | | | |
|-------------|---|-------------|--------------------|-------|------------------|------------------|--|--|--|--|
| no. | frame colour(s) | coating(s)* | strength of lenses | | code(s) | article no. | | | | |
| [1] | Grey | НС | + 1,5 | Clear | GA 1 F K CE | 2065 06 105 5617 | | | | |
| [2] | Grey | НС | + 2,0 | Clear | GA 1 F K CE | 2065 06 105 5617 | | | | |
| [3] | Grey | НС | +2,5 | Clear | GA 1 F K CE | 2065 06 105 5617 | | | | |
| * Coatings: | * Coatings: HC = scratch-resistant AF AS = anti-fog, antistatic, scratch-resistant HC AF AS = scratch-resistant, anti-fog, antistatic | | | | | | | | | |



OPTOR





The new OPTOR series

Innovative temple technology adds a further adjustment for frame inclination to the existing adjustable side length and Softflex-Fit temples making this the most personalised fit for all face shapes.



UV-/INFRARED PROTECTION

Variable lens angle

Due to the adjustability of the temples (inclination), the lens angle is adaptable to any face shape and for any working condition



All details of the IR protection model on p. 131

| | | | Hard Glass / | | | |
|----------|-----------|----------------|---------------|---------------|--------------|-------------------|
| OPTOR | from 40 g | GA 166 FT CE | polycarbonate | 100% | 10 pcs. | Softflex Fit |
| Features | Weight | Code – version | Lens material | UV protection | Packing unit | Temple technology |

| Fea | tures & Quick Info | | | |
|-----|--|---|----------------------------|---------------------------------------|
| 3 | Lightweight | 3 | Classic design | Customized |
| 3 | Easily adjustable and extendible temple tips | 3 | Very good eye cover | configuration or branding with colour |
| 3 | Particularly suitable for fuller face shapes | 3 | Integrated side protection | and logo on request |

| Fig. | FRAME PROPERTIES | | | | OPTOR | | | | |
|------|--------------------------|----|----|----|----------|-------|---------|--------------|-------------|
| no. | frame colour(s) | C | | | Material | | code(s) | | article no. |
| [1] | Turquoise Grey Crystal | НС | | | Hartglas | Clear | | GA 1 S CE | 9400 000 |
| [2] | Turquoise Grey Crystal | НС | | | PC | Clear | 2C-1,2 | GA 1 FT K CE | 9400 105 |
| [3] | Turquoise Grey Crystal | | AF | AS | PC | Clear | 2C-1,2 | GA 1 FT N CE | 9400 155 |
| [4] | Turquoise Grey Smoke | | AF | AS | PC | Clear | 2C-1,2 | GA 1 FT N CE | 9402 155 |
| [5] | Black Blue Black | НС | | | PC | Green | | GA 1 F CE | 9400 147 |

Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistat

OPTOR PLUS





OPTOR PLUS - for strong protection in harsh industrial environments

With the additional soft adapter the **OPTOR PLUS** offers perfect protection, especially in dirty and dusty environments.



Variable lens angle

Due to the adjustability of the temples (inclination), the lens angle is adaptable to any face shape and for any working condition Even better eye coverage with the additional adapter

| OPTOR PLUS | 45 g | GA 166 FT CE | Polycarbonate | 100% | 10 pcs. | Softflex Fit |
|------------|-------------|----------------|---------------|---------------|--------------|-------------------|
| Features | Weight | Code – version | Lens material | UV protection | Packing unit | Temple technology |

| Fea | tures & Quick Info | | | |
|-----|--|---|----------------------------|---------------------------------------|
| 3 | Lightweight | 3 | Classic design | Customized |
| 3 | Easily adjustable and extendible temple tips | 3 | Very good eye cover | configuration or branding with colour |
| 3 | Particularly suitable for fuller face shapes | 3 | Integrated side protection | and logo on request |

| Fig. | FRAME PROPERTIES | | | | LENS | OPTOR PLUS | | | | |
|----------|---|--------------|----------------------|----|----------|------------|--|---------|-------------|--|
| no. | frame colour(s) | coa | coating(s)* Material | | Material | | | | article no. | |
| [1] | Turquoise Grey Crystal | | AF | AS | PC | Clear | | GA1FNCE | 9401 155 | |
| [2] | OPTOR PLUS replacement adaptor | Black Grey | | | | | | | 9401 777 | |
| * Coatin | Coatings: HC = scratch-resistant AF AS = anti-fog. antistatic. scratch-resistant HC AF AS = scratch-resistant, anti-fog. antistatic | | | | | | | | | |



OPTOR XXS





The new OPTOR series

The light goggle frames of the **OPTOR** series are characterized by very good eye area coverage and have integrated pageband protection.

The **OPTOR** is particularly well suited for wider face shapes. The **OPTOR XXS** is the right model for users with narrow facial contours.



Variable lens angle

Due to the adjustability of the temples (inclination), the lens angle is adaptable to any face shape and for any working condition

OPTOR XXSab 33 gGA 166 FH CEPolycarbonate100%10 pcs.Softflex FitFeaturesWeightCode - versionLens materialUV protectionPacking unitTemple technology

| Fea | tures & Quick Info | | | |
|-----|--|---|----------------------------|---|
| 3 | Lightweight | 3 | Classic design | Customized |
| 3 | Easily adjustable and extendible temple ends | 3 | Very good eye cover | configuration or branding with colour and logo on |
| 3 | Particularly suitable for narrow face shapes | 3 | Integrated side protection | request |

| Fig. | FRAME PROPERTIES | | | OPTOR XXS | | | | | |
|------|--------------------------|----|----|-----------|----------|-------|--------|-------------|-------------|
| no. | frame colour(s) | C | | | Material | | | code(s) | article no. |
| [1] | Turquoise Grey Crystal | НС | | | PC | Clear | 2C-1,2 | GA 1 F K CE | 9403 105 |
| [2] | Turquoise Grey Crystal | | AF | AS | PC | Clear | 2C-1,2 | GA1FNCE | 9403 155 |
| [3] | Turquoise Grey Smoke | | AF | AS | PC | Clear | 00.40 | GA1FNCE | 9406 155 |

OPTOR XXS PLUS





Even better eye coverage with the additional adapter





Particularly suitable for narrow face shapes

Variable lens angle

Due to the adjustability of the temples (inclination), the lens angle is adaptable to any face shape and for any working condition

OPTOR XXS PLUS 46 g GA 166 FH CE **Polycarbonate** 100% Softflex Fit 10 pcs. Features Weight Code - version Lens material UV protection Packing unit Temple technology Features & Quick Info Lightweight Classic design Customized configuration or Easily adjustable and extendible temple ends Very good eye cover

| Fig. | FRAME PROPERTIES | | | LENS | | OPTOR XXS PLUS | | |
|-----------|---|-----------------------------|---------|--------------|--------------------|----------------|------------|-------------|
| no. | frame colour(s) | coating(s)* Material colour | | | | | code(s) | article no. |
| [1] | Turquoise Grey Smoke | AF | AS | PC | Clear | | GA1FNCE | 9405 155 |
| [2] | Ersatz-Adapter OPTOR XXS PLUS | Bla | ick G | | • | | | 9402 777 |
| * Coating | s: HC = scratch-resistant AF AS = anti-fog, antista | itic, scratch-re | esistan | t HC AF AS | = scratch-resistaı | nt, anti-fog, | antistatic | |

Integrated side protection

branding with colour and logo on request



SUPERIOR





| | | | Hard Glass / | | | |
|-----------------|-----------|--------------------|---------------|---------------|--------------|-------------------|
| SUPERIOR | from 31 g | GA 166 F CE | Polycarbonate | 100% | 10 pcs. | Softflex Fit |
| Features | Weight | Code – version | Lens material | UV protection | Packing unit | Temple technology |

| Fea | tures & Quick Info | | | |
|-----|--|---|---------------------------------------|-----------------------------------|
| 3 | Lightweight | 3 | Particularly suitable for wider faces | Customized |
| 3 | Easily adjustable and extendible temple ends | 3 | Very good eye cover | configuration or branding with |
| 3 | Integrated side protection | | | request |

| Fig. | FRAME PROPERTIES | | LENS PROPERTIES | | | | | | | |
|-------------|----------------------------------|---------------------------|------------------|--------------------|-------------------|------------------|------------------|--|--|--|
| no. | frame colour(s) | coating(s)* | Material | | | de(s) | article no. | | | |
| [1] | Crystal | | Hard Glass | Clear | ` | GA1SCE | 2370 00 000 5400 | | | |
| [2] | Crystal | HC | PC | Clear | 2C-1,2 | GA1FKCE | 2370 00 105 5400 | | | |
| [3] | Smoke | | Hard Glass | Clear | | GA1SCE | 2370 05 000 5400 | | | |
| [4] | Smoke | HC | PC | Clear | | GA1FKCE | 2370 05 105 5400 | | | |
| * Coatings: | HC = scratch-resistant AF AS = | = anti-fog. antistatic. s | cratch-resistant | HC AF AS = scratch | -resistant. anti- | -fog. antistatic | | | | |

OPTOR CLIP OUTDOOR





OPTOR CLIP OUTDOOR

60 g

GA 166 FT CE

Polycarbonate

100%

10 pcs.

Softflex Fit

Features

Weight

Code – version

Lens material

UV protection

Packing unit

Temple technology

| Fea | tures & Quick Info | | | |
|-----|--|---|---|--|
| 3 | Easily adjustable and extendible temple ends | 3 | Hinged clip solution for outdoor activities | |
| 3 | Integrated side protection | 3 | Very good eye cover | |
| 3 | Variable lens angle | 3 | | Customized configuration or branding with colour and logo on request |

| Fig. | FRAME PROPERTIES | | L | OPTOR CLIP OUTDOOR | | | |
|------|------------------|--------------|--|--------------------|----------------|--|----------|
| Nr. | Rahmenfarbe(n) | Beschichtung | eschichtung(en)* Farbe Kennzeichnung(en) | | Artikel-Nummer | | |
| [1] | Black | НС | | Grey | 5-2,5 GA1FKCE | | 9404 625 |

* Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistati




Safety glasses as a frame for the outdoor clip

OPTOR CLIP OUTDOOR consists of the protective glasses model **OPTOR** and the matching outdoor clip. The clip is clamped onto the frame of the **OPTOR**.

| Fig. | FRAME PROPERTIES | | | LEN | OPTOR | | | |
|-----------|---|----------|--|----------|-------|--------|---------|------------------|
| no. | frame colour(s) | coating(| | Material | | | code(s) | article no. |
| [2] | Black | НС | | PC | Clear | 2C-1,2 | GA1FKCE | 9404 03 105 5400 |
| * Coating | * Coatings: HC = scratch-resistant AF AS = anti-fog, antistatic, scratch-resistant HC AF AS = scratch-resistant, anti-fog, antistatic | | | | | | | |



Metal frame glasses



Glasses with a metal frame allow the user to adapt the glasses even more precisely to the anatomical characteristics of the head. Metal materials make the safety spectacles more robust and durable. The corrosion-resistant coating is also gentle on the wearer's skin.

Metal frame glasses

METAL FRAME GLASSES









Page 81







STEELOR



OUTDOOR/SPORT



All details of Outdoor/Sport models can be found on our homepage



Spring hinges and adjustable nose pads

The spectacle frame with spring hinges and sport temple ends adjusts automatically to the shape of the head. The adjustable nose pads can be adapted precisely to the wearer's nose. The screw-fit lens emphasizes the sporty design.

| STEELOR | 36 g | GA 166 F CE | Polycarbonate | 100% | 10 pcs. | Basic Fit | |
|----------|--------|--------------------|---------------|---------------|--------------|-------------------|--|
| Features | Weight | Code – version | Lens material | UV protection | Packing unit | Temple technology | |
| | | | | | | | |

| Feat | tures & Quick Info | | | |
|------|---|---|-----------------------------------|--|
| 3 | Spring-hinge glasses | 3 | Individually adjustable nose pads | Customized |
| 3 | Safety spectacles with robust metal frame | 3 | Unrestricted field of vision | configuration or branding with colour |
| 3 | Outdoor version available | | | and logo on request |

| Fig. | FRAME PROPERTIES | | | | STEELOR | | | | |
|---------------|---|----|----|----|---------|----------|--------------|--------------|--|
| no. | frame colour(s) | C | | | | | code(s) | article no. | |
| [1] | Silver | НС | AF | AS | Clear | 2C - 1,2 | GA 1 F KN CE | 9850 006 | |
| [2] | Silver | НС | AF | AS | Grey | 5-2,5 | GA 1 F KN CE | 9850 625 AF+ | |
| * Coatings: I | * Coatings: HC = scratch-resistant AF AS = anti-fog, antistatic, scratch-resistant HC AF AS = scratch-resistant, anti-fog, antistatic | | | | | | | | |

STRATOR





OUTDOOR/SPORT



All details of Outdoor/Sport models can be found on our homepage

Sporty and robust

With its wraparound safety lens the robust **STRATOR** provides an unrestricted field of vision. The soft nose pad and rubberized temple ends increase the comfortable fit.

| STRATOR | 42 g | GA 166 F CE | Polycarbonate | 100% | 10 pcs. | Basic Fit |
|----------|--------|----------------|---------------|---------------|--------------|-------------------|
| Features | Weight | Code – version | Lens material | UV protection | Packing unit | Temple technology |

| Fea | tures & Quick Info | | | |
|-----|---|---|------------------------------|---|
| 3 | Safety spectacles with a strong metal frame | 3 | Soft nose pad | Customized configuration or branding |
| 3 | Outdoor version available | 3 | Unrestricted field of vision | with colour and logo on request |

| Fig. | FRAME PROPERTIES | | | STRATOR | | | | | |
|---------------|--|----|------------|---------|----------|---------|-------------|--|--|
| no. | frame colour(s) | cc | pating(s)* | | | code(s) | article no. | | |
| [1] | Titanium | НС | | Clear | 2C - 1,2 | GA1FKCE | 9700 105 | | |
| [3] | Titanium | НС | | Grey | 5-2,5 | GA1FKCE | 9700 625 | | |
| * Coatings: I | *Coatings: HC = scratch-resistant AF AS = anti-fog, antistatic, scratch-resistant HC AF AS = scratch-resistant, anti-fog, antistatic | | | | | | | | |



VISION M 1000





VISION M 1000from 34 gGA 166 F CEPolycarbonate100%10 pcs.Basic FitFeaturesWeightCode - versionLens materialUV protectionPacking unitTemple technology

| Fea | tures & Quick Info | | |
|-----|-----------------------------------|---|--|
| 3 | Lightweight | 3 | Classic design |
| 3 | Individually adjustable nose pads | 3 | Good eye coverage |
| 3 | Transparent side protection | 3 | Available in 2 different sizes and colours |

| Fig. | FRAME PROPER- TIES | | LENS | S PROPERTIES | | | VISION M 1000 |
|------|-----------------------|-------------|------------|--------------|--------|-----------|------------------|
| no. | frame colour(s) | coating(s)* | Material | | | code(s) | article no. |
| [1] | Bronze | | Hard Glass | Clear | | GA1SCE | 1000 04 000 5000 |
| [2] | Bronze | | Hard Glass | Clear | | GA1SCE | 1000 04 000 5200 |
| [3] | Bronze | HC | PC | Clear | 2C-1,2 | GA1FCE | 1000 04 105 5000 |
| [4] | Bronze | HC | PC | Clear | 2C-1,2 | GA1FCE | 1000 04 105 5200 |
| [5] | Blue | | Hard Glass | Clear | | GA1SCE | 1000 18 000 5000 |
| [6] | Blue | | Hard Glass | Clear | | GA1SCE | 1000 18 000 5200 |
| [7] | Blue | HC | PC | Clear | 2C-1,2 | GA1FCE | 1000 18 105 5000 |
| [8] | Blue | НС | PC | Clear | 2C-1,2 | GA 1 F CE | 1000 18 105 5200 |

* Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistat

VISION M 3000 | 4000





VISION M 3000 **VISION M 4000**

from 41 g

GA 166 F CE

Hard Glass / **Polycarbonate**

100%

10 pcs.

Basic Fit

Features

Weight

Code – version

Lens material

UV protection Packing unit

Temple technology

| Fea | tures & Quick Info | | |
|-----|---|---|--|
| 3 | Lightweight | 3 | Classic design |
| 3 | Particularly suited to wide face shapes | 3 | Individually adjustable nose pads |
| 3 | Transparent side protection | 3 | Available in 3 different sizes and colours |

| Fig. | FRAME PROPERTIES | | LENS | PROPERTIES | | VISION M - |
|------|------------------|-------------|------------|------------|------------------|-------------------------|
| no. | frame colour(s) | coating(s)* | Material | | | article no. |
| [1] | Silver | | Hard Glass | Clear | GA 1 S CE | M 3000 3000 02 000 5400 |
| [2] | Silver | HC | PC | Clear | 2C-1,2 GA 1 F CE | M 3000 3000 02 105 5200 |
| [3] | Silver | HC | PC | Clear | 2C-1,2 GA 1 F CE | M 3000 3000 02 105 5400 |
| [4] | Silver | HC | PC | Clear | 2C-1,2 GA1FCE | M 3000 3000 02 105 5600 |
| [5] | Black | | Hard Glass | Clear | GA1SCE | M 4000 4000 03 000 5200 |
| [6] | Black | | Hard Glass | Clear | GA1SCE | M 4000 4000 03 000 5400 |
| [7] | Black | | Hard Glass | Clear | GA1SCE | M 4000 4000 03 000 5600 |
| [8] | Black | HC | PC | Clear | 2C-1,2 GA1FCE | M 4000 4000 03 105 5200 |
| [9] | Black | HC | PC | Clear | 2C-1,2 GA 1 F CE | M 4000 4000 03 105 5400 |
| [10] | Black | HC | PC | Clear | 2C-1,2 GA 1 F CE | M 4000 4000 03 105 5600 |



Visitor glasses | Over-glasses



Visitor- or Over-glasses have variable adjustability and are ideally suited to spectacle wearers who visit hazardous areas for only short periods of time. The various adjustability options prevent any friction with prescription classes. The modern visitor-glasses provide comfortable and effective eye protection, during factory or workshop inspections, for example. People who do not wear spectacles also enjoy a wide field of vision during brief activities and the extensive eye protection of INFIELD Over-glasses.

Product overview

VISITOR GLASSES | OVER-GLASSES



Over-glasses worn over prescription glasses

INFIELD Safety visitor/over-glasses are perfect for wearing over personal prescription glasses. Hence both your glasses and eyes are comprehensively protected.



They are normally worn for short periods, for example during brief activities in hazardous areas, but also by visitors and guests during works inspections. However, on account of their increased weight we recommend they be worn for short periods of time only. Our safety spectacles for spectacle wearers are better suited to activities in hazardous areas for longer periods. Further details can be found in our catalogue 'Safety spectacles for Spectacle Wearers 2016'.



ONTOR

Also available with super anti-reflex safety lenses

CLEAR SAR with AntiReflex



OUTDOOR/SPORT

WELDING PROTECTION









All details of Outdoor/Sport models can be found on our homepage

44 g

ONTOR

All details of Welding Protection models from p.94

| Features | Weight | Code – version | Lens material | UV protection | Packing unit | _ |
|------------|------------|----------------|---------------|---------------|--------------|---|
| Features & | Quick Info | | | | | |

Polycarbonate

GA 166 FT CE

10 pcs. Ergo Fit
Packing unit Temple technology

Customized configuration or branding with colour and logo on request

| Fea | tures & Quick Info | | |
|-----|---|---|--|
| 3 | Universally adjustable as safety and visitor glasses | 3 | Perfectly suited to wearing over personal prescription glasses |
| 3 | Super antireflex version available (CLEAR SAR) | 3 | Special soft cushion on the temple protects from side impacts |
| 3 | Additional rubber lip prevents the ingress of foreign bodies from above | 3 | Individually adjustable safety lens angle |
| 3 | Individually adjustable temple length | 3 | Welder protection variant also available |

100%

| Fig. | FRAME PROPER | RTIES | | | | LEN: | S PROPER | TIES | | ONTOR |
|--------------------|-------------------------|------------------------|------------|-----------|-------|--------------|-----------------|------------------|-------------------------|--------------|
| no. | frame colour(s) | | С | | | СС | olour | | code(s) | article no. |
| [1] | Black | Turquoise | НС | AF | AS | | Clear | 2C - 1,2 | GA 1 F KN CE | 9090 006 |
| [2] | Black | Turquoise | НС | | | |] Clear | 2C - 1,2 | GA1FKCE | 9090 105 |
| [3] ANTIREFLEX | Black | Turquoise | НС | SAR | | |] Clear | 2C - 1,2 | GA1FCE | 9090 109 |
| [4] | Orange | | НС | AF | AS | | Grey | 5 - 2,5 | GA1FKNCE | 9090 625 AF+ |
| [5] | Black | | НС | | | | Green | 2 | GA1FKCE | 9090 132 |
| [6] | Black | | НС | | | | Green | 3 | GA1FKCE | 9090 133 |
| [7] | Black | | НС | | | | Green | 5 | GA1FKCE | 9090 135 |
| * Coatings: HC = s | cratch-resistant AF A | AS = anti-fog, antisto | atic, scra | tch-resis | stant | HC AF AS = : | scratch-resista | ant, anti-fog, a | ntistatic SAR super a | nti-reflex |

ONTOR









[1] Flexible temples

Adapt to every head shape.

[2] Soft cushion

Special supports protect against side and frontal impacts.

[3] Flexible temple length

The individually adjustable temple lengths ensure an optimal and pressure-free fit on the ears and temples.

[4] Variable lens angle

The tilt of the lenses can be adjusted to every shape of head and to every working situation.

INFIELD

OVOR





| OVOR | 37 g | GA 166 F CE | Polycarbonate | 100% | 10 pcs. | Easy Fit Soft |
|----------|--------|----------------|---------------|---------------|--------------|----------------------|
| Features | Weight | Code – version | Lens material | UV protection | Packing unit | Temple technology |

| Fea | tures & Quick Info | | | |
|-----|--|---|----------------------------|---|
| 3 | Flexible temple ensure a comfortable fit | 3 | Very tight wraparound seal | Customized configuration or |
| 3 | Perfectly suited to wearing over personal prescription glasses | | | branding with colour and logo on request |

| Fig. | FRAME PROPERTIES | | | LENS PROPERT | IES | | OVOR |
|---------------|--|--------------|----------------|---------------------------|---------------|---------------|-------------|
| no. | frame colour(s) | COO | ating(s)* | | | code(s) | article no. |
| [1] | Crystal | НС | | Clear | 2C - 1,2 | GA1FKCE | 9088 105 |
| * Coatings: I | HC = scratch-resistant AF AS = anti-fog, antis | static, scra | itch-resistant | HC AF AS = scratch-resist | ant, anti-fog | g, antistatic | |

VISITOR | VISITOR XL





WELDING | WELDER PROTECTION



All details of Welding Protection models from p.94

VISITOR VISITOR XL

41 g 46 g

GA 166 F CE

Polycarbonate

100%

10 pcs.

Easy Fit Soft

Features

Weight

Perfectly suited to wearing over personal prescription glasses

Code – version

Lens material

UV protection

Packing unit

Temple technology

Features & Quick Info

5 Flexible temple ensure a comfortable fit

3


Very tight wraparound seal

Customized **configuration or branding** with colour and logo on request

| Fig. | FRAME PROPERTIES | | | LENS PROPER | TIES | | , | VISITOR /ISITOR XL |
|-------------|--|-------------------------|---------|--------------------------|---------------|-------------------|----|-----------------------|
| no. | frame colour(s) | coating(s) [*] | | | | | | article no. |
| [1] | Crystal | НС | | Clear | 2C - 1,2 | | | 9080 105 |
| [2] | Crystal | | | Clear | 2C - 1,2 | GA1FCE | | 9080 111 |
| [3] | Crystal | HC | | Green | 5 | GA1FCE | | 9080 135 |
| [4] | Crystal | HC | | Clear | 5 - 2,5 | GA1FCE | XL | 9085 105 |
| [5] | Crystal | | | Clear | | GA1FCE | XL | 9085 111 |
| * Coatings: | HC = scratch-resistant AF AS = anti-fog, and | tistatic, scratch-re | esistan | t HC AF AS = scratch-r | esistant, ant | i-fog, antistatic | | |



Full-view safety goggles



INFIELD'S full-view safety goggles provide a wide field of vision and have an optional head-strap for a perfect fit on the head. They are characterized by particularly good eye coverage and, with their anti-fog lenses, ensure the best possible vision when worn in any work situation. With their tight seal on the face, these safety goggles prevent the ingress of dust and grit from grinding, sawing and cutting, of gases and Smoke, and of acids and aerosols from splashing and spills. Additionally, prescriptive lenses can also be inserted via a special spectacle clip.

Product overview

FULL-VIEW SAFETY GOGGLES



DEFENDOR Page 94-95



Page 96-97



GONDOR Page 98-99



VENTOR Page 100



AVIATOR Page 101



PREVENTOR
Page 102



MIRADOR Page 103



PANTOR Page 104



PANTOR SHIELD Page 105

Different areas of application and corresponding codes

Standard application (without coding)

For work not involving special risks and exposure to UV and/or visible infrared radiation, no special level of protection is required.

Liquids (3)

Acids and alkalis can seriously damage the eyes. In certain work situations a safety face visor is necessary.

| Coding | Meaning field of application |
|--------|--------------------------------|
| none | standard application |
| 3 | liquids |
| 4 | grit |
| 5 | gases and dust |
| 8 | arcing faults |
| 9 | molten metal and hot solids |

Dust (4) and particulates/gases (5)

Dust is a mix of air and solid particles of different sizes. Hence, a distinction is made between dust (> $5 \mu m$) and particulates (< $5 \mu m$). A great deal of dust is generated by activities such as grinding, drilling or milling wood and metal. Particulates also include gases, fumes, mist and Smoke. Biological hazards like bacteria, viruses and spores can enter the body through the eye and cause infections. A risks assessment of every work procedure should be made to determine which anti-contamination measures need to be taken.

Arcing faults (safety face visor) (8)

In electrical work human error or technical failure can cause short-circuiting and electrical arcing faults. The resulting high temperatures and flying particles represent a serious risk to the eyes and face. Therefore, a suitable safety face visor must be used in maintenance and repair work on electrical equipment.

Molten metal and hot solids (9)

The eyes require special protection against thermal hazards, such as flying molten metal and other hot solids, e.g. in steel production or casting. To avoid serious burns, the adhesion of molten metal particles to personal safety equipment must be prevented.



DEFENDOR



DEFENDOR The compact full-view goggles

The full-view goggles of the **DEFENDOR**-series are very compact and light. With its tight fit and unrestricted field of vision, the **DEFENDOR** is particularly suitable for activities in dusty environments and when handling liquids.

Innovative features, such as the click lock and the indirect ventilation system, show how practical we have developed these safety goggles to be. Spectacle wearers can easily and quickly insert the **RX-CLIP** in their individual prescription into the **DEFENDOR**.

A special directly glazable version for spectacle wearers (no clip) is also available.

RX-CLIP for spectacle wearers

Spectacle wearers can easily and quickly insert the **RX-CLIP** with their own prescription into the **DEFENDOR**.



DEFENDOR





DEFENDOR

Areas of application & use: [1] [2] [3] [4] [5] [6] Liquids

OUTDOOR/SPORT



All Outdoor/Sport models can be found on our homepage.

DEFENDOR 56 g GA EN 166 3 9 BT CE Polycarbonate 100% 5 pcs.

Features Weight Code - version Lens material UV protection Packing unit Headband

| Features & Quick Info | | | | | | | | |
|-----------------------|--|---|--|--|--|--|--|--|
| 3 | Very light full-view safety spectacles | 3 | Tight wraparound seal | | | | | |
| 3 | Easy to change safety lens | | Wide flexible textile strap ensures firm fit | | | | | |
| 3 | Unrestricted field of view for maximized comfort | 3 | Extra-large nose pad for higher protection and comfort | | | | | |
| 3 | Indirect ventilation system against lens fogging | 3 | Click-lock for easy use | | | | | |

| Fig. | FRAME PROPERTIES | | | | DEFENDOR | | | | |
|------|------------------|---|-------|----|----------|--------|----------|----------------|-------------|
| No. | Frame colour(s) | | Coati | | | Colour | | Code(s) | Article no. |
| [1] | Turquoise | | AF | AS | PC | Clear | 2C - 1,2 | GA1B9NCE | 9594 165 |
| [2] | Turquoise | HC | AF | AS | PC | Clear | 2C - 1,2 | GA 1 B 9 KN CE | 9594 166 |
| [3] | Turquoise | | AF | AS | PC | Grey | 5 - 2,5 | GA1B9NCE | 9594 625 AF |
| [4] | Orange | | AF | AS | PC | Clear | 2C - 1,2 | GA1B9NCE | 9595 165 |
| [5] | Orange | HC | AF | AS | PC | Clear | 2C - 1,2 | GA 1 B 9 KN CE | 9595 166 |
| [6] | Orange | • | AF | AS | PC | Grey | 5 - 2,5 | GA1B9NCE | 9595 625 AF |

| Extra | F | X-Clip | Easy | /-to-fit clip insert | DEFENDOR RX-Clip | | |
|-----------|---|---------|---------------------------|-------------------------------------|------------------|------|--|
| accessory | | Crystal | material/glass properties | Plastic for individual prescription | article no. | 2018 | |



DEFENDOR XL



DEFENDOR XL

Areas of application & use: [1][2] liquids | Coarse dust





Large and very soft face pad

The **DEFENDOR XL** is particularly well suited for wide face shapes. With its very soft rubber face pad, the **DEFENDOR XL** offers an all-round tight fit. It is particularly suitable for use when handling liquids or in coarse dusty environments.

| DEFENDOR XL | 79 g | GA 166 BT 3 4 CE | Polycarbona | ate 100% | 5 pcs. | Elastic textile strap | | |
|----------------------|-----------------------|---------------------------------|---------------|---------------------|--------------|-----------------------|--|--|
| Features | Weight | Code – version | Lens material | UV protection | Packing unit | Head Strap | | |
| | | | | | | | | |
| Features & Quick In | Features & Quick Info | | | | | | | |
| 5 Full-view safety g | oggles for a | a very wide range of applicatio | ons 3 | Tight wraparound se | eal | | | |

| 3 | Full-view safety goggles for a very wide range of applications | 3 | Tight wraparound seal |
|---|--|---|--|
| 3 | Indirect ventilation system lens fogging | 3 | Wide flexible textile strap ensures a firm fit |
| 3 | Particularly suitable for strong face shapes | 3 | Unrestricted field of vision |
| | | | |

| Fig. | FRAME | | | DEFENDOR XL | | | | |
|-----------|---|----------|----|-------------|-------|--------|--------------|-------------|
| no. | colour(s) | coating(| | | | | code(s) | article no. |
| [1] | Orange | AF | AS | PC | Clear | 2C-1,2 | GA 1 BT N CE | 9596 165 |
| [2] | Grey | AF | AS | PC | Clear | 2C-1,2 | GA 1 BT N CE | 9597 165 |
| * Coating | * Coatings: HC = scratch-resistant AF AS = anti-fog. antistatic. scratch-resistant HC AF AS = scratch-resistant. anti-fog. antistatic | | | | | | | |

DEFENDOR XL





GONDOR





GONDOR NV (non-ventilated)

Areas and application & use:

[3] Liquids | dust | gases and particulates | molten metal



Areas and application & use:
[4] Liquids | dust

| GONDOR | 135 g | Polycarbonate/acetate | 100% | 5 pcs. |
|----------|--------------|-----------------------|---------------|--------------|
| Features | Weight | Lens material | UV protection | Packing unit |

| Features & Quick Info | | | | | | | |
|-----------------------|--|---|---|--|--|--|--|
| 3 | Full-view safety goggles for a very wide range of applications | 3 | Tight wraparound seal | | | | |
| 3 | Indirect ventilation system lens fogging | 3 | Wide flexible textile strap ensures a firm fit | | | | |
| 3 | GONDOR CHEM: version with a rubber headband | 3 | GONDOR NV: particulate version without air intakes available | | | | |
| 3 | Available with shatter-proof polycarbonate lenses | 3 | Can be used with a prescription lens insert using the RX-clip | | | | |

| Fig. | FR | LENS PROPERTIES | | | | | | | NDOR | | | | | | |
|------|---------------|-----------------|----------------------|-------|----|---------|-------|----------|----------------|------|----------|--|---------|-----|-----------|
| no. | colour(s) | Head strap | Code | coati | | | | | | | | | code(s) | art | ticle no. |
| [1] | Smoke Black | | GA 166 BT 3 4 9 CE | AF | AS | PC | Clear | | GA 1 BT 9 N CE | | 9550 165 | | | | |
| [2] | | elastic textile | GA 166 BT 3 4 CE | AF | AS | Acetate | Clear | 2C - 1,2 | GA 1 F N CE | | 9550 255 | | | | |
| [3] | Red | elastic textile | GA 166 BT 3 4 5 9 CE | AF | AS | PC | Clear | 2C - 1,2 | GA 1 BT 9 N CE | NV | 9551 165 | | | | |
| [4] | Smoke Black | rubber | GA 166 FT 3 4 CE | AF | AS | Acetate | | | GA 1 F N CE | CHEM | 9552 255 | | | | |

*Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistatic

| Extra |
|-----------|
| accessory |

| RX-Clip | | | | | |
|---------|-------|--|--|--|--|
| | Metal | | | | |

| Easy-to-fit clip insert | | | | | |
|---------------------------|-----------------------------------|--|--|--|--|
| material/glass properties | Metal For Individual Prescription | | | | |
| | | | | | |

GONDOR RX-Clip
article no. 2016

GONDOR





GONDOR CHEM with rubber strap

This special version is particularly well suited to activities involving chemicals. The rubber strap ensures that the safety spectacles achieve a firm fit. The head strap is resistant to chemicals.

Ventilation system and RX-Clip for spectacle wearers

GONDOR is a full-view safety goggle with a very tight seal. The ventilation system the lenses from fogging. Hence clear vision is assured even for activities which generate a lot of perspiration.

Spectacle wearers can insert the RX-Clip containing their personal prescription lenses into **GONDOR** quickly and easily.





VENTOR



Areas of application & use: [1][2] Liquids | dust



Areas of application & use: [3] [4] Liquids | dust

VENTOR

Scratch-resistant and mist-free:

The front of the safety lens has a scratch-resistant finish and the back is anti-fog coated.

Hence this version of the **VENTOR** is protected externally from mechanical influences and also provides clear vision during sweat-inducing activities.

Soft face insert and ventilation system

The particularly soft face insert ensures a very comfortable fit. **VENTOR's** ventilation system encourages clear vision at all times. **VENTOR** can also be worn over ordinary prescription glasses.



| | | | Polycarbonate / | | | Elastic textile |
|----------|--------------|-----------------|-----------------|---------------|--------------|------------------------|
| VENTOR | 117 g | GA 166 3 4 B CE | acetate | 100% | 10 pcs. | strap |
| Features | Weight | Code – version | Lens material | UV protection | Packing unit | Head strap |

| Fea | tures & Quick Info | | |
|-----|---|---|--|
| 3 | Indirect ventilation system prevents lens fogging | 3 | Tight wraparound seal |
| 3 | Full-view safety spectacles for a very wide range of applications | 3 | Wide adjustable textile strap ensures a firm fit |
| 3 | Available with shatter-proof polycarbonate lenses | | |

| FRAME PR | ROPERTIES | | NS PROPI | IS PROPERTIES | | | | | |
|-------------|--|---|--|---|--|---|--|--|---|
| Face insert | colour(s) | coat front surface | | urface | Material | | | code(s) | Article-no. |
| Rubber | Crystal | НС | AF | AS | PC | Clear | 2C-1,2 | GA1FKCE | 9560 165 |
| Rubber | Crystal | НС | AF | AS | Acetate | Clear | 3-1,2 | GW 1S CE | 9560 255 |
| Soft Foam | Crystal | НС | AF | AS | PC | Clear | 2C-1,2 | GA1FKCE | 9565 165 |
| Soft Foam | Crystal | НС | AF | AS | Acetate | Clear | 3-1,2 | GW 1S CE | 9565 255 |
| | Face insert Rubber Rubber Soft Foam | Rubber Crystal Rubber Crystal Soft Foam Crystal | Face insert colour(s) coat front surface Rubber Crystal HC Rubber Crystal HC Soft Foam Crystal HC | Face insert colour(s) coating(s)* front surface rear s Rubber Crystal HC AF Rubber Crystal HC AF Soft Foam Crystal HC AF | Face insert colour(s) coating(s)* front surface Rubber Crystal HC AF AS Rubber Crystal HC AF AS Soft Foam Crystal HC AF AS | Face insert colour(s) Rubber Crystal HC AF AS PC Rubber Crystal HC AF AS Acetate Soft Foam Crystal HC AF AS PC | Face insert colour(s) coating(s)* front surface rear surface Material colour Rubber Crystal HC AF AS PC Clear Rubber Crystal HC AF AS Accetate Clear Soft Foam Crystal HC AF AS PC Clear | Coating(s)* Face insert colour(s) Rubber Crystal HC AF AS PC Clear 2C-1,2 Rubber Crystal HC AF AS Acetate Clear 3-1,2 Soft Foam Crystal HC AF AF AS Acetate Clear Colour Clear AF AS | Coating(s)* Face insert colour(s) coating(s)* Material colour code(s) Rubber Crystal HC AF AS PC Clear 2C-1,2 GA 1 F K CE Rubber Crystal HC AF AS Acetate Clear 3-1,2 GW 1S CE Soft Foam Crystal HC AF AS PC Clear 2C-1,2 GA 1 F K CE |

AVIATOR

[1]

Smoke





Our lightweight full-view safety spectacles

2C - 1,2

GA 1 B N CE

Owing to its low weight, **AVIATOR** is comfortable to wear even for longer periods. The adjustable head strap ensures a snug fit for almost any shape of head.

| Features | & Quick Info | | | | | | | | |
|----------|---|-------------|-----------|--|-------------|--|--|--|--|
| ~ | light full-vision safety spectacles | | Tight wra | | | | | | |
| 3 India | rect ventilation system prevents lens f | | ~ | Wide adjustable textile strap ensures a firm fit | | | | | |
| • | view safety spectacles for a very wide | | | | | | | | |
| Fig. | FRAME PROPERTIES | | AVIATOR | | | | | | |
| no. | frame colour(s) | coating(s)* | | | article no. | | | | |

Clear

Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistati

9005 155



PREVENTOR + HEAD STRAP



Additional head strap

With the additional adjustable head strap **PREVENTOR** becomes a tightly-sealed pair of safety spectacles.



For spectacle wearers: RX-Clip

Spectacle wearers can fit the RX-Clip with their prescription lenses to the MIRADOR quickly and easily.

Easy Fit Soft + **PREVENTOR Polycarbonate** 100% 59 g GA 166 BT3 4 CE* 10 pcs. elastic textile strap Weight Features Code - version Lens material UV protection Packing unit Temple technology Features & Quick Info Compact and very light full-vision goggles Non-slip temple ends Individuelle Gestaltung oder Branding mit Farbe & Logo auf Anfrage Tight wraparound seal Soft nose pad Indirect ventilation system Certified with the head strap as full-view safety goggles Prescription lenses can be inserted with the RX insert Additional head-strap ensures a snug fit

| Fig. | FRAME | PROPERTIES | | LENS PROPERTIES | | | | | PREVENTOR | | | | |
|-------------|---|--------------|----|-----------------|----|-------|----------|-----------------|-----------|--|--|--|-------------|
| no. | fran | ne colour(s) | C | oating(s | | | code(s) | | code(s) | | | | article no. |
| [1] | Grey | Turquoise | НС | AF | AS | Clear | 2C - 1,2 | GA 1 F BT KN CE | 9584 006 | | | | |
| [2] | Blue | Grey | НС | AF | AS | Clear | 2C - 1,2 | GA 1 F BT KN CE | 9585 006 | | | | |
| * Castinası | *Continue UC - another maintaint AFAC - anti-fire anti-table another maintaint UC AFAC - another maintaint anti-fire anti-table | | | | | | | | | | | | |

Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistatic

| Extra |
|-----------|
| accessory |

RX-Clip colour crystal Easy-to-fit clip insert

material/glass properties Plastic for individual prescription

PREVENTOR RX - CLIP

article no. 2019

MIRADOR + HEAD STRAP



Additional head strap

With the additional adjustable head strap MIRADOR becomes a tightly-sealed pair of safety spectacles.

For spectacle wearers: **RX-Clip**

Spectacle wearers can fit the RX-Clip with their prescription lenses to the MIRADOR quickly and easily.



OUTDOOR/SPORT

MIRADOR as an outdoor/ sport version with photochromic lenses

All details of Outdoor/ Sport models can be found on our homepage

PLANNED PROTECTION





All details of plastic frame glasses from p.18

MIRADOR

53 g

GA 166 F CE GA 166 B CE*

Polycarbonate

100%

10 pcs.

Easy Fit Soft + elastic textile strap

* with head strap

Lens material Temple technology Features Weight Code - version UV protection Packing unit

Features & Quick Info Soft plastic adaptor provides a better seal around the eyes Non-slip temple ends Customized configuration or branding with colour and logo on request Additional head-strap ensures a snug fit Soft nose pad Indirect ventilation system Certified with the head strap as full-view safety goggles Prescription lenses can be inserted with the RX insert Also available as a photochromic outdoor variant

| Fig. | FRAME PR | LENS PROPERTIES | | | | | | MIRADOR | |
|------|----------|-----------------|----|----------|----|-------------|----------|----------------|-------------|
| no. | frame c | olour(s) | C | oating(s | | | | code(s) | article no. |
| [1] | Crystal | Black | НС | AF | AS | Clear | 2C - 1,2 | GA 1 F B KN CE | 9350 006 |
| [2] | Crystal | Orange | НС | AF | AS | Clear | 2C - 1,2 | GA 1 F B KN CE | 9351 006 |
| [3] | Crystal | Orange | НС | AF | AS | Photchromic | 5-1.1 | 2 GA 1 F KN CE | 9351 190 |

Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistatic

| Extra |
|-----------|
| accessory |

| RX-Clip | | | | | | |
|---------|---------|--|--|--|--|--|
| colour | crystal | | | | | |

| Easy-to-fit clip insert | | | | | | |
|---------------------------|-------------------------------------|--|--|--|--|--|
| material/glass properties | Plastic for individual prescription | | | | | |



PANTOR





The special ventilation system and the anti-fog safety lens ensures clear view even in sweaty working conditions.

Elastic textile strap + **PANTOR Polycarbonate** 100% Click **114** g GA 166 BT 3 4 9 CE 5 pcs. Features Weight Code - version Lens material UV protection Packing unit Headband Features & Quick Info Full-view safety goggles for a very wide range of applications Tight wraparound seal Indirect ventilation system lens fogging Wide flexible textile strap ensures a firm fit Easy to use click locking headband Available with shatter-proof polycarbonate lenses FRAME PROPERTIES LENS PROPERTIES **PANTOR** Fig. [1] AS 2C - 1,2 GA1BT9NCE 9553 165 Clear Crystal * Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistatic | SAR super anti-reflex

PANTOR SHIELD



PANTOR SHIELD

PANTOR

Areas of application & use:
[1] Liquids | dust | molten metal



The full-view safety goggle PANTOR with additional face shield ensures complete face safety.

| 201 g | GA 166 BT 3 4 9 CE | GA 166 BT CE | Polycarbonate | 100% | 1 pc | strap + Click | | | | |
|--------------------------------------|---|---|---|--|---|--|--|--|--|--|
| Weight | Code – version | Code – face shield | Lens material | UV protection | Packing unit | Headband | | | | |
| Quick Info | • | | | | | | | | | |
| w safety gog | gles for a very wide range of ap | pplications | | | | | | | | |
| t ventilation | system lens fogging | | Wide flexible textile strap ensures a firm fit | | | | | | | |
| 🖒 Easy to use click locking headband | | | | Available with shatter-proof polycarbonate lenses | | | | | | |
| | | | | | | | | | | |
| | Weight Quick Info ew safety gog t ventilation use click loc | Weight Code – version Quick Info ew safety goggles for a very wide range of ap t ventilation system lens fogging o use click locking headband | Weight Code - version Code - face shield Quick Info ew safety goggles for a very wide range of applications t ventilation system lens fogging ouse click locking headband | Quick Info ew safety goggles for a very wide range of applications 3 Tight wraparou t ventilation system lens fogging 3 Wide flexible te o use click locking headband 3 Available with s | Weight Code - version Code - face shield Lens material UV protection Quick Info ew safety goggles for a very wide range of applications t ventilation system lens fogging use click locking headband Available with shatter-proof po | Weight Code - version Code - face shield Lens material UV protection Packing unit Quick Info ew safety goggles for a very wide range of applications t ventilation system lens fogging Wide flexible textile strap ensures a firm fit ouse click locking headband Available with shatter-proof polycarbonate le | | | | |

| Fig. | FRAME PROPERTIES | | PANTOR SHIELD | | | | | | | |
|------------|---|-------------|---------------|-------|----------|----------------|-------------|--|--|--|
| no. | frame colour(s) | coating(s)* | | | code(s) | | article no. | | | |
| [1] | Crystal | AF | AS | Clear | 2C - 1,2 | GA 1 BT 9 N CE | 9554 165 | | | |
| * Coatings | * Coatings: HC = scratch-resistant AF AS = anti-fog, antistatic, scratch-resistant HC AF AS = scratch-resistant, anti-fog, antistatic SAR super anti-reflex | | | | | | | | | |

Elastic textile



Face protection visors



INFIELD's face protection visors provide total protection for the whole face. The face visor gives comprehensive protection and has a wide range of adjustment. With its exchangeable screen, the face protection visor can be adapted for use by welders or electricians, or for work in chemical hazard zones.

FACE PROTECTION VISORS



ULTRAVISOR Page 107



SECTOR Page 108



HECTOR Page 109

ULTRAVISOR



ULTRAVISOR

Areas of application & use:

Face protection visor for electricians (arcing faults) [2][3][6][7] Face protection visor for mechanical work [4][5] Face protection visor for working with chemicals

WELDING PROTECTION



All details of Welding Protection models from p.104

Acetate / **ULTRAVISIOR** 341 g EN 16639B

Weight

Features

Polycarbonate

Face visor Code - housing

100%

UV protection

1 pc.

Packing unit

Single-hand twist lock

Head strap

3 Smooth-hinged face-protection visor Perfect all-round vision with complete coverage of the face Exceptionally comfortable to wear due to its low weight Strong, sweat-absorbing towelling head strap Face-protection visor for electricians Available with a polycarbonate visor Customized configuration or Face-protection visor for welding jobs Face visor also available with chin support branding with colour and logo on request Exchangeable face visor Face visor edged with a rubber protector

| Fig. | HOUSING | VISOR PROPERTIES | | | | | | | | | ULTRAVISOR |
|------|-----------|------------------|-----------|----|------------|----|-----|---------|--------------|----------|-------------|
| no. | colour(s) | material | thickness | | coating(s) | | col | | chin support | | article no. |
| [1] | Black | Polycarbonate | 1,5 mm | | | | | Clear | | 1B89CE | 9507 111 EL |
| [2] | Black | Polycarbonate | 1 mm | | AF | AS | | Clear | | 1BNCE | 9507 155 |
| [3] | Black | Polycarbonate | 1 mm | | AF | AS | | Clear | yes | 1BNCE | 9507 155 C |
| [4] | Black | Acetate | 1 mm | | AF | AS | |] Clear | | 1F9CE | 9507 255 |
| [5] | Black | Acetate | 1 mm | | AF | AS | | Clear | yes | 1 F 9 CE | 9507 255 C |
| [6] | Black | Polycarbonate | 1 mm | | | | | Clear | | 1 B 9 CE | 9507 111 |
| [7] | Black | Polycarbonate | 1 mm | | | | |] Clear | yes | 1 B 9 CE | 9507 111 C |
| [8] | Black | Acetate | 1 mm | НС | | | | Green | | 1 F 9 CE | 9507 135 |
| [9] | Black | housing, witho | ut visor | • | | • | • | | bb. | | 9507 999 |



SECTOR



SECTOR

Areas of application & use:

[1][2] Face protection visor for mechanical jobs

[3] Face protection visor for working with chemicals

| | Acetate / | | | | | | |
|----------|-----------|--------------------|---------------|---------------|--------------|------------|--|
| SECTOR | 269 g | GA 166 B CE | Polycarbonate | 100% | 1 pc. | twist lock | |
| Features | Weight | Code – housing | Face visor | UV protection | Packing unit | Head strap | |

| Fea | tures & Quick Info | | | |
|-----|--|---|---|--|
| 3 | Secure face-protection visor | 3 | Perfect all-round vision with complete coverage of the face | |
| 3 | Adjustable head size with twist-lock mechanism | 3 | Exchangeable face visor | Customized |
| 3 | Smooth-hinged face-protection visor | 3 | Face visor with aluminium border | configuration or branding with colour |
| 3 | Available with a polycarbonate visor | 3 | Available with chemical-resistant acetate face visor | and logo on request |

| Fig. | HOUSING | | SECTOR | | | | | |
|------|-----------|------------------|-----------|---|----|-------|------------------------|-------------|
| no. | colour(s) | material | thickness | | | | code(s) | article no. |
| [1] | Yellow | Polycarbonate | 1 mm | | | Clear | GA 1 B CE | 9505 111 |
| [2] | Yellow | Polycarbonate | 2 mm | AF | AS | Clear | 2-1,2 GA 1 B N CE | 9505 155 |
| [3] | Yellow | Acetate | 1 mm | AF | AS | Clear | GA 1 B CE Antifog | 9505 355 |
| [4] | Yellow | housing, without | | *************************************** | • | | • | 9505 999 |
| [4] | | housing, without | visor | | _ | | at anti-fog antictatic | |

* Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistati

HECTOR



HECTOR

Areas of application & use:

[1][2] Face visor with hard-hat adaptor for mechanical jobs

[3] Face visor with hard-hat adaptor for working with chemicals

| | Acetate / | | | | | | | |
|----------|-----------|---------------|---------------|--------------|------------|--|--|--|
| HECTOR | 230 | Polycarbonate | 100% | 1 pc. | twist lock | | | |
| Features | Weight | Face visor | UV protection | Packing unit | Head strap | | | |

| 3 | Easily fitted to hard hats | 3 | Perfect all-round vision with complete coverage of the face | |
|---|--------------------------------------|---|---|--|
| 3 | Aluminium hard-hat adaptor available | 3 | Face visor with aluminium border | Customized |
| 3 | Available with a polycarbonate visor | 3 | Available with chemical-resistant acetate face visor | configuration or branding with colour |
| 1 | Exchangeable face visor | *************************************** | | and logo on request |

| Fig. | HARD-HA | T ADAPTOR | | VISOR PROPERTIES | | | | | HECTOR |
|------|-----------|-----------|----------|------------------|----------|----|-------|-------------------|-------------|
| no. | material | colour(s) | material | thickness | | | | code(s) | article no. |
| [1] | Aluminium | Black | PC | 1 mm | | | Clear | GA 1 B CE | 9520 111 |
| [2] | Aluminium | Black | PC | 2 mm | AF | AS | Clear | 2-1,2 GA 1 B N CE | 9520 155 |
| [3] | Aluminium | Black | AC | 1 mm | AF | AS | Clear | GA 1 B VE (AF) | 9520 355 |
| [4] | Aluminium | Black | | daptor, with | 9520 999 | | | | |

Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistatic



Welding protection



Potentially damaging optical radiation is produced during gas or arc welding. The eyes need to be protected from this hazard by lenses with the requisite welder protection levels. The correct protection level depends on the welding equipment used and the welding process concerned.

INFIELD Safety provides the right solutions to protect welding assistants during flame-cutting, welding and brazing at welder protection levels 1.7 to 6.

Product overview

WELDING PROTECTION



RAPTOR
Page 112-113



TERMINATOR Page 114-115



TENSOR Page 116



ONTOR Page 117



VISITOR Page 118



OPTOR CLIP
Page 119



CLIPTOR Page 120



ULTRAVISOR Page 121



Photokeratitis - 'sunburn' in the eye

Very strong, intense light radiation is generated during welding activity. If the eyes are not suitably protected, this radiation can cause a kind of 'sunburn' on the cornea. This is known as 'welder's flash' or photokeratitis. The eye's cornea and conjunctiva become Red and swollen. Vision can be seriously affected for a number of days, resulting in an inability to return to work.



Infrared cataracts

There is a risk of permanent clouding of the lens (cataract) by the infrared radiation from welding activity. The field of vision becomes more and more restricted and vision is gradually impaired.

| Welder prote | ection levels and recommended use (EN 169) | Acetylene | Oxygen | |
|----------------------------|--|-------------------------|-------------------------|--|
| protection level / code | use field of application | volume flow-rate (l/hr) | volume flow-rate (l/hr) | |
| 1,7 | for welding assistants | | | |
| 2 3 | light flame-cutting jobs | | | |
| 4 | welding and brazing | up to 70 | | |
| 5 | welding brazing flame cutting | 70 to 200 | 900 to 2000 | |
| 6 | welding brazing flame cutting | 200 to 800 | 2000 to 4000 | |



RAPTOR



RAPTOR for welding work is a particularly lightweight pair of welder's glasses. The low weight and Softflex temple ends ensure that **RAPTOR** sits securely and comfortably on the head. This model is available at a number of welder protection levels.

RAPTOR








| RAPTOR | 24 g | GA 166 FT CE | Polycarbonate | 100% | 10 pcs. | Softflex Fit |
|----------|-------------|----------------|---------------|---------------|--------------|-------------------|
| Features | Weight | Code – version | Lens material | UV protection | Packing unit | Temple technology |

| Fea | tures & Quick Info | | | |
|-----|---|---|---|--|
| 3 | Exceptionally lightweight safety spectacles | 3 | Sporty design | Customized configuration or branding with colour |
| 3 | Comfortable to wear due to Softflex temple ends | 3 | Excellent protection with Wraparound technology | and logo on request |

| Fig. | FRAME PROPERTIES | | LENS PROPERTIES | | | | | |
|---------------|---|-------------|-----------------|---|--------------|-------------|--|--|
| no. | frame colour(s) | coating(s)* | | | code(s) | article no. | | |
| [1] | Black | НС | Green | 2 | GA 1 FT K CE | 9060 132 | | |
| [2] | Black | HC | Green | 3 | GA 1 FT K CE | 9060 133 | | |
| [3] | Black | HC | Green | 5 | GA 1 FT K CE | 9060 135 | | |
| * Coatings: I | * Coatings: HC = scratch-resistant AF AS = anti-fog, antistatic, scratch-resistant HC AF AS = scratch-resistant, anti-fog, antistatic | | | | | | | |



TERMINATOR



TERMINATOR for welding work can be adapted to almost any shape of face with a combination of adjustable temple, lens angle and soft nose pad. Additionally, and if necessary, the safety lenses can be replaced easily. This model is available for a range of welder protection levels. Spectacle wearers can insert their own prescription lenses into **TERMINATOR** quickly and easily with the **RX-Clip**.

TERMINATOR







| TERMINATOR | 27 g | GA 166 FT CE | Polycarbonate | 100% | 10 pcs. | Soft Touch |
|-------------------|-------------|----------------|---------------|---------------|--------------|-------------------|
| Features | Weight | Code – version | Lens material | UV protection | Packing unit | Temple technology |

| Feat | Features & Quick Info | | | | | | | |
|------|--|---|----------------------------|--|---|--|--|--|
| 3 | Lightweight | 3 | Sporty design | | | | | |
| 3 | Length-adjustable temple | 3 | Soft, adjustable nose pad | | Customized configuration or | | | |
| 3 | Individually adjustable safety lens angle | 3 | Easy to change safety lens | | branding with colour and logo on request | | | |
| 3 | Prescription eyewear option with the RX-clip | | | | | | | |

| Fig. | FRAME PROPERTIES | | LENS PROPERTIES | TERMINATOR | | |
|---------------|--|---------------------|---|---------------|----------------|-------------|
| no. | frame colour(s) | coating(s)* | | | code(s) | article no. |
| [1] | Black | НС | Green | 2 | GA 1 FT K CE | 9380 132 |
| [2] | Black | HC | Green | 3 | GA 1 FT K CE | 9380 133 |
| [3] | Black | HC | Green | 5 | GA 1 FT K CE | 9380 135 |
| * Cootings. I | IIC = source to be used to the late of the source of the s | ti for autistatic o | cratch-resistant UCAFAS = scratch-res | istant suti (| ion autistatia | |

* Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistatic

| Extra | RX | -Clip | Easy | -to-fit clip insert | TERMINATO | R RX-Clip |
|-----------|--------|-------|---------------------------|-----------------------------------|-------------|-----------|
| accessory | colour | Metal | material/glass properties | Metal for individual prescription | article no. | 2015 |



TENSOR





Easy Fit Soft + **TENSOR 29** g **GA 166 F CE Polycarbonate** 100% adjustable head-strap 10 pcs. Features Weight Code - version Lens material UV protection Packing unit Temple technology

Features & Quick Info Customized configuration Additional head-strap ensures secure fit or branding with colour and logo on request Individually adjustable protection lens angle

| Fig. | FRAME PROPERTIES | | LENS PROPERTIES | | | | | TENSOR |
|---------------|--|--------------|-----------------|-------|---------------------------|---------------|-------------------|-------------|
| no. | frame colour(s) | coat | | | | | code(s) | article no. |
| [1] | Smoke | , | AF A | ٩S | Green | 2 | GA1FNCE | 9340 132 AF |
| * Coatings: H | HC = scratch-resistant AF AS = anti-fog, ant | static, scra | tch-resi | istan | t HC AF AS = scratch-re | esistant, ant | i-fog, antistatic | |

ONTOR





The perfect over-glasses

 $\textbf{ONTOR} \ \text{can} \ \text{be} \ \text{adapted} \ \text{to} \ \text{almost} \ \text{any} \ \text{head} \ \text{shape} \ \text{with} \ \text{a} \ \text{combination} \ \text{of}$ adjustable temple, lens angle and soft nose pad. Spectacle wearers can easily wear **ONTOR** on top of their own prescription lenses.



ONTOR Features

44 g

GA 166 FT CE

Polycarbonate

100%

10 pcs.

Ergo Fit

Customized configuration or **branding** with colour and logo on request

Weight

Code - version

Lens material

UV protection

Packing unit

Temple technology

Features & Quick Info

Universally adjustable as safety and visitor glasses

Perfectly suited to wearing over personal prescription glasses

Additional rubber lip prevents the ingress of foreign bodies from above

Individually adjustable temple length

Special soft cushion on the temple protects from side impacts $% \left(1\right) =\left(1\right) \left(1\right$

Individually adjustable safety lens angle

| Fig. | FRAME PROPERTIES | | LENS PROPERTIES | | | | | |
|----------------|--|-----------------------------|-----------------|------------------------|----------------|-------------|--|--|
| no. | frame colour(s) | coating(s)* | | | | article no. | | |
| [1] | Black | НС | Green | 2 | GA1FKCE | 9090 132 | | |
| [2] | Black | HC | Green | 3 | GA1FKCE | 9090 133 | | |
| [3] | Black | HC | Green | 5 | GA1FKCE | 9090 135 | | |
| * Coatings: HO | C = scratch-resistant AF AS = anti-fog, antist | HC AF AS = scratch-resistan | t, anti-fog, aı | ntistatic SAR = Supe | rentspiegelung | | | |



VISITOR





Our classic

Like any classic, **VISITOR** is timeless and highly functional in its use as welder over-glasses. The 'clip-like' side protector also provides ventilation to discourage misting.

| VISITOR | 41 g | GA 166 F CE | Polycarbonate | 100% | 10 pcs. | Easy Fit Soft |
|----------|-------------|----------------|---------------|---------------|--------------|-------------------|
| Features | Weight | Code – version | Lens material | UV protection | Packing unit | Temple technology |

| Fea | tures & Quick Info | | | |
|-----|--|---|----------------------------|---|
| 3 | Flexible temple ensure a comfortable fit | 3 | Very tight wraparound seal | Customized configuration or |
| 3 | Perfectly suited to wearing over personal prescription glasses | *************************************** | | branding with colour and logo on request |

| Fig. | FRAME PROPERTIES | | LENS PROPER | LENS PROPERTIES | | | | |
|---|------------------|-------------|-------------|-----------------|-----------|-------------|--|--|
| no. | frame colour(s) | coating(s)* | | | | article no. | | |
| [1] | Crystal | НС | Green | 5 | GA 1 F CE | 9080 135 | | |
| * Coatings: HC = scratch-resistant AF AS = anti-fog, antistatic, scratch-resistant HC AF AS = scratch-resistant, anti-fog, antistatic | | | | | | | | |

OPTOR CLIP



Hinged welding protection

OPTOR CLIP is particularly well-suited to short welding jobs. The handy hinge mechanism means that it is no longer necessary to raise and lower visor face-plates or head protectors. As a result, the weld can be assessed quickly. The welder-clip is available for protection levels 2, 3 and 5.





OPTOR CLIP

60 g

GA 166 FT CE

Polycarbonate

100%

10 pcs.

Softflex Fit

Features

Weight

Code – version

Lens material

UV protection

Packing unit

Temple technology

Features & Quick Info

5 Easily adjustable and extendible temple ends

Hinged clip solution for short welding jobs

Excellent eye cover

3 Integrated side protection

Individually adjustable safety lens angle

Customized **configuration or branding**with colour and logo on request

| FRAME PROPERTIES | | OPTOR CLIP | | | | |
|------------------|-------------------------------|---|---------------------------------------|--|--|--|
| frame colour(s) | coating(s)* | | | | | article no. |
| Black | НС | | Green | 2 | GA1FKCE | 9404 132 |
| Black | НС | | Green | 3 | GA1FKCE | 9404 133 |
| Black | НС | | Green | 5 | GA1FKCE | 9404 135 |
| | frame colour(s) Black Black | frame colour(s) coating(s Black HC Black HC | frame colour(s) Black HC Black HC | frame colour(s) coating(s)* colour Black HC Green Black HC Green | frame colour(s) Black HC Green Black HC Green 3 | frame colour(s) coating(s)* colour code(s) Black HC Green 2 GA1FKCE Black HC Green 3 GA1FKCE |



Safety spectacle as carrier frame for the welder clip

OPTOR CLIP consists of the **OPTOR** safety spectacle model and the matching welder clip. The clip is clamped to the frame of the **OPTOR** and available for protection levels 2, 3 and 5.

| Fig. | FRAME PROPERTIES | | | LEN | OPTOR | | | |
|---|------------------|-----|--|----------|-------|--------|-------------|------------------|
| no. | frame colour(s) | cod | | material | | | code(s) | article no. |
| [4] | Black | НС | | PC | Clear | 2C-1,2 | GA 1 F K CE | 9404 03 105 5400 |
| *Coatings: HC = scratch-resistant AEAS = anti-fag anti-static scratch-resistant HCAEAS = scratch-resistant anti-fag anti-static | | | | | | | | |



CLIPTOR





Hinged welder protection clip

The hinged welder protection clip can easily be attached to a pair of safety flat-lens glasses.

| CLIPTOR | 17 g | Polycarbonate | 100% | 10 pcs. |
|----------|-------------|---------------|---------------|--------------|
| Features | Weight | Lens material | UV protection | Packing unit |

Features & Quick Info

Hinged clip solution for short welding jobs

Welder protection attachment for safety flat-lens glasses

Customized **configuration or branding** with colour and logo on request

| Fig. | CLIP AUS METAL | | LENS PROPERT | CLIPTOR | | |
|------|----------------|-------------|--------------|---------|-------------|-------------|
| no. | colour(s) | coating(s)* | | code(s) | | article no. |
| [1] | Black | НС | Green | 1,7 | GA 1 F K CE | 9510 131 |
| [2] | Black | НС | Green | 3 | GA 1 F K CE | 9510 133 |
| [3] | Black | НС | Green | 4 | GA1FKCE | 9510 134 |
| [4] | Black | НС | Green | 5 | GA 1 F K CE | 9510 135 |
| [5] | Black | НС | Green | 6 | GA1FKCE | 9510 136 |

* Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistatic

ULTRAVISOR



Areas of application & use:
[1] Face protection visor for welding jobs

Face-protection visor for sweat-inducing activities

The smooth-hinged face visor provides protection for welding jobs with a lot of flying sparks. The low weight makes it particularly comfortable to wear and also makes lengthy welding procedures possible.

Single-hand

| ULTRAVISIOR | 250 g | EN 166 3 9 B | Ace | tate | 100% | 1 pc. | twist lock | configuration or branding with colour | |
|-------------------|-----------------------|------------------------|------------------|--------|---|------------------|----------------------|---------------------------------------|--|
| Features | Weight Code - housing | | Visier / Scheibe | | UV protection | Packing unit | Head strap | and logo on request | |
| Features & Quick | Info | | | | | | | | |
| Smooth-hinged | | ion vicor | | 1 | Porfect all-round | vision with full | coverage of the face | | |
| | | | | ~ | Perfect all-round vision with full coverage of the face | | | | |
| ~ | | wear due to its low we | _ | \sim | Strong, sweat-ab | Ü | ng head strap | | |
| 5 Face visor edge | | er protector | | | | | | | |
| | | | | | | | | | |
| | CIV.1.C | | | | | | | 1 !! T D 4) !! C C D | |


| Fig. | HOUSING | | VISOR PROPERTIES | | | | | | ULTRAVISOR | |
|-------------|---|----------|------------------|----|--|--|-------|-----|------------|-------------|
| no. | colour(s) | material | thickness | | | | | cod | le(s) | article no. |
| [1] | Black | Acetate | 1 mm | НС | | | Green | 5 | 1 F CE | 9507 135 |
| * Coatings: | * Coatings: HC = scratch-resistant AF AS = anti-fog, antistatic, scratch-resistant HC AF AS = scratch-resistant, anti-fog, antistatic | | | | | | | | | |

Customized



TERMINATOR - PHOTOCHROMIC





Photocromic lenses | variable tinting

- Lenses tint automatically with increased UV-radiation
- Tint between 20 and 80%
- Perfect for activities under changing light conditions
- Increased concentration, Fatigue-free working
- Contrast enhancement

TERMINATOR PHOTOCHROMIC

27 g

GA 166 FT CE

Polycarbonate

100%

10 pcs.

Soft Touch

Features

Weight

Code - version

UV protection

Packing unit

Temple technology

Features & Quick Info

Lens material

Lightweight

Length-adjustable temple

Individually adjustable safety lens angle

Soft adjustable nose pad

Easy to change safety lens

Prescription eyewear option with the RX-clip

configuration or branding with colour and logo on request

| | fra |
|-----|-----|
| [1] | |

| coloul (3) |
|------------|
| Black |

FRAME PROPERTIES

PHOTO

Grey

5-1,1<2 GA 1 FT K N CE

TERMINATOR-PHOTCHROMIC

9380 190 AF+

Extra

Fig.

| RX-Clip | | | | | | |
|---------|-------|--|--|--|--|--|
| | Metal | | | | | |

| Easy-to-fit clip insert | | | | | | |
|---------------------------|-------------------------------------|--|--|--|--|--|
| material/glass properties | Plastic for individual prescription | | | | | |

LENS PROPERTIES

TERMINATOR RX-Clip

TERMINATOR-POLARISING





Polarising Safety Spectacles

- Reduced glare from highly reflective surfaces, e.g water, glass, smooth plastics or metals.
- Light is absorbed better and disturbing reflections are Reduced more than with usual sun protection lenses
- Strong tint of approx. 90% for very high anti-glare performance
- Ideal for activities on and near the water and in bright outdoor areas
- Increased concentration, less fatigue
- Enhanced contrast and truer colours

TERMINATOR POLARISING

27 g

GA 166 FT CE

Polycarbonate

100%

10 pcs.

Soft Touch

Features

Weight

Code - version

Lens material

UV protection

Packing unit

Temple technology

Features & Quick Info

Polarising lenses reduce unpleasant light reflections

2 Low weight, sporty design

Customized configuration or

Length-adjustable temple

Individually adjustable safety lens angle

Prescription eyewear option with the RX-clip

Easy to change safety lens

branding with colour and logo on request

| Fig. | FRAME PROPERTIES | | LENS PROPE | TERMINATOR-POLARISING | |
|------|------------------|-------------|------------|-----------------------|-------------|
| no. | frame colour(s) | coating(s)* | | code(s) | article no. |
| [1] | Black | HC POL | Grey | 5-3,1 GA 1 FT CE | 9380 695 |
| | <u>—</u> | | | | |

| Extra |
|-----------|
| accessory |

| RX-Clip | | | | | |
|---------|-------|--|--|--|--|
| | Metal | | | | |

| Easy-to-fit clip insert | | | | | |
|---------------------------|-------------------------------------|--|--|--|--|
| material/glass properties | Plastic for individual prescription | | | | |



TERMINATOR X-TRA SET BALLISTIC

STANAG 4296 approved
MIL-PRF-32432 approved



[3] Orange safety lens

[4] Amber (yellow) safety lens



All safety lenses are easy to change, scratch-resistant, fog-free and antistatic

| TERMINATOR X-TRA SET BALLISTIC Features | | Spectacle 35 g (Full-set 221 g) | GA 166 FT CE Polycarbona | | 100 % | 1 Stk | Soft touch or elastic cloth strap | |
|---|---------------------------|------------------------------------|--------------------------|---------------|------------------|--------------|---------------------------------------|--|
| | | Weight | Code – version | Lens material | UV protection | Packing unit | Temple technology | |
| Feat | tures & Quick Info | | | | | | | |
| 3 | STANAG 4296 approved | d | | | 32432 approve | d | Customized | |
| 3 | Perfect eye-area covera | ge due to soft foam adap | tor | → Soft nose | pad, adjustable | | configuration or branding with colour | |
| 3 | Individually adjustable s | afety lens angle | | | ljustable temple | 9 | and logo on request | |

| Fig. | FRAME PROPERTIES | | | | TERMINATOR X-TRA SET BALLISTIC | | | |
|------|------------------|----|--------------------|----|-----------------------------------|----------|---------------|--------------|
| no. | frame colour(s) | C | coating(s)* colour | | | | code(s) | article no. |
| [1] | Black | НС | AF | AS | Clear | 2C - 1,2 | GA 1 FT KN CE | |
| [2] | Black | НС | AF | AS | Grey | 5 -2,5 | GA 1 FT KN CE | 9320 625 SET |
| [3] | Black | НС | AF | AS | Orange | 2 - 1,7 | GA 1 FT KN CE | 9320 623 SET |
| [4] | Black | НС | AF | AS | Amber | 2 - 1,2 | GA 1 FT KN CE | |

Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistati

TERMINATOR X-TRA SET BALLISTIC



Meets even military requirements

With its 4 interchangeable lenses the TERMINATOR XTRA SET BALLISTIC can be adjusted to various lighting conditions and for many applications. All protective lenses have scratch-resistant, anti-fog and antistatic coatings.





The impact protection of the TERMINATOR XTRA SET BALLISTIC meets even the highest international military standards STANAG 4296 and MILPRF-32432. In addition to military purposes the safety spactacle is suitable for many outdoor activities, e.g. mountain biking, trekking, hiking etc.



BLUECUT - Technology





Why too much blue light is harmful


Daylight consists of a colour spectrum in which all so-called spectral colours are represented. In particular the colour Blue is amplified. Blue light signals wakefulness to the brain and increases physical activity. Today almost every screen-based workplace has an LED-flat screen. This

includes laptops, Tablets, PC's, LED TV's and smart phones, all of which are used intensively on a daily basis. All these technical devices are operated with LED background lighting and have an unnaturally high portion of blue light. A high level of blue light has a negative influence on the human biorhythm and can lead to sleep disorders. In addition, the eyes can be damaged. In the short term painful inflammations of the conjunctiva and cornea occur. But also chronic damage to the eye lens (cataract) as well as irreparable damage to the retina (macular degeneration) would be possible consequences of permanent Blue light exposure.

BLUECUT - Technology

| Article no | Description | Blue light filter | Transmission | Contrast | Glare protection | Colour detection | Light sensitivity | Working/Light conditions |
|------------|--------------------|----------------------|--------------|----------|---------------------|---------------------|-------------------|--|
| 9754 420 | VICTOR BLUECUT 420 | 46% | 68% | light | light | yes | light | Activities in large halls with many undirected / diffuse light sources |
| | | 60% | 60% | medium | medium | yes | high | Very brightly illuminated workstations with partially targeted light sources |
| 9754 580 | | 99,76% | 44% | high | high | no | very high | Strong and targeted light sources (UV lamps) that are harmful for the eyes |

The diagram shows the progressions of the three different blue light filter curves 420, 530 and 580. These curves intersect the specified wavelengths at the 50% value of the filter axis. Since the blue light also extends to the green colour spectrum, only the BLUECUT-580 filters eliminates almost 100%. of the entire blue light range.



This is very important when the wearer of the safety spectacle is affected by very strong light exposure.



Especially in large assembly halls many different artificial light sources can be found. The BLUECUT-530 filter shall be used in such very bright light areas and when the wearer is very light sensitive. The light brownish tinting of the BLUECUT-420 filters out the blue light to approx. 50% and is sufficient for indirect, diffuse light conditions. In addition, this filter is against a slight light sensitivity of the spectacle wearer.



VICTOR BLUECUT



BLUECUT protective lenses

Blue light filter

Better contrast

Less glare

Against light sensitivity







VICTOR BLUECUT

30 g

GA 166 F CE

Polycarbonate

100%

10 pcs.

Easy Fit Soft

Features

Weight

Additional rubber lip prevents the ingress of foreign bodies from above

Code – version

Lens material

UV protection

Packing unit

Temple technology

| Features | ጼ | Qui | ick | Info |
|----------|---|-----|-----|------|

Sporty design

Unrestricted field of vision

Customized **configuration or branding** with colour and logo on request

Excellent protection with wraparound technology

Soft nose-piece

| Fig. | FRAME PROPERTIES | | | VICTOR BLUECUT | | | |
|----------|---|---------------|------|--------------------------|-------------|-----------------------|-------------|
| no. | frame colour(s) | coating(s | | | code(s) | | article no. |
| [1] | Blue Grey | AF | AS | BLUECUT 420 Brown | 2C - 1,4 | GA1FNCE | 9754 420 |
| [2] | Blue Grey | AF | AS | BLUECUT 530 Orange-Brown | 2C - 1,4 | | 9754 530 |
| [3] | Blue Grey | AF | AS | BLUECUT 580 Orange | 2 - 1,7 | GA 1 F N CE | 9754 580 |
| * Coatin | $as: HC = scratch-resistant \mid AEAS = anti-f$ | ios antistati | ccra | | anti foa ar | ntistatis SAR super | anti roflov |

TERMINATOR BLUECUT 580



Ultraviolet radiation and blue light

Ultraviolet radiation is mainly used in procedures such as paint-drying and plastic hardening or in medical applications. A very large part of this radiation is Blue light. If the eye is exposed to this light for long periods without protection, irreversible damage can be caused to the retina.



RX-Clip

Extra

Filter for optical radiation up to 580 nm

The **TERMINATOR BLUECUT 580** safety lens is specially designed to filter out radiation with wavelengths up to 580 nm. This radiation includes the eye-damaging UV range as well as Blue-light radiation.

TERMINATOR BLUECUT 580 27 g GA 166 FT CE **Polycarbonate** 100% 10 pcs. **Soft Touch** Features Weight Lens material Temple technology Code - version UV protection Packing unit Features & Quick Info Lightweight Sporty design Customized configuration or Length-adjustable temple Soft, adjustable nose piece branding with colour and logo on request Individually adjustable safety lens angle Easy to change protection lens Safety lenses filter out the entire UV range as well as Blue-light radiation Prescription eyewear option with the RX-clip **FRAME PROPERTIES LENS PROPERTIES TERMINATOR BLUECUT 580** Fig. [1] HC BLUECUT 580 Orange 2 - 1,7 GA1FTKCE 9380 580 Black

Easy-to-fit clip insert

Plastic for individual prescription

TERMINATOR RX-Clip



OPTOR CLIP BLUECUT 580



400 nm

550 nm

UV range

light spectrum ...

Hinged clip with protective filter for optical radiation up to 580 nm

The **BLUECUT 580** protective lens filters out the radiation from the wavelengths up to 580 nm. This radiation contains the the UV range that is harmful to the eye and the blue light radiation.



Ultraviolet radiation and blue light

Ultraviolet radiation is mainly used in procedures such as paint-drying and plastic hardening or in medical applications. A very large part of this radiation is blue light. If the eye is exposed to this light for long periods without protection, irreversible damage can be caused to the retina.

OPTOR CLIP BLUECUT 580

60 g

GA 166 FT CE

Polycarbonate

100%

10 pcs.

Softflex Fit

Features

Weight

Code – version

Lens material

UV protection

Packing unit

Temple technology

| Features & Quick Info | | | | | | | | | |
|---|---|--|---|--|--|--|--|--|--|
| Seasily adjustable and extendible temple ends | 3 | Hinged clip solution against blue light radiation | Customized configuration or branding with colour | | | | | | |
| 3 Integrated side protection | 3 | Excellent eye cover | and logo on request | | | | | | |
| Individually adjustable safety lens angle | 3 | Safety lenses filter out the entire UV range as well as blue-lig | ht radiation | | | | | | |

| Fig. | FRAME PROPERTIES | | LENS PROPERTIES | | | OPTOR CLIP BLUECUT 580 |
|-------------|--|-------------|--------------------|---------|---------|------------------------|
| no. | frame colour(s) | coating(s)* | | | code(s) | article no. |
| [1] | Black | НС | BLUECUT 580 Orange | 2 - 1,7 | GA1FKCE | 9404 580 |
| * Coatings: | * Continue: UC - ceratch recictant AEAS - anti-free an | | | | | |

Coatings: HC = scratch-resistant | AF AS = anti-fog, antistatic, scratch-resistant | HC AF AS = scratch-resistant, anti-fog, antistatic



Safety spectacle as carrier frame for the bluecut 580 clip

OPTOR CLIP BLUECUT 580 consists of the **OPTOR** safety spectacle model and the matching bluecut 580 clip. The clip is clamped to the frame of the **OPTOR**.

| Fig. | FRAME PROPERTIES | | LENS PROPERTIES | | | OPTOR | | |
|-----------|---|----------|-----------------|----------|-------|--------|---------|------------------|
| no. | frame colour(s) | coating(| | Material | | | code(s) | article no. |
| [2] | Black | НС | | PC | Clear | 2C-1,2 | GA1FKCE | 9404 03 105 5400 |
| * Coating | * Coatings: HC = scratch-resistant AF AS = anti-fog, antistatic, scratch-resistant HC AF AS = scratch-resistant, anti-fog, antistatic | | | | | | | |

OPTOR INFRARED



600 nm 750 nm IR range

Infrared radiation

Long-wave infrared radiation is produced by molten materials, such as those used in the metalworking or glass industries (experienced by blast-furnace workers, for example). If the eye is exposed to IR radiation without protection, this can lead to premature clouding of the lens (cataract).



Filter operative to a radiation temperature of 1090 °C

OPTOR S-INFRARED safety spectacles are designed to filter out radiation with wavelengths between 780 and 1400 nm at temperatures of up to 1090 °C.

| OPTOR-S | INFRARED | 40 g | GA 166 F CE | Polyca | rbonate | 100% | 1 pc. | Softflex Fit |
|---|-----------------------|----------------------|---------------------------|------------------|-----------------------|---------------------|--------------|---------------------|
| Features | | Weight | Code – version | Lens n | naterial | UV protection | Packing unit | Temple technology |
| Features & C | Quick Info | | | | | | | |
| | ight | | | 3 0 | lassic design | | | Customized |
| Easily adaptable and length-adjustable temple | | | | 3 v | ✓ Very good eye cover | | | |
| 3 Integrate | ed side protection | | | | | | | and logo on request |
| Fig. | FRAME PRO | PERTIES | | LEN | IS PROPER | TIES | | OPTOR S |
| no. | | our(s) | coating(s)* | Material | colour | | code(s) | article no. |
| [1] | Black Blue | Crysta | I HC | PC | Gre | een 4-1,7 | GA1FCE | 9400 147 |
| * Coatings: HC = | scratch-resistant A | NF AS = anti-fog, ar | ntistatic, scratch-resist | ant HC AF AS = | scratch-resista | nt, anti-fog, antis | tatic | |



Accessories for safety goggles



In addition to safety glasses, INFIELD Safety also offers a large selection of different storage solutions for safety glasses. There are also useful accessories and cleaning options as well as technical aids.

Glasses cleaning station



glasses cleaning station everything you need for cleaning goggles in one box

The lockable glasses cleaning station is made of sturdy sheet steel and is optimized for wall mounting.

The simple graphic representation explains the uncomplicated handling for regular cleaning of safety glasses.

Scope of delivery of the glasses cleaning station:

- 1 x cleaning fluid 0,5 litres | article: 9981
- 1 x Sspray pump | article: 9982
- 2 x cleaning tissue | article: 9983



Refills and spare parts

The individual components can be reordered:









| Fig. | Article | Packing unit | Description | Article no. |
|------|--|--------------|--|-------------|
| Nr. | | | | |
| [1] | Glasses cleaning station – complete | 1 | Wall-attachment station with spray pump, paper dispenser $\&$ waste basket, incl. Initial supply: cleaning fluid and 2×700 sheets of cleaning paper | 9980 |
| [2] | Cleaning fluid for station – 0.5 Litres | 25 | Top-up fluid for the glasses cleaning station (approx. 0.5 L) | 9981 |
| [3] | Spray pump for station | 1 | Spare pump for the 0.5 Litre cleaning-fluid bottle | 9982 |
| [4] | Cleaning tissue for station | 20 | Paper tissues for cleaning safety lenses, silicone-free (700 sheets) | 9983 |
| [5] | Cleaning fluid for station – 5 litres | 1 | Top-up canister for spray bottles (5 litre top-up canister) | 9984 |



Cleaning









| Fig. | Article | Packing unit | Description | Article no. |
|------|--|--------------|--|-------------|
| no. | | | | |
| [1] | Cleaning spray for safety goggles (100 ml) | on request | Handy spray bottle for cleaning the goggle lenses | 9991 |
| [2] | Cleaning liquid (approx. 0.5 l) | 10 | Cleaning fluid etc. for the glasses cleaning station | 9981 |
| [3] | Spray pump for 0.5 I bottle | 1 | Spray pump for the cleaning liquid bottle | 9982 |
| [4] | Cleaning fluid (5 I refill canister) | 1 | Refill canister for the spray bottles | 9984 |
| [5] | Box with cleaning wipes (pack of 100) | 5 | Individually packed cleaning tissues for single use | 9990 |
| [6] | Optifog Activator Glasses cloth | 1 | Glasses cloth to activate the Optifog coating (replace every 3 months) | 9989 |

Storage













| Fig. | Article | Packing unit | Description | Article no. |
|------|---------------------------------|--------------|--|-------------|
| Nr. | | | | |
| [1] | Standard case | 25 | Water-repellent case suitable for all safety glasses | 9910 |
| [2] | Hard box | 10 | Case suitable for a harsh industrial environment | 9913 |
| [3] | Belt bag | 10 | Case for the generous storage of safety glasses | 9914 |
| [4] | Belt box | 5 | Reinforced case with higher impact protection | 9918 |
| [5] | Nylon bag | 1 | Protects the goggles from dust and serves as a microfiber glasses cleaning cloth | 9920 |
| [6] | Nylon bags full-face goggles | 1 | Protects the safety eyewear from dust and also serves as an eyewear cleaning cloth | 9920G |



Lamp | Accessoires









| Fig. | Article | Packing unit | DESCRIPTION | Article no. |
|------|----------------------|--------------|--|-------------|
| no. | | | | |
| [1] | LED lamp | 1 | Lighting system for attaching to any pair of safety spectacles, incl. Batteries | 9900 |
| [2] | Strap with pull-link | 12 | This strap is automatically released by the pull-link in case of snagging | 9985 |
| [3] | Glasses cord | 12 | Prevents glasses from falling | 9992 |
| [4] | Sport strap | 12 | For glasses to sit on the face firmly | 9993 |

Product presentation

INFIELD Safety presents

Our new plastic product presenters with inconspicuous and stable brackets for 5 or 8 INFIELD goggles provide one high-quality glasses presentation at the point of sale.





| Fig. | Article | Packing unit | ng unit DESCRIPTION | |
|------|-------------|--------------|---|------|
| [1] | 5 presenter | 1 | Presenter for the presentation of 5 INFIELD safety glasses (glasses not included) | 9923 |
| [2] | 8 presenter | 1 | Presenter for the presentation of 8 INFIELD safety glasses (glasses not included) | 9924 |



Work protection products and more

Safety spectacles for spectacle wearers

For over 25 years many companies have opted for quality safety spectacles with individual corrective lenses from the market leader, INFIELD Safety. As a member of the Essilor Group, INFIELD Safety provides spectacle wearers with perfect eye protection through customized safety-glasses solutions for the workplace.

Providing glasses for monitor-based workplaces is also becoming more and more important. All models and more information on corrective safety spectacles can be found in our current product catalogue 'Safety Spectacles for Spectacle Wearers 2016'.



Outdoor and sports spectacles

For a long time now INFIELD safety spectacles are not only worn at work. INFIELD Safety's outdoor spectacles meet the same high standards as all our safety products and the styling instils confidence when worn during sport and leisure activities.

They are characterized by light, shatter-proof materials, sporty designs, individual styles, and a wide range of colour combinations.

They are particularly suited to outdoor sports and wherever clear vision and protection in the open air are needed. Some models can also be produced with corrective lenses to the user's personal prescription.

All Outdoor/Sport models can be found on our homepage.

www.infield-safety.de

Work protection products and more

Individual hearing protection

A perfect fit and low cost – INFIELD Safety offers customized solutions to protect the hearing. Individually moulded ear-inserts are produced for a wide range of noise generating environments and equipped from a range of suitable filters.

Due to their long service life of approximately 5 years, the costs are competitive when compared to standard solutions (foam/disposable earplugs). For further information, please request our brochure of INFIELD Safety customized hearing-protection products.



Protection at work also extends to desk jobs – spectacles for the monitor-based workplace

While the use of safety spectacles to protect against mechanical hazards is widespread, the eyes remain largely unprotected during everyday working in front of display screens. Trade Union Information (BGI) no. 786 describes in detail the legal framework involving the use of glasses for display screens at work. However, there is still a major shortage of information on the use of safety spectacles for PCs.

For health problems arising from and the risks involved in viewing display-screen equipment for extended periods, the now recognised hazard of Blue light and the corresponding targeted solutions, please see our brochure 'Office Eyewear 2016'.



Safety Eyewear

| | ectacles | | |
|-------------|--|------------------------------|---------------------|
| article no. | model design | colour(s) | Page(s, |
| 1000 XXX | VISION M 1000 | Bronze/Blue | 84 |
| 2065 XXX | VISION 12/VISION 12 READER | Grey | 72/73 |
| 2370 XXX | SUPERIOR | Crystal/Smoke | 78 |
| 3000 XXX | VISION M 3000 | Silver | 85 |
| 4000 XXX | VISION M 4000 | Black | 85 |
| 9005 XXX | AVIATOR | Smoke | 101 |
| 9021 XXX | FLEXOR PLUS | Grey-Orange | 38-39 |
| 9022 XXX | FLEXOR PLUS | Grey-Turquoise | 38-39 |
| 9023 XXX | FLEXOR PLUS OUTDOOR | Black-Turquoise | 41 |
| 9024 XXX | FLEXOR PLUS OUTDOOR | Navy Blue-Yellow | 41 |
| 9025 XXX | FLEXOR PLUS OUTDOOR | White-Blue | 41 |
| 9026 XXX | FLEXOR PLUS OUTDOOR | Braun-Red | 41 |
| 9027 XXX | FLEXOR PLUS XL | Blue-Grey | 42-43 |
| 9050 XXX | CONDOR | Black-Crystal | 64 |
| 9051 XXX | CONDOR | Green-Crystal | 64 |
| 9060 XXX | RAPTOR/Schweißerschutz | Black | 62/112-113 |
| 9062 XXX | RAPTOR | Blue | 62-63 |
| 9063 XXX | RAPTOR | Orange | 62-63 |
| 9064 XXX | RAPTOR | Black-Amber | 62-63 |
| 9065 XXX | RAPTOR | Blue-Blue Reflective | 62-63 |
| 9070 XXX | WINDOR | Black-Orange | 54-55 |
| 9071 XXX | WINDOR XL | Black-Orange | 54-55 |
| 9080 XXX | VISITOR/Schweißerschutz | Crystal/Black | 91/118 |
| 9085 XXX | VISITOR XL | Crystal | 91 |
| 9088 XXX | OVOR | Crystal | 90 |
| 9090 XXX | ONTOR/SAR/Schweißerschutz | Black-Turquoise/Orange/Black | 88-89/17/117 |
| 9230 XXX | MATADOR | Crystal-Orange | 57 |
| 9232 XXX | MILOR | Blue-Grey | 44-4 |
| 9320 XXX | TERMINATOR XTRA/SET-BALLISTIC | Black | 20-23/124-125 |
| 9321 XXX | TERMINATOR XTRA | Orange | 20-23 |
| 9322 XXX | TERMINATOR XTRA | Green | 20-23 |
| 9340 XXX | TENSOR/Schweißerschutz | Smoke | 65/116 |
| 9350 XXX | MIRADOR/Vollsicht-Schutzbrille | Black | 56/103 |
| 9351 XXX | MIRADOR/Vollsicht-Schutzbrille | Orange | 56/103 |
| 9352 XXX | MIRADOR/Vollsicht-Schutzbrille | Green | 56/103 |
| 9360 XXX | NESTOR/ NESTOR SMALL | Crystal/Smoke/Amber | 7: |
| 9365 XXX | PRIMOR | | 68 |
| | HUNTOR | Black | 70 |
| 9370 XXX | TERMINATOR PLUS DIOPTRIE | Crystal | |
| 9380 XXX | TERMINATOR/SAR - Antireflex/Welding Protection/ UV530/ | Black-Grey | 20.044544542040 |
| 9380 XXX | Photocromic/Polarising | Black | 30-31/15/115/122/12 |
| 9381 XXX | TERMINATOR | Blue | 32 |
| 9382 XXX | TERMINATOR | Carbon | 34 |
| 9383 XXX | TERMINATOR | Orange | 33 |

Safety Eyewear

| Protection spe | ectacles | | |
|----------------------|---|--------------------|------------|
| article no. | model design | colour(s) | Page(s) |
| 9388 XXX | TERMINATOR SMALL | White | 37 |
| 9395 XXX | TERMINATOR PLUS | Black-Mint | 24-25 |
| 9395 XXX | TERMINATOR PLUS DIOPTRE | Black-Mint | 27 |
| 9396 XXX | TERMINATOR PLUS | Silver-Orange | 24-25 |
| 9396 XXX | TERMINATOR PLUS DIOPTRE | Silver-Orange | 27 |
| 9400 XXX | OPTOR/INFRARED | Black/Blue-Crystal | 74/131 |
| 9401 XXX | OPTOR PLUS | Black/Blue-Crystal | 75 |
| 9403 XXX | OPTORXXS | Black/Blue-Crystal | 76 |
| 9404 XXX | OPTOR CLIP Welding Protection / OUTDOOR / BLUECUT 580 | Black | 119/79/130 |
| 9405 XXX | OPTOR XXS PLUS | Black/Blue-Crystal | 77 |
| 9505 XXX | SECTOR | Yellow | 108 |
| 9507 XXX | ULTRAVISOR/Schweißerschutz | Black | 107/121 |
| 9510 XXX | CLIPTOR | Black | 120 |
| 9520 XXX | HECTOR | Black | 109 |
| 9550 XXX | GONDOR | Smoke-Black | 98-99 |
| 9551 XXX | GONDORNV | Red | 98-99 |
| 9552 XXX | GONDOR CHEM | Smoke-Black | 98-99 |
| 9560 XXX | VENTOR | Crystal | 100 |
| 9584 XXX | PREVENTOR | Grey-Turquoise | 47/102 |
| 9585 XXX | PREVENTOR | Blue-Turquoise | 47/102 |
| 9565 XXX | VENTOR (with soft foam) | Crystal | 100 |
| 9594 XXX | DEFENDOR | Turquoise | 95 |
| 9595 XXX | DEFENDOR | Orange | 95 |
| 9596 XXX | DEFENDORXL | Orange/Grey | 96 |
| 9600 XXX | VELOR | Black-Turquoise | 58 |
| 9600 XXX | VELOR DIOPTRIE | Black-Turquoise | 59 |
| 9601 XXX | VELOR | Black-Grey | 58 |
| 9601 XXX | VELOR DIOPTRIE | Black-Grey | 59 |
| 9602 XXX | VELOR DIOPTRIE | Black-Orange | 59 |
| 9610 XXX | COMBOR | Grey-Blue | 60 |
| 9611 XXX | COMBOR | Black-Grey | 60 |
| 9614 XXX | COMBOR | Black-Red | 60 |
| 9650 XXX | VOLTOR | Black-Orange | 69 |
| 9730 XXX | PROTOR | Grey-White | 46 |
| 9731 XXX | PROTOR | Blue | 46 |
| | STRATOR | Silver | |
| 9700 XXX | | | 83 |
| 9750 XXX 9751 XXX | VICTOR/ VICTOR/SAR | Crystal-Blue | 48 |
| | | Crystal-Black | 48/16 |
| 9752 XXX | VICTOR PLUICUIT | Orange-Black | 48 |
| 9754 XXX | VICTOR SMALL | Blue-Grey | 128 |
| 9760 XXX | VICTOR SMALL | White-Violett | 51 |
| 9805 XXX | SENATOR | Crystal-Green | 53 |
| 9806 XXX | SENATOR | Mint-Black | 53 |
| 9807 XXX | SENATOR | Grey-Orange | 53 |
| 9850 XXX | STEELOR | Silver | 82 |



Accessoires

| Accessories | for safety eyewear | | |
|-------------|---|---------------|---------|
| article no. | model design | colour(s) | Page(s) |
| 9923 | 5-display unit | Plastic Clear | 122 |
| 9924 | 8-display unit | Plastic Clear | 122 |
| 9910 | standard case | Black | 123 |
| 9913 | Hard box XL | Black | 123 |
| 9914 | Belt pouch | Black | 123 |
| 9918 | Belt box | Black | 123 |
| 9920 | Nylon bag | Black | 123 |
| 9900 | LED lamp | Black | 124 |
| 9985 | Glasses strap with pull-link | Black | 124 |
| 9992 | Glasses cord | Black | 124 |
| 9993 | Sport strap | Black | 124 |
| 9980 | Glasses cleaning station – complete | Blue | 125 |
| 9981 | Cleaning fluid for station – 0.5 litres | White | 125 |
| 9982 | Spray pump for station | White | 125 |
| 9983 | Cleaning tissue | Grey | 125 |
| 9984 | Cleaning fluid for station – 0.5 litres | White | 125 |
| 9989 | OPTIFOG Activator glasses cloths | Grey | 125 |
| 9990 | Box with cleaning cloths | Green | 125 |
| 9991 | Cleaning spray for safety spectacles – 0.1 litres | White | 125 |
| 9993 | Sports band | Black | 136 |



HIGH PERFORMANCE HEARING PROTECTION





SMART-FILTER-TECHNOLOGY

| Seasy and safe to insert and remove |
|--|
| ☆ Re-usable |
| Easy to clean with water |
| → Tested according to DIN EN 352-2 |
| Aluminum capsule for easy and safe storage |
| |



| ote | S | | | | | | | | | | | | | | | | | | |
|-----|----------|----------|----------|----------|---|--------------|------|--|--------------|--|------|------|--|------|----------|----------|---------------|--------|--------------|
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | <u>.</u> | | | | | | | | | | <u>.</u> |
| | | | | | | | | | ļ | | | | | | | | | | <u> </u> |
| | | <u> </u> | | | | | | | | | | | | | | | | | |
| | <u></u> | | | | | | | | | | | | | | | | | | Ī |
| | | | | | | | | | | | | | | | | | | | <u>.</u> |
| | | | | | | ļ | | | | | | | | | | | | | <u>.</u> |
| | | | ļ | <u> </u> | | ļ | | | | | | | | | | <u>.</u> | | ļļ | <u>.</u> |
| | | | | <u> </u> | | <u> </u> | | | | | | | | | | <u>.</u> | | | ļ |
| | | | ļ | <u> </u> | | | | | <u>.</u> | | | | | | <u>.</u> | <u>.</u> | <u>.</u> | ļļ | <u>.</u> |
| | | | - | | | <u> </u> | | | <u>.</u> | | | | | | | | | ļļ | <u>.</u> |
| | | | ļļ | | | ļ | | | <u>.</u> | | | | | | | <u>.</u> | <u>.</u> | | <u>.</u> |
| | | - | ļ | <u> </u> | | <u> </u> | | | <u>.</u> | | | | | | | <u>.</u> | <u>.</u> | ļ | <u>.</u> |
| | | <u> </u> | ļ | <u> </u> | | | | | <u>.</u> | | | | | | | | <u>.</u> | | <u>.</u> |
| | <u>i</u> | <u> </u> | ļ | <u> </u> | | ļ | | | <u>.</u> | | | | | | <u>.</u> | <u>.</u> | <u>.</u> | | <u>.</u> |
| | <u>i</u> | <u> </u> | ļ | <u> </u> | | ļ | | | <u>.</u> | | | | | | | <u>.</u> | <u>.</u> | | <u> </u> |
| | | | | | | | | | | | | | | | | | | | |
| | | 1 1 | <u> </u> | <u> </u> | - | | | | | | | | | | | <u>.</u> | <u>:</u> : | | ļ |



Protection at work | Eye Protection

INFIELD Safety GmbH - Head Office -

info@infield-safety.de INFIELD Safety GmbH

+49 212 23234-0
 H49 212 23234-99
 Nordstraße 10a
 D-42719 Solingen