

uvex



Safety Eyewear

protecting people

Focus on innovation and quality

uvex eye protection centre of expertise

Whether you need safety glasses, goggles, prescription spectacles or laser protection eyewear: In Fürth, Bavaria, uvex develops and produces innovative safety eyewear that meets the highest quality standards.

The uvex plant is certified in accordance with ISO 9001:2015 and ISO 50001:2011, and uses state-of-the-art technology together with close collaboration with strategic partners to develop pioneering technologies.

Because “standard” is not enough

All uvex industrial safety eyewear undergoes stringent testing in our own test centre. As well as satisfying national and international safety standards, every uvex product must fulfil the exacting uvex standards that measure functionality, ergonomics, durability and wearer comfort.

Innovative coating technologies are one of uvex’s core competencies, resulting in first-class, highly practical industrial safety eyewear that are perfectly equipped for their intended area of use.



New: uvex i-5 and uvex megasonic

Examples of such innovation include the new uvex i-5 and uvex megasonic, which were presented for the first time at the A+A 2019 trade fair. You can find more information about our products on pages 22/23 and 48/49.

Only when a product fulfils all the requirements
of the applicable standards
does it earn the uvex name.





Perfect vision for maximum safety

uvex coating expertise



The quality of the lens coating: an absolutely crucial element of safety eyewear

Looking through lenses that are fogged up, scratched or dirty significantly increases the risk of accidents during the work day. uvex has been synonymous with pioneering coating technologies for decades: In our centre of expertise in Fürth, we develop and produce innovative lenses and coatings for a multitude of applications.

Two sides of the lens – two sets of requirements

The unique manufacturing process makes the difference: Unlike conventional processes, the unique uvex process applies different coatings to either side of the lens.

Knowing and exceeding the standard

Standard safety eyewear combines anti-fog and scratch-resistance properties on both sides of the lens – at the expense of optimum performance. Scratch resistance is limited and regular cleaning of the safety eyewear completely removes the anti-fog performance over time, rendering the eyewear ineffective and unusable.

Perfect performance at all times

The performance and durability of uvex eyewear coatings, by contrast, last for the life of the product and take into consideration the varying workplace environments, resulting in a range of coatings that enhances the wearer experience (see following pages).

For example, at uvex, an unbeatably hard and easy-to-clean, scratch-resistant coating can be applied to the outside of the lens, which is prone to getting scratched and becoming dirty. The coating for the inside of the lens, meanwhile, has a long-lasting anti-fog effect, which remains permanently on the lens – meaning it stays put for the life of the product with no drop in performance, even after repeated cleaning.

The result is safety eyewear that is functional, durable and comfortable – for all-day clear vision and maximum safety.

dry 0% RH



uvex supravision excellence

- uvex has a unique process of applying different coatings to each side of the lens, allowing them to perform at maximum efficiency
- the outside of the lens, which is prone to dirt and abrasion, has an extremely scratch- and chemical-resistant coating
- highly effective anti-fog coating on the inside of the lens where it is needed most
- anti-fog properties are permanent and won't wash off, even after repeated cleaning
- areas of application: suitable for a wide range of workplace applications

cold -20°C



uvex supravision plus

- permanent anti-fog and scratch-resistant coating applied to both sides of the lens
- anti-fog properties are permanent and won't wash off, even after repeated cleaning
- areas of application: environments with frequent temperature and humidity fluctuations

Find your perfect coating

1. Select the temperature which best represents your working environment on the horizontal temperature axis.
2. Define the air humidity of the surroundings in percentage terms and find the figure on the diagonal axis.
3. Determine the degree of dirt on the vertical axis.
4. Join these three points to form a triangle.


The part of the triangle with the largest area will show you the appropriate coating for your defined area of use.

Coating technology

dirty

uvex supravision sapphire

- both sides are exceptionally scratch- and chemical-resistant
- uvex Easy-to-Clean effect makes lenses less susceptible to dirt
- areas of application: rugged, dusty and/or dirty environments



Special coatings



uvex supravision extreme

The lenses have a scratch-resistant coating on the outside and a highly effectively anti-fog coating on the inside. The inside of the lenses will not fog up as the coating never reaches the point of saturation. The anti-fog properties are permanent and won't wash off, even after repeated cleaning. Suitable for workplaces with prolonged exposure to high levels of condensation and dirt.



uvex supravision ETC (extreme temperature conditions)

Coated lenses will not fog up, as the coating never reaches the point of saturation. The anti-fog properties are permanent and won't wash off, even after repeated cleaning. Suitable for workplaces that are subjected to frequent temperature and humidity fluctuations.



uvex supravision variomatic

Coated lenses contain self-tinting filters that react when exposed to UV radiation. Lenses automatically darken within 10 seconds and lighten within 30 seconds when UV light is reduced. Featuring uvex's proven supravision excellence technology (highly effective anti-fog coating on the inside of the lens and extremely scratch-resistant coating on the outside). Suitable for workplaces where you frequently move between indoor and outdoor environments, from light to dark.



uvex supravision clean

Coated lenses are autoclavable and resistant to chemicals. Anti-fog on the inside, extremely scratch-resistant on the outside. The anti-fog properties last for 15 to 20 autoclave cycles. The coating ensures complete fog protection and maximum vision.



uvex infradur

Coated lenses are scratch-resistant on both sides and minimise damage from welding sparks.

uvex infradur plus

Coated lenses are anti-fog on the inside, extremely scratch-resistant on the outside and minimise damage from welding sparks.

Marking and standards

Marking on frame

Identification of the manufacturer

Number of the EN standard

Field(s) of use (where applicable)

Certification mark

Symbol for resistance to high speed particles (where applicable)

Mechanical strength	
none	without mechanical strength (filters only)
S	increased strength (filters only)
F	low energy impact (45m/s)
B	medium energy impact (120m/s)
A	high energy impact (190m/s)
T	tested at extreme temperatures (-5°C and +55°C)

Designation	Description of application areas
none	General use Non specific mechanical risks, risks due to UV and/or visible IR light
3	Liquids Liquids (droplets and splashes)
4	Coarse dust particles Dust with > 5µm grain size
5	Gas and fine dust particles Gas, vapour, mist, smoke, and dust with < 5µm grain size
8	Short circuit electric arc Electric arc due to short circuit in electrical equipment

Marking on lens

Scale numbers (filters only)

Identification of the manufacturer

Optical class

Symbol for mechanical strength

Mechanical strength	
none	without mechanical strength (filters only)
S	increased strength (filters only)
F	low energy impact (45m/s)
B	medium energy impact (120m/s)
A	high energy impact (190m/s)
T	tested at extreme temperatures (-5°C and +55°C)

Symbol for resistance to surface damage by fine particles (optional)

Symbol for resistance to fogging (optional)

Certification mark

Lens tinting

A lens solution for every light environment



CLEAR

Protection: UV400
 UV/markings: 2(C)-1.2
 Transmission: approx. 91%
 Standards: EN 166, EN 170

Anti-glare mechanical hazard protection



AMBER

Protection: UV400
 UV/markings: 2(C)-1.2
 Transmission: approx. 88%
 Standards: EN 166, EN 170

Anti-glare mechanical hazard protection with enhanced contrast effect



CBR 65

Protection: UV400
 Marking: 5-1.4
 Transmission: 65%
 Standards: EN 166, EN 172

Protection offering relaxing, focused vision

- uvex sportstyle (p. 29)
- uvex pheos cx2 (p. 30)
- uvex super f OTG (p. 64)
- uvex pheos cx2 sonic (p. 50)
- uvex ultravision (p. 55)



AR (anti-reflective)

Protection: UV400
 UV/markings: 2(C)-1.2
 Transmission: approx. 96.5%
 Standards: EN 166, EN 170

Optimum anti-reflective protection with high degree of light transmission

- uvex sportstyle (p. 29)
- uvex i-3, uvex i-3 s (p. 34, 35)

tint with glare protection not necessary ←



74–100% transmission



58–80% transmission

Lens tinting



BROWN

Protection: UV400
 Marking: 5-2.5
 Transmission: 20%
 Standards: EN 166, EN 172

Protection against **natural glare** with **signal colour recognition** and **increased contrast effect**

uvex i-vo (p. 59), uvex skyper (p. 41), uvex ultrasonic (p. 53)



POLAVISION

Protection: UV400
 Marking: 5-3.1
 Transmission: 14%
 Standards: EN 166, EN 172

Reduction of irritating surface reflection by **filtering scattered light**

uvex polavision (p. 43)

tint with contrast adjustment recommended



SILVER MIRROR 53%

Protection: UV400
 Marking: 5-1.7
 Transmission: 53%
 Standards: EN 166, EN 172

Protection in **changing light conditions**

uvex pheos/uvex pheos s (p. 32, 33)
 uvex i-works (p. 36)



SILVER MIRROR 12%

Protection: UV400
 Marking: 5-3.1
 Transmission: 12%
 Standards: EN 166, EN 172

Protection from both highly **artificial light** and **natural glare conditions**

uvex i-3 (p. 34)
 uvex pheos cx2 (p. 30)
 uvex sportstyle (p. 29)

tint with contrast adjustment recommended



GREY 23%

Protection: UV400
 Marking: 5-2.5
 Transmission: 23%
 Standards: EN 166, EN 172

Protection against **natural glare** with **signal colour recognition**



GREY 14%

Protection: UV400
 Marking: 5-3.1
 Transmission: 14%
 Standards: EN 166, EN 172

Protection against **natural glare** with **signal colour recognition**

uvex astrospec 2.0 (p. 37)
 uvex u-sonic (p. 51)

tint with contrast adjustment not necessary


tint with glare protection recommended



43-58%
 transmission



18-29%
 transmission



8-18%
 transmission

uvex UV400

100% UV protection. 100% safety. 100% uvex.

The EN166/170 standard requires safety eyewear to provide UV protection up to 380 nm. The latest scientific findings show that this is not enough. The WHO recommends UV protection up to 400 nm.



“The reasons why the WHO recommends UV400 protection are clear. The outer tissues of the eye, cornea and lens fully absorb UV light. While UVB light primarily damages the genetic material, UVA rays penetrate deeper, cause thermal damage and magnify the effects of UVB light.”

Univ.-Prof. Dr. rer. nat. Olaf Strauß



uvex UV400 – included in all uvex safety eyewear


Whether you choose clear or tinted lenses, all uvex safety spectacles are equipped with uvex UV400 effective UV protection as standard – as well as pleasant wearer comfort, a sporty design and top-quality lens coatings.

Even without sun, UV rays can still put strain on the eye

When working outdoors, your eyes are regularly exposed to harmful UV radiation – even when it is cloudy. The result: using insufficient protection risks may cause dangerous long-term damage such as corneal injury, cataracts and blindness.

100% protection against dangerous UVA and UVB radiation

For the eye and surrounding skin



uvex UV400 offers complete protection against UVA and UVB radiation as well as high-energy visible light (HEV) up to a wavelength 400 nm.

uvex UV400 not only filters 100% of UVA rays (20% still passes through 380 nm lenses), it also completely minimises temperature-induced cell changes – a factor which increases tenfold in the percentage of total cell damage in the range from 380 to 400 nm. In addition, the dangerous, damaging blue light content (HEV), which is also harmful to the retina, is reduced by 15%.

uvex safety eyewear,
100% safety.





uvex CBR65


Fatigue-free, comfortable vision



Preventive protection against blue light

The properties of uvex CBR65 lens technology are significantly different to those of uvex UV400.

uvex CBR65 blocks 100% of UV rays and filters high-energy visible light (HEV) – which causes particular strain on the retina in the range from 380 nm to 450 nm – by up to 50%. Above the 450 nm range, only 60–70% of light can reach the retina.



Contrast

Contrast enhancement

Better contrast for clearer vision, helping to reduce strain on the eyes – even in diffused light.

Bluelight reduction

Blue light reduction

In workplaces with extremely harsh lighting conditions, blue light is reduced by up to 50%.

Relaxed vision

Relaxed vision

Ideal for high-concentration work; the eyes get less tired even when working for longer periods.

65% transmission

Slight tint

Provides protection against glare even in extremely bright artificial light or natural light.

Strain on the eye caused by blue light has increased enormously as a result of intensive use of electronic devices (PCs, smartphones, tablets, LED TVs, etc.) and the switch from incandescent light bulbs to LEDs. The short-term effects of this include eye strain, headaches or poor concentration, while in the long term there is an increased risk of age-related macular degeneration.

uvex CBR65 reliably protects the eye against health risks without disrupting the body's internal clock.

For more information, visit uvex-safety.com/en/product-group/uvex-cbr65/



Art. no.	uvex sportstyle CBR65	uvex pheos cx2 CBR65	uvex super f OTG CBR65	uvex pheos cx2 sonic CBR65	uvex ultravision CBR65
9193064	9193064	9198064	9169164	9309064	9301064
Version	uvex supravision extreme	uvex supravision excellence	uvex supravision excellence	uvex supravision extreme	uvex supravision excellence
Standard	sun protection	sun protection	sun protection	sun protection	sun protection
Frame	EN 166, EN 172	EN 166, EN 172	EN 166, EN 172	EN 166, EN 172	EN 166, EN 172
Lens	white, black	white, black	black, white	white, black	grey transparent
Weight	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 34 BT CE	W 166 34 BT CE
Order quantity	PC CBR65	PC CBR65	PC CBR65	PC CBR65	PC CBR65
	UV400	UV400	UV400	UV400	UV400
	5-1,4 W1 FTKN CE	5-1,4 W1 FTKN CE	5-1,4 W1 FTKN CE	5-1,4 W1 BTKN CE	5-1,4 W1 BTKN CE
	23 g	28 g	39 g	34 g	131 g
	5 PC	5 PC	5 PC	5 PC	4 PC

uvex


uvex i-5

detailed – modern – trusted

Reliable protection thanks to the innovative and modern design: with its x-tended eyeshield and sideshield, the uvex i-5 can be relied on to protect the eyes in any situation. Sophisticated features ensure superior wearer comfort even during long periods of use.




Three-stage inclination
allows easy adjustment
to any facial shape




x-tended sideshield
provides optimum protection
around the sides of the eyes




x-tended eyeshield
provides greater protection
against particles, dust and dirt



uvex supravision
coating technology



x-twist technology
for flexible and comfortable
adjustment to any head shape



**soft and flexible
nose pad**
for pressure-free wearer
comfort and a non-slip fit



MADE IN GERMANY 



Safety Spectacles

uvex i-5 · uvex i-5 guard




9183265



9183180



9183281



Accessories: 9183001
Extra frame for uvex i-5



Further information can be found at
uvex-safety.com/en/i5
(or scan the QR code).

uvex i-5

- soft, flexible nose pad for maximum comfort and a non-slip fit
- x-tended eyeshield provides additional protection from flying particles, dust and dirt
- x-tended sideshield for increased side protection
- 3-position side arm inclination adapts easily to any facial shape
- soft, extendable x-twist side arm technology offers adaptable, pressure-free comfort and a stable, non-slip fit
- soft side arm ends ensure a pressure-free and non-slip fit
- with proven uvex supravision lens coating technology
- metal-free



reddot winner 2020



uvex i-5		uvex i-5 guard		extra frame
Art. no.	9183265	9183180	9183281	9183001
Version	uvex supravision excellence	uvex supravision excellence incl. extra frame	uvex supravision excellence sun protection	extra frame for uvex i-5
Standard Frame	EN 166, EN 170 anthracite, blue W 166 FT CE	EN 166, EN 170 anthracite, blue W 166 FT CE	EN 166, EN 172 anthracite, lime W 166 FT CE	anthracite
Lens	PC clear UV400 2C-1,2 W1 FTKN CE	PC clear UV400 2C-1,2 W1 FTKN CE	PC grey 23% UV400 5-2,5 W1 FTKN CE	
Weight	29 g	35 g	29 g	6 g
Order quantity multiples	5 PC	5 PC	5 PC	20 PC

MADE IN GERMANY


uvex x-fit pro
wearer comfort is clear to see



Optimally protected and perfectly equipped for almost every application: the uvex x-fit range of safety spectacles can be individually adjusted to meet your requirements. For greater safety and performance.



proErgo | uvex Comfort Slider
The flexible inclination of the side arms adapts ergonomically to all facial shapes – for optimum fit. Sliding the uvex Comfort Slider (A) adjusts the angle of the lens inclination (B)



uvex x-fit lens geometry
The innovative lens geometry ensures optimum fit. The x-design of the lens ensures additional stability – for full protection.

proGrip | uvex headband
The continuously adjustable, metal-free headband holds the safety spectacles securely in place. (art. no. 9958023)



proComfort | uvex nose piece and side arms
The soft nose piece of the striking x-design offers maximum wearer comfort even when worn for extended periods of time.

uvex high-performance lens coating
uvex supravision coating technology with permanent anti-fog coating on the inside of the lens and scratch resistant outside ensures a perfect view.

proLux | uvex LED mini light
The bright, adjustable LED light ensures optimum vision even under poor light conditions. (art. no. 9999100)

proFix | uvex side arm system
Thanks to uvex duo component technology that combines hard and soft materials including the elastic side arms, ensures a pressure-free fit.

Functional accessories can be simply hooked onto the intelligent side arm system



Safety Spectacles

uvex x-fit pro · uvex x-fit pro guard



9199005



9199247



9199245



9199680



9199240



9199277



9199276



Accessories: 9199001
Extra frame for uvex x-fit and uvex x-fit pro



Accessories: 9958023
Headband for uvex x-fit and uvex x-fit pro



Accessories: 9999100
mini LED light

uvex x-fit pro

- safety spectacles with a modern look
- innovative hinged side arm design
- soft nose piece with x-design for maximum wearer comfort
- elastic side arms ensure a pressure-free fit thanks to uvex duo component technology
- uvex Comfort Slider for flexible inclination of the side arms
- optimum fit thanks to innovative lens geometry
- flexible modular system allows attachment of functional accessories metal-free

Accessories:

- uvex LED mini light: bright, adjustable LED light with matching left or right adapter to be attached on uvex x-fit and x-fit pro side arms, batteries: four button cells, type L736F
- uvex x-fit headband: can be adapted on uvex x-fit and x-fit pro models
- uvex x-fit extra frame: can be adapted on uvex x-fit and uvex x-fit pro models



uvex x-fit pro			uvex x-fit pro guard		
Art. no.	9199005	9199247	9199245	9199680	9199240
Version	uvex supravision sapphire	uvex supravision excellence without sliders	uvex supravision excellence	uvex supravision excellence without sliders, incl. extra frame	uvex supravision excellence contrast-enhancing
Standard Frame	EN 166, EN 170 white, anthracite W 166 FT CE	EN 166, EN 170 blue, anthracite W 166 FT CE	EN 166, EN 170 blue, anthracite W 166 FT CE	EN 166, EN 170 blue, anthracite W 166 FT CE	EN 166, EN 170 yellow, anthracite W 166 FT CE
Lens	PC clear UV400 2C-1,2 W1 FTK CE	PC clear UV400 2C-1,2 W1 FTKN CE	PC clear UV400 2C-1,2 W1 FTKN CE	PC clear UV400 2C-1,2 W1 FTKN CE	PC amber UV400 2C-1,2 W1 FTKN CE
Weight	28 g	24 g	28 g	30 g	28 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC	5 PC

uvex x-fit pro		
Art. no.	9199277	9199276
Version	uvex supravision excellence sun protection, without sliders	uvex supravision excellence sun protection
Standard Frame	EN 166, EN 172 anthracite, light grey W 166 FT CE	EN 166, EN 172 anthracite, light grey W 166 FT CE
Lens	PC grey 23% UV400 5-2,5 W1 FTKN CE	PC grey 23% UV400 5-2,5 W1 FTKN CE
Weight	24 g	28 g
Order quantity multiples	5 PC	5 PC

uvex mini LED light			uvex x-fit pro Headband		extra frame	
Art. no.	9999100	9958023	9199001		9199001	
Version	including 2 adapters (left and right)	for attaching on uvex x-fit and x-fit pro, metal-free	extra frame for x-fit pro and uvex x-fit		extra frame for x-fit pro and uvex x-fit	
Colour	Adapter+housing: black	black	black		black	
Order unit/	PC					
Order quantity multiples		5 PC	20 PC		20 PC	

MADE IN GERMANY

uvex

uvex x-fit


Stability through x-design

The uvex x-fit weighs just 23 gram. This sporty safety spectacle cannot fail to impress with its optimum coverage of the eyes and high level of wearer acceptance.

The x-design of the lens and the translucent side arms make the uvex x-fit a real highlight.



Perfect fit and coverage of the whole eye area
suits all head sizes



Lightweight safety spectacles
weighing just 23 grams

Innovative hinged side arm design
metal-free




x-design
for stability



uvex supravision coating technology

UV400 protection
also available in an amber lens
or as a sunglare filter lens



MADE IN GERMANY



Safety Spectacles

uvex x-fit · uvex x-fit guard



9199085
9199285



9199265



9199123



9199180



9199286



9199280



Accessories: 9958024
Comfort Slider for uvex x-fit and uvex x-fit pro



Accessories: 9199001
Extra frame for uvex x-fit and uvex x-fit pro

uvex x-fit

- classic safety spectacles with optimum fit
- lightweight at just 23 grams
- uvex supravision coating technology
- innovative hinged side arm design with option of attaching the uvex Comfort Slider for an optimum fit
- metal-free



uvex x-fit	9199085	9199285	9199265	9199123	uvex x-fit guard
Art. no.	9199085	9199285	9199265	9199123	9199180
Version	uvex supravision sapphire	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence incl. extra frame
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	grey translucent W 166 FT CE	grey translucent W 166 FT CE	blue translucent W 166 FT CE	pink translucent W 166 FT CE	grey translucent W 166 FT CE
Lens	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE
Weight	23 g	23 g	23 g	23 g	29 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC	5 PC

uvex x-fit	9199286	9199280
Art. no.	9199286	9199280
Version	uvex supravision excellence contrast-enhancing	uvex supravision excellence sunglare filter
Standard	EN 166, EN 170	EN 166, EN 172
Frame	grey translucent W 166 FT CE	grey translucent W 166 FT CE
Lens	PC amber UV400 2C-1.2 W1 FTKN CE	PC grey 23% sunglare filter UV400 5-2.5 W1 FTKN CE
Weight	23 g	23 g
Order quantity multiples	5 PC	5 PC

	uvex Comfort Slider	extra frame
Art. no.	9958024	9199001
Version	for attaching to uvex x-fit and x-fit pro side arms	extra frame for uvex x-fit pro and uvex x-fit
Colour	anthracite	black
Order unit/ Order quantity multiples	BG	20 PC
Content	5 Pair	

MADE IN GERMANY

uvex safety eyewear

Also ideal for narrow faces

The geometries of our spectacles are as different as the faces of the people who wear them. The products in this range can be worn by anyone, but are particularly suitable for people with narrow faces.

Their optimal fit and the fact that they can be adjusted mean that these safety spectacles fit different head shapes perfectly, providing the wearer with the best possible protection from particles, sparks or dust.

uvex has a range of safety eyewear
to meet every need —
including those
with narrower faces.

uvex spectacles:



uvex i-3 s 9190



uvex pheos s 9192



uvex sportstyle 9193



uvex i-works 9194



uvex pheos cx2 9198



uvex x-fit 9199

uvex goggles:



uvex pheos s guard 9192



uvex carbonvision 9307



uvex u-sonic 9308




uvex pheos cx2 sonic 9309





Safety Spectacles

uvex sportstyle



uvex sportstyle

- featherlight safety spectacles with a sporty design
- optimum vision thanks to uvex lens geometry
- soft, adjustable nose piece and soft, non-slip ear pieces (uvex duo component technology) ensure a secure, pressure-free fit
- uvex supravision coating technology

uvex sportstyle								
Art. no.	9193080	9193265	9193376	9193838	9193064	9193280	9193885	9193880
Version	uvex supravision plus Oil & gas	uvex supravision excellence	uvex supravision extreme	uvex supravision AR super anti-reflective lenses	uvex supravision extreme sunglare filter	uvex supravision extreme sunglare filter	AF on the inside sun protection, silver mirror	uvex supravision variomatic self-tinting lenses
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172	EN 166, EN 172	EN 166, EN 170
Frame	black, grey	black, lime	black, petrol	black, blue	white, black	white, black	black, grey	black, anthracite
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear	PC clear	PC clear	PC clear	PC CBR65	PC grey 23%	PC silver mirror, grey	PC light green
	UV400	UV400	UV400	UV400	UV400	UV400	UV400	UV400
	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FT CE	5-1.4 W1 FTKN CE	5-2.5 W1 FTKN CE	5-3,1 W1 FTN CE	2-1.2 W1 FTKN CE
Weight	23 g	23 g	23 g	23 g	23 g	23 g	23 g	23 g
Order quantity multiples/	5 PC	5 PC	5 PC	5 PC	5 PC	5 PC	5 PC	PC
Order unit								

MADE IN GERMANY

Safety Spectacles

uvex pheos cx2



9198275
9198257



9198258



9198261
9198256



9198285



9198064



9198237



9198885

uvex pheos cx2

- x-branded safety spectacles with a modern, sporty design
- comfortable protection with the x-tended eyeshield
- x-twist side arm technology delivers non-slip fit for optimum protection
- duo-spherical lens delivers excellent field of vision
- large field of vision
- innovative uvex duo component technology for maximum wearer comfort
- can easily be combined with other PPE
- uvex supravision coating technology

► Also available as wide-vision goggles (see page 50)



uvex pheos cx2					
Art. no.	9198275	9198257	9198258	9198256	9198261
Version	uvex supravision sapphire	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision extreme
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	blue, grey W 166 FT CE	blue, grey W 166 FT CE	red, grey W 166 FT CE	black, light blue W 166 FT CE	black, light blue W 166 FT CE
Lens	PC clear UV400 2C-1.2 W1 FTK CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE
Weight	28 g	28 g	28 g	28 g	28 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC	5 PC

uvex pheos cx2				
Art. no.	9198285	9198064	9198237	9198885
Version	uvex supravision excellence contrast-enhancing	uvex supravision excellence sunglare filter	uvex supravision excellence sunglare filter	AF on the inside sunglare filter silver mirror
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172	EN 166, EN 172
Frame	black, yellow W 166 FT CE	white, black W 166 FT CE	white, black W 166 FT CE	blue, grey W 166 FT CE
Lens	PC amber UV400 2C-1.2 W1 FTKN CE	PC CBR65 UV400 5-1.4 W1 FTKN CE	PC grey 23% UV400 5-2.5 W1 FTKN CE	PC silver mirror, grey UV400 5-3.1 W1 FTKN CE
Weight	28 g	28 g	28 g	28 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC




Safety spectacles – matching your corporate identity

Eye protection with “personality”

Give your team an unmistakable image: uvex safety glasses offer various options for individual design – from printing your company’s logo on the side arms to frames in your company’s colours. You can coordinate your protective equipment perfectly with your corporate identity.


Frames in the company colours

“Your” safety spectacles are recognisable at first glance: the frames are designed in your company colours.



Insert in the side arms

Adding your company name to the soft components of the side arms is both bespoke and subtle.



Pad printing on the side arms (1 to 4 colours)

The direct pad printing process is recommended for printing your logo in colour on the side arms.




How individual can you be?

We are happy to advise you personally on the technical options for customising our safety glasses. You can also use our online product configuration tool at www.uvex-safety.com/configurator

(or scan the QR code). Here you can choose and design the spectacle model online.

Please note that the following minimum quantities must be ordered:

- Pad printing – minimum of 500 pairs
- A combination of either lens and/or frame, with and without pad printing. Minimum 2500 units.
- Insert/customised corporate colouring/individual headband/laser engraving – minimum of 5,000 pairs
- Customised accessories available on request



Customised accessories

Have your logo printed on your spectacle case.



Laser engraving on the lens

Safety spectacles will retain 100% of their functionality even with customised laser engraving.



Headband embroidery

Customise your spectacles by having your corporate logo embroidered on the headband.



Safety Spectacles

uvex pheos · uvex pheos guard



uvex pheos

- modern safety spectacles with a fashionable design and duo-spherical lens technology
- metal-free
- available in standard size or a narrow version
- set consisting of fitted extra frame with soft padding and adapted headband (uvex pheos guard)

- additional eyebrow protection with Eye plus Protection: a bevelled edge in upper area
- soft, non-slip ear pieces (uvex duo component technology) prevent pressure points
- very large field of vision
- can be easily combined with other PPE
- suitable for the uvex helmet IES (Integrated Eyewear System) see page 114



product design award



German Design Award

2012



WINNER 2013

uvex pheos					
Art. no.	9192080	9192225	9192215	9192280	9192385
Version	uvex supervision plus	uvex supervision excellence	uvex supervision excellence	uvex supervision extreme	uvex supervision excellence
	standard size, Oil & gas	standard size	standard size	standard size	standard size, contrast-enhancing
Standard Frame	EN 166, EN 170 black, grey W 166 FT CE	EN 166, EN 170 black, green W 166 FT CE	EN 166, EN 170 light grey, grey W 166 FT CE	EN 166, EN 170 black, grey W 166 FT CE	EN 166, EN 170 black, yellow W 166 FT CE
Lens	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC amber UV400 2C-1.2 W1 FTKN CE
Weight	29 g	29 g	29 g	29 g	29 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC	5 PC

uvex pheos					uvex pheos guard
Art. no.	9192245	9192285	9192281	9192881	9192180
Version	uvex supervision excellence	uvex supervision excellence	uvex supervision extreme	AF on the inside	uvex supervision extreme
	standard size, sunglare filter	standard size, sunglare filter	standard size, sunglare filter	standard size, sunglare filter, silver mirror	standard size, incl. extra frame and headband
Standard Frame	EN 166, EN 172 black, orange W 166 FT CE	EN 166, EN 172 black, grey W 166 FT CE	EN 166, EN 172 black, grey W 166 FT CE	EN 166, EN 172 light grey, grey W 166 FT CE	EN 166, EN 170 black, grey W 166 FT CE
Lens	PC grey 23% UV400 5-2.5 W1 FTKN CE	PC grey 23% UV400 5-2.5 W1 FTKN CE	PC grey 23% UV400 5-2.5 W1 FTKN CE	PC silver mirror grey UV400 5-1.7 W1 FTN CE	PC clear UV400 2C-1.2 W1 FTKN CE
Weight	29 g	29 g	29 g	29 g	46 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC	4 PC

MADE IN GERMANY

Safety Spectacles

uvex pheos s · uvex pheos s guard



9192725
narrow version



9192785
narrow version



9192282
narrow version



9192745
narrow version




9192283
narrow version



9192891
narrow version



9192680
narrow version



Accessories: 9192001 / 9192002
Extra frame / extra frame in narrow version



Accessories: 9958020
Headband

	uvex pheos s						uvex pheos s guard
Art. no.	9192725	9192785	9192282	9192745	9192283	9192891	9192680
Version	uvex supervision excellence narrow version	uvex supervision excellence narrow version	uvex supervision extreme narrow version	uvex supervision excellence narrow version, sunglare filter	uvex supervision extreme narrow version, sunglare filter	AF on the inside narrow version, sunglare filter	uvex supervision extreme narrow version incl. extra frame and headband
Standard Frame	EN 166, EN 170 white, green W 166 FT CE	EN 166, EN 170 anthracite, grey W 166 FT CE	EN 166, EN 170 black, grey W 166 FT CE	EN 166, EN 172 white, orange W 166 FT CE	EN 166, EN 172 black, grey W 166 FT CE	EN 166, EN 172 light grey, grey W 166 FT CE	EN 166, EN 170 black, grey W 166 FT CE
Lens	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC grey 23% UV400 5-2.5 W1 FTKN CE	PC grey 23% UV400 5-2.5 W1 FTKN CE	PC silver mirror grey UV400 5-1.7 W1 FTN CE	PC clear UV400 2C-1.2 W1 FTKN CE
Weight	28 g	28 g	28 g	28 g	28 g	28 g	45 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC	5 PC	5 PC	4 PC

Accessories			
Art. no.	9192001	9192002	9958020
Version	extra frame for uvex pheos standard size	extra frame for uvex pheos s narrow version	headband for uvex pheos and uvex pheos s
Colour	black	black	grey, black
Order quantity multiples	20 PC	20 PC	5 PC

MADE IN GERMANY

Safety Spectacles

uvex i-3 · uvex i-3 guard



uvex i-3 · uvex i-3 s

- fashionable, 3-component safety spectacles with innovative features
- metal-free
- available in standard size or a narrow version
- reliable protection provided by the customised fit: multi-level side arm inclination allows the wearer to adjust the spectacles to suit their own face shape
- soft, adjustable nose loops, soft, anti-slip sidearm pieces and metal-free hinged side arms (3-component technology) for high wearer comfort without pressure points

- Areas of application:
- uvex supravision AR: Working conditions with strong lighting or mixed lighting
 - uvex supravision variomatic: Offshore, maritime



uvex i-3					uvex i-3 guard
Art. no.	9190270	9190175	9190275	9190280	9190180
Version	uvex supravision sapphire standard size	uvex supravision plus standard size	uvex supravision excellence standard size	uvex supravision excellence standard size	uvex supravision excellence standard size
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	anthracite, blue	black, light grey	anthracite, blue	black, light grey	anthracite, blue
Lens	PC clear	PC clear	PC clear	PC clear	PC clear
	UV400	UV400	UV400	UV400	UV400
Weight	2C-1.2 W1 FTK CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE
Order quantity multiples	30 g	30 g	30 g	30 g	36 g
	5 PC	5 PC	5 PC	5 PC	5 PC

uvex i-3						
Art. no.	9190839	9190838	9190181	9190281	9190885	9190880
Version	uvex supravision AR standard size	uvex supravision AR standard size	uvex supravision plus standard size	uvex supravision excellence standard size	AF on the inside standard size	uvex supravision variomatic standard size
	super anti-reflective lenses	super anti-reflective lenses	sunglare filter, Oil & gas	sunglare filter	sunglare filter, silver mirror	self-tinting lenses
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172	EN 166, EN 172	EN 166, EN 170
Frame	black, blue	black, blue	black, light grey	black, light grey	black, light grey	black, anthracite
Lens	PC clear	PC clear	PC grey 23%	PC grey 23%	PC silver mirror grey	PC light green
	UV400	UV400	UV400	UV400	UV400	UV400
Weight	2C-1.2 W1 FT CE	2C-1.2 W1 FT CE	5-2.5 W1 FTKN CE	5-2.5 W1 FTKN CE	5-3.1 W1 FTN CE	2-1.2 W1 FTKN CE
Order quantity multiples	30 g	30 g	30 g	30 g	30 g	30 g
	5 PC	PC	5 PC	5 PC	5 PC	PC

MADE IN GERMANY



Safety Spectacles

uvex i-3 s · uvex i-3 s guard



9190065



9190080



9190075



9190680




9190039




9190085



9190086



Accessories: 9190001
Extra frame for uvex i-3 and uvex i-3 s



Accessories: 9958009
Eyewear cord for uvex i-3 and uvex i-3 s

Transmission (transparency)

With the anti-reflective coating, the uvex i-3 AR reaches a higher transmission factor than safety spectacles with regular coating technology – ensuring perfect vision without reflections.

uvex i-3 s	9190065	9190080	9190075	uvex i-3 s guard
Art. no.	9190065	9190080	9190075	9190680
Version	uvex supravision sapphire narrow version	uvex supravision plus narrow version	uvex supravision excellence narrow version	uvex supravision excellence narrow version
Standard Frame	EN 166, EN 170 blue, grey W 166 FT CE	EN 166, EN 170 black, grey W 166 FT CE	EN 166, EN 170 anthracite, lime W 166 FT CE	EN 166, EN 170 anthracite, blue W 166 FT CE
Lens	PC clear UV400 2C-1.2 W1 FTK CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE
Weight	29 g	29 g	29 g	35 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC

uvex i-3 s	9190039	9190085	9190086	Accessories	
Art. no.	9190039	9190085	9190086	9190001	9958009
Version	uvex supravision AR narrow version	uvex supravision excellence narrow version	uvex supravision excellence narrow version	extra frame for uvex i-3 and uvex i-3 s	Eyewear cord for uvex i-3 and uvex i-3 s
Standard Frame	super anti-reflective lenses EN 166, EN 170 black, blue W 166 FT CE	contrast-enhancing EN 166, EN 170 anthracite, yellow W 166 FT CE	sunglare filter EN 166, EN 172 blue, grey W 166 FT CE	black	anthracite, grey
Lens	PC clear UV400 2C-1.2 W1 FT CE	PC amber UV400 2C-1.2 W1 FTKN CE	PC grey 23% UV400 5-2.5 W1 FTKN CE		
Weight	29 g	29 g	29 g	6 g	-
Order quantity multiples	5 PC	5 PC	5 PC	20 PC	5 PC

MADE IN GERMANY

Safety Spectacles

uvex i-works



9194171



9194175



9194365



9194270



9194885



uvex i-works

- safety spectacles with a sporty design: attractive appearance and robust quality
- metal-free
- uvex supravision coating technology

- duo component technology which combines hard and soft components, soft grip side arms, deliver non-slip fit without pressure points
- low profile side arms with practical hang cord attachment option
- can be easily combined with other PPE
- suitable for the uvex helmet IES (Integrated Eyewear System) see page 114

uvex i-works					
Art. no.	9194171	9194175	9194365	9194270	9194885
Version	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	AF on the inside
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172
Frame	anthracite, blue W 166 FT CE	anthracite, green W 166 FT CE	black, yellow W 166 FT CE	anthracite, grey W 166 FT CE	black, grey W 166 FT CE
Lens	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC amber UV400 2C-1.2 W1 FTKN CE	PC grey 23% UV400 5-2.5 W1 FTKN CE	PC silver mirror grey UV400 5-1.7 W1 FTN CE
Weight	26 g	26 g	26 g	26 g	26 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC	5 PC

MADE IN GERMANY 



Safety Spectacles

uvex astrospec 2.0



9164065



9164187



9164285



9164275



9164220



9164246



9164387

uvex astrospec 2.0

- innovative development of the world's most popular uvex astrospec spectacles
- reliable protection provided by its perfect fit: multi-level side arm inclination allows the wearer to adjust the spectacles to suit their own face shape
- panoramic lens with integrated side protectors for optimum protection of the whole eye area
- uvex ventilation system with labyrinth seal for enhanced eye comfort
- soft, non-slip sidearm pieces (uvex duo component technology) prevent pressure points
- fits easily into breast pocket due to flat-fold design



reddot award 2014
winner

uvex astrospec 2.0							
Art. no.	9164065	9164187	9164285	9164275	9164220	9164246	9164387
Version	uvex supravision sapphire	uvex supravision plus Oil & gas	uvex supravision excellence	uvex supravision extreme	uvex supravision excellence contrast-enhancing	uvex supravision excellence sunglare filter	uvex supravision excellence sunglare filter
Standard Frame	EN 166, EN 170 blue, light blue W 166 FT CE	EN 166, EN 170 black, grey W 166 FT CE	EN 166, EN 170 black, lime W 166 FT CE	EN 166, EN 170 anthracite, petrol W 166 FT CE	EN 166, EN 170 black, yellow W 166 FT CE	EN 166, EN 172 neon orange, black W 166 FT CE	EN 166, EN 172 black, grey W 166 FT CE
Lens	PC clear, UV400 2C-1.2 W1 FTK CE	PC clear, UV400 2C-1.2 W1 FTKN CE	PC clear, UV400 2C-1.2 W1 FTKN CE	PC clear, UV400 2C-1.2 W1 FTKN CE	PC clear, UV400 2C-1.2 W1 FTKN CE	PC grey 23%, UV400 5-2.5 W1 FTKN CE	PC grey 14%, UV400 5-3.1 W1 FTKN CE
Weight	42 g	42 g	42 g	42 g	42 g	42 g	42 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC	5 PC	5 PC	5 PC

MADE IN GERMANY

Safety Spectacles

uvex super g



9172085



9172110
9172210



9172265



9172220



9172281

uvex super g

- extremely light protective spectacles with a sporty design and hingeless side arms
- soft nose piece
- maximum optical clarity thanks to extremely thin wrap-around lenses
- aerodynamically optimised lenses that are angled forwards to provide optimum ventilation
- maximum wear comfort is guaranteed by the lightweight design: just 18 grams
- metal-free

uvex super g						
Art. no.	9172085	9172110	9172210	9172265	9172220	9172281
Replacement lens	-	-	9172255	9172255	-	-
Version	uvex supravision sapphire	uvex supravision plus	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence contrast-enhancing	uvex supravision excellence sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	grey metallic, black W 166 FT CE	clear, grey W 166 FT CE	clear, grey W 166 FT CE	navy blue, white W 166 FT CE	grey metallic, black W 166 FT CE	anthracite, lime W 166 FT CE
Lens	PC clear UV400 2C-1.2 W1 FT CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC amber UV400 2C-1.2 W1 FTKN CE	PC grey 23% UV400 5-2.5 W1 FTKN CE
Weight	18 g	18 g	18 g	18 g	18 g	18 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC	5 PC	5 PC



Safety Spectacles

uvex super fit



uvex super fit

- lightweight safety spectacles with hinged side arms, a sporty design
- soft, adjustable nose piece
- soft, adjustable material around the nose bridge for a comfortable and pressure-free fit
- aerodynamically optimised lenses that are angled forwards to provide optimum ventilation
- excellent wearer comfort guaranteed by the lightweight design weighing just 21 grams


uvex super fit				
Art. no.	9178065	9178185	9178265	9178315
Replacement lens	-	-	9172255	9172255
Version	uvex supravision sapphire	uvex supravision plus	uvex supravision excellence	uvex supravision excellence
Standard Frame	EN 166, EN 170 navy blue, white W 166 FT CE	EN 166, EN 170 black, white W 166 FT CE	EN 166, EN 170 navy blue, white W 166 FT CE	EN 166, EN 170 white, lime W 166 FT CE
Lens	PC clear UV400 2C-1.2 W1 FT CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE
Weight	21 g	21 g	21 g	21 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC

uvex super fit				
Art. no.	9178415	9178500	9178385	9178286
Replacement lens	-	-	-	-
Version	uvex supravision ETC	uvex supravision clean autoclavable (20 cycles)	uvex supravision excellence contrast-enhancing	uvex supravision excellence sunglare filter
Standard Frame	EN 166, EN 170 white, grey W 166 FT CE	EN 166, EN 170 white, light blue W 166 FT CE	EN 166, EN 170 black, white W 166 FT CE	EN 166, EN 172 black, white W 166 FT CE
Lens	PC clear UV400 2C-1.2 W1 FTN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC amber UV400 2C-1.2 W1 FTKN CE	PC grey 23% UV400 5-2.5 W1 FTKN CE
Weight	21 g	21 g	21 g	21 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC

Areas of application:

- uvex supravision clean: sterile working environments (laboratories, hospitals, clean rooms, food production)
- uvex supravision ETC on both sides: high humidity and alternating temperatures (cold stores, tunnel construction, catering and food industry)

uvex supravision ETC-coated lenses do not fog up. Instead of droplets, a film of water forms on the lens.



Anti-fog coating after 8 sec. | uvex supravision ETC

Safety Spectacles

uvex i-vo



uvex i-vo

- functional safety spectacles with adjustable side arms
- reliable protection provided by its perfect fit: multi-level side arm inclination and different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- soft, uvex quattroflex arms and soft components at the nose and forehead ensure a comfortable, pressure-free fit
- the shape of the lenses ensures unrestricted peripheral vision

uvex i-vo					
Art. no.	9160065	9160185	9160285	9160265	9160275
Version	uvex supravision sapphire	uvex supravision plus	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	blue, orange	blue, grey	blue, grey	blue, orange	black, grey
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear	PC clear	PC clear	PC clear	PC clear
	UV400	UV400	UV400	UV400	UV400
	2C-1.2 W1 FT CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE
Weight	33 g	33 g	33 g	33 g	33 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC	5 PC

Art. no.	9160520	9160068	9160268	9160076	9160120
Version	uvex supravision sapphire contrast-enhancing	uvex supravision sapphire sunglare filter	uvex supravision excellence sunglare filter	uvex supravision sapphire sunglare filter	uvex supravision excellence with headband
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172	EN 166, EN 172	EN 166, EN 170
Frame	blue, orange	blue, orange	blue, orange	black, grey	blue, grey
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	-
Lens	PC amber	PC brown	PC brown	PC grey 23%	PC clear
	UV400	UV400	UV400	UV400	UV400
	2C-1.2 W1 FT CE	5-2.5 W1 FT CE	5-2.5 W1 FTKN CE	5-2.5 W1 FT CE	2C-1.2 W1 FTKN 166 F CE
Weight	33 g	33 g	33 g	33 g	32 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC	5 PC

Safety Spectacles

uvex skyper · uvex skyper sx2



9195075



9195265



9195078

uvex skyper

- individually adjustable safety spectacles
- reliable protection provided by its perfect fit: multi-level side arm inclination and five different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- sides protect against glare

uvex skyper			
Art. no.	9195075	9195265	9195078
Replacement lens	-	9195255	-
Version	uvex supravision sapphire	uvex supravision excellence	uvex supravision sapphire sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	black	blue	black
	W 166 F CE	W 166 F CE	W 166 F CE
Lens	PC clear UV400	PC clear UV400	PC brown UV400
	2C-1.2 W1 FK CE	2C-1.2 W1 FKN CE	5-2.5 W1 FK CE
Weight	29 g	29 g	29 g
Order quantity multiples	5 PC	5 PC	5 PC



9197065
9197265



9197266

uvex skyper sx2

- safety spectacles with special lens shape for prominent cheekbones
- reliable protection provided by its perfect fit: multi-level side arm inclination and five different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- sides protect against glare

uvex skyper sx2			
Art. no.	9197065	9197265	9197266
Version	uvex supravision sapphire	uvex supravision excellence	uvex supravision excellence
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	blue	blue	blue
	W 166 F CE	W 166 F CE	W 166 F CE
Lens	PC clear UV400	PC clear UV400	PC grey 23% UV400
	2C-1.2 W1 F CE	2C-1.2 W1 FKN CE	5-2.5 W1 FKN CE
Weight	30 g	30 g	30 g
Order quantity multiples	5 PC	5 PC	5 PC

Safety Spectacles

uvex cybric · uvex cyberguard · uvex meteor · uvex futura



9188075
9188175

9188076

9188121

uvex cybric · uvex cyberguard

- sporty, twin-lens safety spectacles
- large face coverage
- reliable protection provided by its perfect fit: multi-level side arm inclination allows the wearer to adjust the spectacles to suit their own face shape
- uvex quattroflex side arms with four comfort cushions to ensure a comfortable, pressure-free fit around the ears
- uvex cyberguard with protection class 3 (liquids) and 4 (coarse dust particles)

	uvex cybric			uvex cyberguard
Art. no.	9188075	9188175	9188076	9188121
Version	uvex supravision sapphire	uvex supravision plus	uvex supravision sapphire sunglare filter	uvex supravision plus with headband and all-round seal
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170
Frame	black, orange W 166 F CE	black, orange W 166 F CE	black, orange W 166 F CE	black W 166 F 34 CE
Lens	PC clear UV400 2-1.2 W1 F CE	PC clear UV400 2-1.2 W1 F CE	PC grey 23% UV400 5-2.5 W1 F CE	PC clear UV400 2-1.2 W1 F CE
Weight	28 g	28 g	28 g	35 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC



9134005
9134002



9180015
9180125

uvex meteor

- classic, twin-lens spectacles
- reliable protection provided by its perfect fit: adjustable side arms allow the wearer to adjust the spectacles to suit their own face shape
- flat design allows it to easily fit into a breast pocket

uvex meteor		
Art. no.	9134005	9134002
Version	uvex supravision sapphire lens 56 mm bridge width 15 mm	uncoated lens 56 mm bridge width 15 mm
Standard	EN 166, EN 170	EN 166
Frame	grey, transparent W 166 F CE	grey transparent W 166 F CE
Lens	PC clear UV400 2-1.2 W1 FK	HG clear UV 330 W1 S
Weight	28 g	44 g
Order quantity multiples	5 PC	5 PC

uvex futura

- classic spectacles with large field of vision
- reliable protection provided by its customised fit: multi-level side arm inclination and four different side arm lengths allow the wearer to adjust the spectacles to suit their facial requirements
- soft, duo-flex ear pieces increase comfort

uvex futura		
Art. no.	9180015	9180125
Version	uvex supravision sapphire	uvex supravision plus
Standard	EN 166, EN 170	EN 166, EN 170
Frame	brown W 166 F CE	brown W 166 F CE
Lens	PC clear UV400 2-1.2 W1 FK CE	PC clear UV400 2-1.2 W1 FKN CE
Weight	49 g	49 g
Order quantity multiples	5 PC	5 PC



Safety Spectacles

uvex polavision · uvex skyguard NT



9231960

uvex polavision

- comfortable safety spectacles with polarisation filter
- polarisation filter to protect against reflections and glare (e.g. water surfaces and highly polished materials)
- eliminates bright, annoying reflected glare allowing the wearer to see more comfortably

Areas of application:

- workstations with reflective surfaces (offshore, maritime, drivers, construction industry)

uvex polavision	
Art. no.	9231960
Version	on both sides scratch-resistant sunglare filter
Standard	EN 166, EN 172
Frame	black, white W 166 F CE
Lens	PC grey 14% UV400 5-3:1 W 1 F CE
Weight	25 g
Order unit	PC



9175275



9175260
9175160



9175261

MADE IN GERMANY

uvex skyguard NT

- spectacles with all-round protection
- Injection-moulded, soft TPU seal protects against flying particles, dust and splash (protection class 3 – liquids and 4 – coarse dust particles)
- reliable protection provided by its customised fit: multi-level side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- flexible soft component adapts to the wearer's face contours

uvex skyguard NT				
Art. no.	9175275	9175260	9175160	9175261
Version	uvex supravision excellence	uvex supravision excellence	uvex supravision extreme	uvex supravision excellence sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	orange, grey W 166 34 F CE	blue, grey W 166 34 F CE	blue, grey W 166 34 F CE	blue, grey W 166 34 F CE
Lens	PC clear UV400 2-1.2 W1 FKN CE	PC clear UV400 2-1.2 W1 FKN CE	PC clear UV400 2-1.2 W1 FKN CE	PC grey 23% UV400 5-2.5 W1 FKN CE
Weight	42 g	44 g	44 g	44 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC

Safety Spectacles

uvex winner · uvex mercury · uvex ceramic



9159005
9159105



9159118

uvex winner

- edgeless, metal-framed spectacles with sprung side arms
- optimum eye coverage
- anatomically adjustable, soft nose pads

uvex winner			
Art. no.	9159005	9159105	9159118
Version	scratch-resistant on both sides	scratch-resistant, anti-fog	scratch-resistant, anti-fog sunglare filter
Standard Frame	EN 166, EN 170 gun W 166 F CE	EN 166, EN 170 gun W 166 F CE	EN 166, EN 172 gun W 166 F CE
Lens	PC clear UV400 2-1.2 W1 F CE	PC clear UV400 2-1.2 W1 FKN CE	PC grey 23% UV400 5-2.5 W1 FKN CE
Weight	29 g	29 g	29 g
Order quantity multiples	5 PC	5 PC	5 PC



9155005

MADE IN GERMANY 



9137005

MADE IN GERMANY 

uvex mercury


- slim metal-framed safety spectacles
- transparent side protection with excellent peripheral vision
- fit easily into breast pocket due to flat design

uvex mercury	
Art. no.	9155005
Version	uvex supervision sapphire lens 54 mm bridge width 19 mm
Standard Frame	EN 166, EN 170 steel blue W 166 F CE
Lens	PC clear UV400 2-1.2 W1 FK CE
Weight	30 g
Order quantity multiples	5 PC

uvex ceramic

- safety spectacles with in two-lens design
- specifically for narrow faces
- a combination of a plastic side shields with a metal frame

uvex ceramic	
Art. no.	9137005
Version	uvex supervision sapphire lens 49 mm bridge width 20 mm
Standard Frame	EN 166, EN 170 grey, black W 166 F CE
Lens	PC clear UV400 2C-1.2 W1 FK CE
Weight	23 g
Order quantity multiples	5 PC



You can find more information at uvex-academy.com

A practical introductory seminar on the selection, use and benefits of protective eyewear

- The basic applications of safety eyewear, including which products protect against mechanical dangers, chemical and radiation risks (e.g. welding protection), and products designed for specialised applications
- Demonstration and assessment of the dangers posed by mechanical risks, infrared and ultraviolet radiation (e.g. encountered during welding applications or during the use of chemicals), illustrated by case studies
- Assessment of the risk of eye injury in the workplace
- Explanation of how these risks can be dealt with efficiently in each workplace
- Comprehensive overview of the requirements of industrial safety eyewear, standards, applications, risk assessment and how to care for protective eyewear
- Information on the classification of protection products based on their labelling and the areas of application of the various types of equipment

Target group

Those responsible for the work-related health and safety of employees within a company, e.g. health and safety officers, occupational nurses and specialist purchasers



For more information or to book a place, please visit uvex-academy.de, call +49 (0)911 9736 1710 or email academy@uvex.de

Overspecs

uvex 9161 · uvex super OTG



9161014



9161005
9161305

uvex 9161

- overspecs for prescription spectacle wearers
- panoramic lens with integrated side protection for optimum eye coverage
- adjustable side arms adapt to any facial shape for customised fit and optimum protection
- unrestricted peripheral vision
- uvex duoflex side arms for a pressure free fit

uvex 9161			
Art. no.	9161014	9161005	9161305
Version	without coating	uvex supravision sapphire	uvex supravision plus
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	clear	blue, black	blue, black
	W 166 F CE	W 166 F CE	W 166 F CE
Lens	PC clear	PC clear	PC clear
	UV400	UV400	UV400
	2C-1.2 W1 F CE	2C-1.2 W1 F CE	2C-1.2 W1 F CE
Weight	51 g	46 g	46 g
Order quantity multiples	5 PC	5 PC	5 PC



9169065
9169260



9169080



9169081

uvex super OTG

- overspecs for prescription spectacle wearers
- panoramic lens with integrated side protection for optimum coverage of the eye area
- metal-free
- highly flexible, hinge-less side arms for added comfort and non-slip fit

uvex super OTG				
Art. no.	9169065	9169080	9169260	9169081
Version	uvex supravision sapphire	uvex supravision sapphire	uvex supravision excellence	uvex supravision sapphire sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	blue, light grey	black, light grey	blue, light grey	black, light grey
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear	PC clear	PC clear	PC grey 23%
	UV400	UV400	UV400	UV400
	2C-1.2 W1 FTK CE	2C-1.2 W1 FTK CE	2C-1.2 W1 FTKN CE	5-2.5 W1 FTK CE
Weight	37 g	37 g	37 g	37 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC



Overspecs

uvex super f OTG



9169585
9169261



9169500



9169164



9169586



9169850



9169615

uvex super f OTG

- overspecs for prescription wearers
- panoramic lens with integrated side protection for optimum eye coverage
- side arms graduate to soft, flexible material for added comfort and grip

uvex super f OTG							
Art. no.	9169585	9169261	9169500	9169164	9169586	9169850	9169615
Version	uvex supravision sapphire	uvex supravision excellence	uvex supravision clean autoclavable (20 cycles)	uvex supravision excellence sunglare filter	uvex supravision sapphire sunglare filter	uvex supravision variomatic	uvex supravision sapphire blocks blue light to 525 nm
Standard Frame	EN 166, EN 170 black, white W 166 FT CE	EN 166, EN 170 black, white W 166 FT CE	EN 166, EN 170 white, light blue W 166 FT CE	EN 166, EN 172 black, white W 166 FT CE	EN 166, EN 172 black, white W 166 FT CE	EN 166, EN 170 black, white W 166 FT CE	EN 166, EN 170 black, white W 166 FT CE
Lens	PC clear UV400 2C-1.2 W1 FTK CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2.1 FTKN CE	PC CBR65 UV400 5-1.4 W1 FTKN CE	PC grey 23% UV400 5-2.5 W1 FTK CE	PC light green UV400 2-1.2 W1 FTKN CE	PC orange UV 525 2-1.4 W1 FTK CE
Weight	39 g	39 g	39 g	39 g	39 g	39 g	39 g
Order quantity multiples/ Order unit	5 PC	5 PC	5 PC	5 PC	5 PC	PC	5 PC

MADE IN GERMANY

uvex

uvex megasonic

Visionary technologies at a glance


The uvex megasonic's revolutionary lens design does not restrict the wearer's field of vision, meaning users have the clearest possible view at all times – even under difficult conditions. It has a sporty, ergonomic design and is extremely comfortable to wear, making it a piece of equipment you can depend on during your everyday work.



Frameless and innovative lens design
for an optimum, unrestricted view




x-frame design
for flexible adjustment
to any face



Ergonomic face piece
for a perfect fit and
maximum comfort



Fits comfortably over most prescription glasses
thanks to the unique frame design



uvex supravision
coating technology

Extra-wide headband
for an optimal fit and
extra wearer comfort



MADE IN GERMANY



Safety Goggles

uvex megasonic



9320265



9320281



Further information can be found at uvex-safety.com/en/megasonic (or scan the QR code).

uvex megasonic

- revolutionary goggles with exceptional field of vision
- unique frameless lens design
- OTG compatible with frame recess for side arms
- soft, adaptive face seal for incredible comfort and fit
- indirect ventilation
- 30-mm-wide headband for a superior, no pressure fit
- easily interchangeable headband and lens
- highly compatible with other items of PPE
- uvex's proven supravision coating technology



reddot winner 2020



uvex megasonic		
Art. no.	9320265	9320281
Version	uvex supravision excellence	uvex supravision excellence
Standard	EN 166, EN 170	EN 166, EN 172
Frame	anthracite, blue W 166 34 BT CE	anthracite, lime W 166 34 BT CE
Lens	PC clear UV400 2C-1.2 W1 BTKN CE	sunglare filter PC grey 23% UV400 5-2.5 W1 BTKN CE
Weight	96 g	96 g
Order quantity multiples	4 PC	4 PC

MADE IN GERMANY

Safety Goggles

uvex pheos cx2 sonic



9309275



9309064



9309286

uvex pheos cx2 sonic

- uvex' lightest compact wide-vision goggles (34 grams)
- high mechanical strength B (120 m/s)
- designation 3 (liquids), 4 (coarse dust) and T (extreme temperatures)
- comfortable protection thanks to soft forehead and nose piece moulded directly onto the lens
- indirect ventilation
- very soft, light textile headband for secure and comfortable fit
- can be easily combined with other PPE

uvex pheos cx2 sonic			
Art. no.	9309275	9309064	9309286
Version	uvex supravision extreme	uvex supravision extreme sunglare filter	uvex supravision extreme sunglare filter
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172
Frame	white, black W 166 34 BT CE	white, black W 166 34 BT CE	white, black W 166 34 BT CE
Lens	PC clear UV400 2C-1.2 W1 BTKN CE	PC CBR65 UV400 5-1.4 W1 BTKN CE	PC grey 23% UV400 5-2.5 W1 BTKN CE
Weight	34 g	34 g	34 g
Order quantity multiples	5 PC	5 PC	5 PC



Safety Goggles

uvex u-sonic



9308147



9308245



9308123



9308247



9308246



9308240



9308248



9308048 add-on lens

uvex u-sonic

- compact low weight goggle
- highly compatible with other PPE
- ergonomic design with soft flexible components – adapts to any facial shape
- indirect ventilation
- high mechanical strength (B: 120 m/s)
- low pressure, wide fully adjustable head strap for excellent wearer comfort
- low weight

uvex u-sonic						
Art. no.	9308147	9308245	9308123	9308247	9308246	9308240
Version	uvex supravision plus Oil & gas	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence reduced ventilation	uvex supravision extreme reduced ventilation	uvex supravision excellence sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	black, grey W 166 34 B CE	anthracite, lime W 166 34 B CE	anthracite, pink W 166 34 B CE	black, red W 166 34 B CE	anthracite, yellow W 166 34 B CE	anthracite, lime W 166 34 B CE
Lens	PC clear UV400 2C-1.2 W1 BKN CE	PC clear UV400 2C-1.2 W1 BKN CE	PC clear UV400 2C-1.2 W1 BKN CE	PC clear UV400 2C-1.2 W1 BKN CE	PC clear UV400 2C-1.2 W1 BKN CE	PC grey 23% UV400 5-2.5 W1 BKN CE
Weight	72 g	72 g	72 g	71 g	71 g	72 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC	5 PC	5 PC

uvex u-sonic		Add-on lens
Art. no.	9308248	9308048
Version	uvex supravision excellence with add-on lens grey 14% and magnetic headband	sunglare filter
Standard	EN 166, EN 170, EN 172	EN 166, EN 172
Frame	grey, orange W 166 34 B CE	
Lens	PC clear UV400 2C-1.2 W 1 BKN CE	PC grey 16% UV400 5-3.1 W1 CE
Add-on lens	uvex supravision sapphire PC grey 14% sunglare filter, UV400 5-3.1 W1 CE	
Weight	107 g	-
Order quantity multiples	5 PC	5 PC



MADE IN GERMANY

uvex CR

Autoclave safety eyewear that goes further

Innovative coating technology –
the first autoclavable
safety eyewear with
anti-fog performance

uvex has developed the first autoclavable safety eyewear with anti-fog coating for specialist requirements in laboratories, clinics, cleanrooms and food manufacturing. From ultra-light safety spectacles and goggles with a panoramic lens, the uvex CR is the ideal safety eyewear for all areas of application and specifically have been designed for repeated autoclave sterilisation (20 times for 20 minutes each at a max. of 121°C).

uvex CR – professional safety eyewear that compliments hygiene standards.



9178500

9169500

9302500

uvex super fit CR

- lightweight safety spectacles with hinged side arms and a sporty design
- maximum optical clarity thanks to extremely thin wrap-around lenses
- aerodynamically optimised lenses that are angled forwards to provide optimum ventilation and comfort around the eyes
- excellent wear comfort guaranteed by the lightweight design

uvex super fit CR	
Art. no.	9178500
Design	uvex supravision clean autoclavable (20 cycles)
Standard	EN 166, EN 170
Frame	white, light blue W 166 FT CE
Lens	PC clear UV400 2C-1.2 W1 FTKN CE
Weight	21 g
Order quantity multiples	5 PC

uvex super f OTG CR

- overspecs for wearers of prescription lenses with arm-hinge concept
- unrestricted peripheral vision
- soft arm ends for added comfort

uvex super f OTG CR	
Art. no.	9169500
Design	uvex supravision clean autoclavable (20 cycles)
Standard	EN 166, EN 170
Frame	white, light blue W 166 FT CE
Lens	PC clear UV400 2C-1.2 W1 FTKN CE
Weight	39 g
Order quantity multiples	5 PC

uvex ultrasonic CR

- goggles in sporty design, also suitable as overspecs
- lenses can be changed
- high mechanical strength (B: 120 m/s)
- wide panoramic field of vision
- no pressure problems with long-term wear thanks to the combination of hard and soft components
- indirect ventilation
- with silicone headband

uvex ultrasonic CR	
Art. no.	9302500
Replacement lens	9302259
Design	uvex supravision clean autoclavable (20 cycles)
Standard	EN 166, EN 170
Frame	transparent, white W 166 34 B CE
Lens	PC clear, UV400 2C-1.2 W1 BKN CE
Weight	95 g
Order quantity multiples	4 PC

MADE IN GERMANY 



Safety Goggles

uvex ultrasonic



9302245



9302285



9302281



9302275



9302601



9302600



9302500



9302247



9302286



uvex ultrasonic

- goggles in sporty design, can also be worn over prescription spectacles
- lenses can be changed
- high mechanical strength (B: 120 m/s)
- wide panoramic field of vision
- hard and soft components create soft, pressure free seal for comfortable all day wear
- indirect ventilation

Areas of application:

- uvex supravision clean: sterile working environments (laboratories, hospitals, cleanrooms, food production)

uvex ultrasonic					
Art. no.	9302245	9302285	9302281	9302275	9302601
Replacement lens	9302255	9302255	9302255	-	-
Version	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence with neoprene headband	uvex supravision extreme	uvex supravision extreme reduced ventilation
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	grey, orange	black, grey	black, grey	anthracite, lime	black, red
	W 166 34 B CE	W 166 34 B CE	W 166 34 B CE	W 166 34 B CE	W 166 34 B CE
Lens	PC clear, UV400	PC clear, UV400	PC clear, UV400	PC clear, UV400	PC clear, UV400
	2C-1.2 W1 BKN CE	2C-1.2 W1 BKN CE	2C-1.2 W1 BKN CE	2C-1.2 W1 BKN CE	2C-1.2 W1 BKN CE
Weight	83 g	83 g	85 g	83 g	95 g
Order quantity multiples	4 PC	4 PC	4 PC	4 PC	4 PC

Art. no.	9302600	9302500	9302247	9302286
Replacement lens	-	9302259	9302257	9302256
Version	uvex supravision extreme reduced ventilation	uvex supravision clean autoclavable (20 cycles)	uvex supravision excellence sunglare filter	uvex supravision excellence sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172
Frame	blue, grey	transparent, white	grey, orange	black, grey
	W 166 34 B CE	W 166 34 B CE	W 166 34 B CE	W 166 34 B CE
Lens	PC clear, UV400	PC clear, UV400	PC brown, UV400	PC grey, UV400
	2C-1.2 W1 BKN CE	2C-1.2 W1 BKN CE	5-2.5 W1 BKN CE	5-2.5 W1 BKN CE
Weight	95 g	95 g	83 g	83 g
Order quantity multiples	4 PC	4 PC	4 PC	4 PC

Safety Goggles

uvex ultravision CA



9301714



9301906



9301716



9301424

Please note:
CA lenses do not fit the PC models
and vice-versa.

uvex ultravision

- classic goggles with unrestricted field of vision
- can be worn over prescription spectacles
- available with polycarbonate or cellulose acetate lenses
- lenses can be changed
- polycarbonate lens with high mechanical strength (B: 120 m/s, T) in extreme temperatures
- mechanical strength of the cellulose acetate lens (F: 45 m/s)
- generally indirect ventilation (exception: reduced, indirect ventilation on model 9301815 and no ventilation on the gas-tight versions 9301613 and 9301633)

uvex ultravision				
Art. no.	9301714	9301906	9301716	9301424
Replacement lens	9300517	9300956	9300517	9300517
Version	anti-fog	anti-fog wide nose piece, particularly well suited in combination with dust masks	anti-fog with foam layer	anti-fog with neoprene headband
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	transparent grey W 166 34 F CE	transparent grey W 166 3 F CE	transparent grey W 166 34 F CE	transparent grey W 166 34 F CE
Lens	CA clear UV 380 2-1.2 W1 FN CE	CA clear UV 380 2-1.2 W1 FN CE	CA clear UV 380 2-1.2 W1 FN CE	CA clear UV 380 2-1.2 W1 FN CE
Weight	116 g	130 g	118 g	119 g
Order quantity multiples	4 PC	4 PC	4 PC	4 PC



Safety Goggles

uvex ultravision



9301605



9301116



9301105



9301626



9301813



9301815



9301613



9301633



9301064

uvex ultravision					
Art. no.	9301605	9301116	9301105	9301626	9301813
Replacement lens	-	-	9301255	9301255	9301255
Tear-off films	-	-	-	-	9300316
Version	uvex supravision plus	uvex supravision plus with foam layer	uvex supravision excellence	uvex supravision excellence with foam layer	uvex supravision excellence with tear-off films, 2 units replacement films: 9300316
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	transparent grey	transparent grey	transparent grey	transparent grey	transparent grey
	W 166 34 BT CE	W 166 34 BT CE	W 166 34 BT CE	W 166 34 BT CE	W 166 34 BT CE
Lens	PC clear	PC clear	PC clear	PC clear	PC clear
	UV400	UV400	UV400	UV400	UV400
	2C-1.2 W1 BTKN CE	2C-1.2 W1 BTKN CE	2C-1.2 W1 BTKN CE	2C-1.2 W1 BTKN CE	2C-1.2 W1 BTKN CE
Weight	131 g	134 g	131 g	134 g	126 g
Order quantity multiples	4 PC	4 PC	4 PC	4 PC	4 PC

Art. no.	9301815	9301613	9301633	9301064
Replacement lens	9301255	9301255	9301255	-
Tear-off films	-	-	-	-
Version	uvex supravision excellence top ventilation closed	uvex supravision excellence closed ventilation (gas-proof)	uvex supravision excellence closed ventilation (gas-proof) heat-resistant frame material	uvex supravision excellence sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	transparent grey	yellow	red	transparent grey
	W 166 34 BT CE	W 166 345 BT CE	W 166 345 BT CE	W 166 34 BT CE
Lens	PC clear	PC clear	PC clear	PC CBR65
	UV400	UV400	UV400	UV400
	2C-1.2 W1 BTKN CE	2C-1.2 W1 BTKN CE	2C-1.2 W1 BTKN CE	5-1.4 W1 BTKN CE
Weight	131 g	133 g	133 g	131 g
Order quantity multiples	4 PC	4 PC	4 PC	4 PC

Safety Goggles

uvex ultravision faceguard · helmet mounted safety goggles




 9301555
 Safety Goggle: 9301105



9301317



9301318

uvex ultravision faceguard

- combines goggles with face guard
- completely seals the eyes and protects the face
- 9301555 and 9301318: Lifts via a hinge mechanism, aiding communication, drinking, etc.

	Goggles with face protection	Face protection	Face protection
Art. no.	9301555	9301317	9301318
Version	Goggles with uvex supravision excellence (9301105) with faceguard (9301318)	for all models 9301 with PC lens without spectacles uncoated	for all models 9301 with PC lens without spectacles uncoated
Standard	EN 166, EN 170	-	-
Frame	transparent grey W 166 34 BT CE	transparent CE	transparent CE
Lens	PC clear UV400 2C-1.2 W1 BTKN CE	-	-
Weight	212 g	64 g	81 g
Order quantity multiples/	4 PC	PC	PC
Order unit			



9302510



9301544



9924010

Helmet mounted safety goggles uvex ultrasonic and uvex ultravision

- safety goggles for combining with helmet and ear defenders uvex K1H and uvex K2H (ear defenders are not included)
- for attaching the uvex ultrasonic or uvex ultravision without ear defenders, additional adapters (9924010) are required!

	uvex ultrasonic	uvex ultravision	Adapter
Art. no.	9302510	9301544	9924010
Version	uvex supravision extreme reduced ventilation	anti-fog inside	Adapter for attaching without earmuffs
Standard	EN 166, EN 170	EN 166, EN 170	
Frame	blue, grey W 166 34 B CE	transparent grey W 166 34 F CE	
Lens	PC clear UV400 2C-1.2 W1 BKN CE	CA clear UV 380 2-1.2 W1 FN CE	
Weight	121 g	132 g	-
Order quantity multiples	4 PC	4 PC	4 PC
Content	-	-	1 pair



Safety Goggles

uvex carbonvision · uvex 9305 · uvex 9405



9307375



9307276



9307365

uvex carbonvision

- low profile wraparound style goggle
- lightweight at just 46 g
- highly compatible with other PPE
- close fitting frame and high mechanical strength (B: 120 m/s)
- indirect ventilation

uvex carbonvision			
Art. no.	9307375	9307365	9307276
Version	uvex supravision extreme	uvex supravision extreme with neoprene headband	uvex supravision extreme sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	black, grey	black, grey	black, grey
	W 166 34 B CE	W 166 34 B CE	W 166 34 B CE
Lens	PC clear	PC clear	PC grey
	UV400	UV400	UV400
	2C-1.2 W1 BKN CE	2C-1.2 W1 BKN CE	5-2.5 W1 BKN CE
Weight	46 g	51 g	46 g
Order quantity multiples	5 PC	5 PC	5 PC



9305714



9305514



9405714

uvex 9305

- classic goggles with cellulose acetate lens and indirect ventilation system
- mechanical strength F: 45 m/s

uvex 9305		
Art. no.	9305514	9305714
Version	anti-fog inside with rubber headband	anti-fog inside with textile headband
Standard	EN 166, EN 170	EN 166, EN 170
Frame	transparent grey	transparent grey
	W 166 34 F CE	W 166 34 F CE
Lens	CA clear	CA clear
	UV 380	UV 380
	2C-1.2 W1 FN CE	2C-1.2 W1 FN CE
Weight	95 g	91 g
Order quantity multiples	4 PC	4 PC

uvex 9405

- classic goggles with cellulose acetate lens and indirect ventilation system
- mechanical strength F: 45 m/s

uvex 9405	
Art. no.	9405714
Replacement lens	9400517
Version	anti-fog inside
Standard	EN 166, EN 170
Frame	transparent grey
	W 166 34 F CE
Lens	CA clear
	UV 380
	2C-1.2 W1 FN CE
Weight	84 g
Order quantity multiples	4 PC

Welding Protection

A new generation of welding protection eyewear available with different grey-tint lenses and protection classes. The innovative technology affords protection from UV and infrared light while maintaining perfect colour recognition in line with uvex sunglare filters.

The special uvex infradur plus coating has anti-fog properties which prevents the inside of the lenses misting up and the extreme scratch-resistance on the outside keeps damage from welding sparks to an absolute minimum.

With various welding safety spectacles and goggle solutions, there is something for everyone – enhancing comfort and the wearer experience.

N.B.: Do not use for electric welding.



All welding products have polycarbonate lenses providing protection against impact as well as UV rays, IR rays and visible glare.

The products do not provide protection against laser beams!

For expert advice on safety and in selecting the right laser protection eyewear, talk to our specialists

laservision

Call them on +49 (0)911 9736 8100.

uvex-laservision.com

New grey tint offers increased impact protection than traditional green welding tint products

IR/UV filter for improved safety

Sun/glare protection filters

Perfect colour recognition



Marking K and N for uvex infradur plus coated lenses

Levels of welding protection and recommendations for use according to EN 169

Autogenous welding/gas welding

Level of protection	Use
1.7	For welding assistants, protection against UV radiation and bright scattered light
2	Lightweight oxyacetylene cutting
3	Flame derusting, flame cutting, lightweight oxyacetylene cutting
4	Welding and hard soldering with up to 70 l/h of acetylene, flame cutting with up to 900 l/h of oxygen, steel and grey cast iron welding, lightweight oxyacetylene cutting
5	Welding and hard soldering with 70 to 200 l/h of acetylene, flame cutting with 2000 to 4000 l/h of oxygen
6	Welding and hard soldering with 200 to 800 l/h of acetylene, flame cutting with 2000 to 4000 l/h of oxygen



Welding Protection

uvex i-vo · uvex super fit



uvex i-vo

- functional welding protection spectacles with adjustable side arms
- perfect colour recognition
- reliable protection provided by customised fit: multi-level side arm inclination and different side arm lengths allow the wearer to adjust the spectacles to suit their facial shape
- soft, uvex quattroflex arms and soft components around the nose and forehead for a comfortable, pressure-free fit
- the shape of the lenses offers unrestricted peripheral vision

uvex i-vo			
Art. no.	9160041	9160043	9160045
Version	uvex infradur plus welding protection level 1.7	uvex infradur plus welding protection level 3	uvex infradur plus welding protection level 5
Standard	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Frame	black, green W 166 FT CE	black, green W 166 FT CE	black, green W 166 FT CE
Lens	PC grey UV400 + IR 1.7 W1 FTKN CE	PC grey UV400 + IR 3 W1 FTKN CE	PC grey UV400 + IR 5 W1 FTKN CE
Weight	33 g	33 g	33 g
Order quantity multiples	5 PC	5 PC	5 PC



uvex super fit

- low weight welding safety spectacles with hinged side arms in a sporty design
- perfect colour recognition
- ultra thin, wraparound lens delivers maximum optical clarity and an excellent field of vision
- soft, adjustable nose piece
- low weight design (21 g) for increased wearer comfort

uvex super fit		
Art. no.	9178041	9178043
Version	uvex infradur plus welding protection level 1.7	uvex infradur plus welding protection level 3
Standard	EN 166, EN 169	EN 166, EN 169
Frame	black, green W 166 FT CE	black, green W 166 FT CE
Lens	PC grey UV400 + IR 1.7 W1 FTKN CE	PC grey UV400 + IR 3 W1 FTKN CE
Weight	21 g	21 g
Order quantity multiples	5 PC	5 PC

MADE IN GERMANY

Welding Protection

uvex astrospec 2.0



9164141



9164143



9164146



9164145



9164144

uvex astrospec 2.0

- innovative development of the world's most popular uvex astrospec safety spectacles
- perfect colour recognition
- panoramic polycarbonate lens with integrated side shield for optimum protection of the whole eye
- fully adjustable side arms enable wearers to achieve a customised fit: multi-level side arm inclination and four different side arm lengths adjust to suit any facial shape
- uvex ventilation system with integrated brow guard for added comfort
- soft, non-slip ear pieces (uvex duo component technology) for pressure free fit
- fits easily into breast pocket thanks to flat-fold design

uvex astrospec 2.0					
Art. no.	9164141	9164143	9164144	9164145	9164146
Version	uvex infradur plus	uvex infradur plus	uvex infradur plus	uvex infradur plus	uvex infradur plus
	welding protection level 1.7	welding protection level 3	welding protection level 4	welding protection level 5	welding protection level 6
Standard	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Frame	black, green	black, green	black, green	black, green	black, green
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC grey	PC grey	PC grey	PC grey	PC grey
	UV400 + IR	UV400 + IR	UV400 + IR	UV400 + IR	UV400 + IR
	1.7 W1 FTKN CE	3 W1 FTKN CE	4 W1 FTKN CE	5 W1 FTKN CE	6 W1 FTKN CE
Weight	42 g	42 g	42 g	42 g	42 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC	5 PC

Welding Protection

uvex futura



uvex futura

- classic welding protection spectacles with outstanding coverage
- perfect colour recognition
- fully adjustable side arms enable wearers to achieve a customised fit: multi-level side arm inclination and four different side arm lengths adjust to suit any facial shape
- soft, duo-flex ear pieces for a pressure free fit

uvex futura					
Art. no.	9180141	9180143	9180144	9180145	9180146
Version	uvex infradur welding protection level 1.7	uvex infradur welding protection level 3	uvex infradur welding protection level 4	uvex infradur welding protection level 5	uvex infradur welding protection level 6
Standard	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Frame	black, green W 166 F CE	black, green W 166 F CE	black, green W 166 F CE	black, green W 166 F CE	black, green W 166 F CE
Lens	PC grey UV400 + IR 1.7 W1 FTK CE	PC grey UV400 + IR 3 W1 FTK CE	PC grey UV400 + IR 4 W1 FTK CE	PC grey UV400 + IR 5 W1 FTK CE	PC grey UV400 + IR 6 W1 FTK CE
Weight	49 g	49 g	49 g	49 g	49 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC	5 PC

Welding Protection

uvex 9116



9116041



9116043



9116045



9116044



9116046

uvex 9116

- compact welding safety spectacles with a close fit and anatomically shaped nose bridge
- side shields and integrated brow guard design for increased protection
- perfect colour recognition
- specially-shaped frames provide protection against particles from below
- fully adjustable side arms enable wearers to achieve a customised fit: multi-level side arm inclination and four different side arm lengths adjust to suit any facial shape
- adjustable, soft and comfortable ear pieces

uvex 9116					
Art. no.	9116041	9116043	9116044	9116045	9116046
Version	uvex infradur welding protection level 1.7	uvex infradur welding protection level 3	uvex infradur welding protection level 4	uvex infradur welding protection level 5	uvex infradur welding protection level 6
Standard	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Frame	black, green W 166 S CE	black, green W 166 S CE	black, green W 166 S CE	black, green W 166 S CE	black, green W 166 S CE
Lens	PC grey UV400 + IR 1.7 W1 FTK CE	PC grey UV400 + IR 3 W1 FTK CE	PC grey UV400 + IR 4 W1 FTK CE	PC grey UV400 + IR 5 W1 FTK CE	PC grey UV400 + IR 6 W1 FTK CE
Weight	27 g	27 g	27 g	27 g	27 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC	5 PC



Welding Protection

uvex 9104



9104041



9104043



9104044



9104045



9104046

uvex 9104

- compact welding safety spectacles with a close fit and anatomically shaped nose bridge
- side shields and integrated brow guard design for increased protection
- with flip-up and easily replaceable filter
- perfect colour recognition
- specially-shaped frames provide protection against particles from below
- fully adjustable side arms enable wearers to achieve a customised fit: multi-level side arm inclination and four different side arm lengths adjust to suit any facial shape
- adjustable, soft and comfortable ear pieces

uvex 9104					
Art. no.	9104041	9104043	9104044	9104045	9104046
Flip-up replacement part	9104081	9104083	9104084	9104085	9104086
Version	uvex supravision plus with flip-up and easily replaceable filter	uvex supravision plus with flip-up and easily replaceable filter	uvex supravision plus with flip-up and easily replaceable filter	uvex supravision plus with flip-up and easily replaceable filter	uvex supravision plus with flip-up and easily replaceable filter
Standard	EN 166, EN 169, EN 170	EN 166, EN 169, EN 170	EN 166, EN 169, EN 170	EN 166, EN 169, EN 170	EN 166, EN 169, EN 170
Frame	black, green W 166 S CE	black, green W 166 S CE	black, green W 166 S CE	black, green W 166 S CE	black, green W 166 S CE
Lens	PC clear UV400	PC clear UV400	PC clear UV400	PC clear UV400	PC clear UV400
Additional lens	2-1.2 W1 FKN CE PC grey, UV400 + IR uvex infradur, 1.7 W1 FTK CE welding protection level 1.7	2-1.2 W1 FKN CE PC grey, UV400 + IR uvex infradur, 3 W1 FTK CE welding protection level 3	2-1.2 W1 FKN CE PC grey, UV400 + IR uvex infradur, 4 W1 FTK CE welding protection level 4	2-1.2 W1 FKN CE PC grey, UV400 + IR uvex infradur, 5 W1 FTK CE welding protection level 5	2-1.2 W1 FKN CE PC grey, UV400 + IR uvex infradur, 6 W1 FTK CE welding protection level 6
Weight	42 g	42 g	42 g	42 g	42 g
Order quantity multiples	5 PC	5 PC	5 PC	5 PC	5 PC

MADE IN GERMANY

Welding Protection

uvex 9161 · uvex super f OTG



uvex 9161

- welding overspecs for wearers of prescription glasses
- perfect colour recognition
- fully adjustable side arms enable wearers to achieve a customised fit:
multi-level side arm inclination and four different side arm lengths adjust to suit any facial shape
- unrestricted peripheral vision
- pressure-free fit with soft uvex duoflex arms

uvex 9161					
Art. no.	9161141	9161143	9161144	9161145	9161146
Version	uvex infradur	uvex infradur	uvex infradur	uvex infradur	uvex infradur
Standard	welding protection level 1.7	welding protection level 3	welding protection level 4	welding protection level 5	welding protection level 6
Frame	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Lens	black, green	black, green	black, green	black, green	black, green
Weight	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F CE
Order quantity multiples	PC grey	PC grey	PC grey	PC grey	PC grey
	UV400 + IR	UV400 + IR	UV400 + IR	UV400 + IR	UV400 + IR
	1.7 W1 FT CE	3 W1 FT CE	4 W1 FT CE	5 W1 FT CE	6 W1 FT CE
	46 g	46 g	46 g	46 g	46 g
	5 PC	5 PC	5 PC	5 PC	5 PC



uvex super f OTG

- welding overspecs with arm-hinge concept for wearers of prescription glasses
- perfect colour recognition
- unrestricted peripheral vision
- soft arm ends for increased comfort

uvex super f OTG			
Art. no.	9169541	9169543	9169545
Version	uvex infradur plus	uvex infradur plus	uvex infradur plus
Standard	welding protection level 1.7	welding protection level 3	welding protection level 5
Frame	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Lens	black, green	black, green	black, green
Weight	W 166 FT CE	W 166 FT CE	W 166 FT CE
Order quantity multiples	PC grey	PC grey	PC grey
	UV400 + IR	UV400 + IR	UV400 + IR
	1.7 W1 FTKN CE	3 W1 FTKN CE	5 W1 FTKN CE
	39 g	39 g	39 g
	5 PC	5 PC	5 PC

MADE IN GERMANY

Welding Protection

uvex ultrasonic flip-up · uvex ultravision



9302043



9302045



uvex ultrasonic flip-up

- welding goggles in sporty design, can also be worn over prescription spectacles
- lenses can be changed
- perfect colour recognition
- with flip-up and easily replaceable filter
- high mechanical strength (B: 120 m/s)
- wide panoramic field of vision
- a combination of hard and soft components create soft, effect, pressure free seal for comfortable all day wear
- indirect ventilation

uvex ultrasonic		
Art. no.	9302043	9302045
Replacement lens flip-up	9302083	9302085
Version	uvex supravision excellence with flip-up and easily replaceable filter	uvex supravision excellence with flip-up and easily replaceable filter
Standard	EN 166, EN 169, EN 170	EN 166, EN 169, EN 170
Frame	black, green W 166 34 B CE	black, green W 166 34 B CE
Lens	PC clear, UV400 2C-1.2 W1 BKN CE	PC clear, UV400 2C-1.2 W1 BKN CE
Additional lens	PC grey, UV400 + IR uvex infradur 3 W1 CE welding protection level 3	PC grey, UV400 + IR uvex infradur 5 W1 CE welding protection level 5
Weight	123 g	123 g
Order quantity multiples	4 PC	4 PC



9301145

uvex ultravision

- classic style welding goggle with unrestricted field of vision
- can be worn over prescription spectacles
- perfect colour recognition
- indirect ventilation

uvex ultravision	
Art. no.	9301145
Version	uvex infradur plus welding protection level 5
Standard	EN 166, EN 169
Frame	black W 166 3 BT CE
Lens	PC grey UV400 + IR 5 W1 BTKN CE
Weight	131 g
Order quantity multiples	4 PC

Accessories

uvex cleaning accessories



9970005



9972101



9963000

uvex spectacle cleaning station

- including
- 2 x 9971000
- 1 x 9972103
- 1 x 9973101

uvex spectacle cleaning station	
Art. no.	9970005
Order unit	PC

Plastic pump	
Art. no.	9973101
Order unit	PC

Plastic pump

- for uvex cleaning fluid 9972103

uvex cleaning fluid

- 0.5 l cleaning fluid
- suitable for all viewing lenses

uvex cleaning fluid	
Art. no.	9972103
Content	500 ml
Order unit	PC

Cleaning papers

- replacement silicone-free paper
- approx. 760 sheets
- antistatic
- suitable for all uvex lenses

Cleaning papers	
Art. no.	9971000
Order unit	PC

Magnetic wall bracket

- for easy mounting of the uvex cleaning station (9970005)

Magnetic wall bracket	
Art. no.	9963004
Order unit	PC

uvex cleaning fluid

- Note:
- does not fit in the uvex spectacle cleaning station (9970005 and 9970002)

uvex cleaning fluid	
Art. no.	9972101
Content	500 ml
Order unit	PC

- Note:
- spare parts for 9970002

uvex cleaning fluid	
Art. no.	9972100
Content	500 ml
Order unit	PC

Plastic pump	
Art. no.	9973100
Order unit	PC

Spare parts for uvex cleaning station 9970002 only

uvex lens cleaning towelettes

- 100 towelettes per box
- silicone-free
- not antistatic
- individually sealed
- for all uvex lenses

uvex cleaning towelettes	
Art. no.	9963000
Order unit	PC

- wall mount for individually sealed lens cleaning wipes
- assembly accessories included

Wall mount	
Art. no.	9963001
Order unit	PC



9972103



9971000



9973101



9963004



9963001

Accessories

uvex display · uvex microfibre cloth · uvex SECU Box



9957503

uvex display

- with integrated mirror
- for four safety spectacles and one pair of wide-vision goggles

uvex Display	
Art. no.	9957503
Order unit	PC



9972130

uvex microfibre cloth

- for cleaning spectacle and goggle lenses

uvex microfibre cloth	
Art. no.	9972130
Order unit	BG
Content	5 PC



9957502

uvex SECU box

- storage box for wall assembly
- for spectacles and goggles:
2 goggles or
3 spectacles or
1 goggles and 2 spectacles

uvex SECU box	
Art. no.	9957502
Order unit	PC

Accessories

uvex safety eyewear cases



9954600

uvex eyewear case

- hard shell case in modern design
- extremely robust design to protect against external damage
- soft interior
- belt loop for ease of carrying
- practical snap hook
- specially for curved spectacles (e.g. uvex i-vo)

uvex eyewear case	
Art. no.	9954600
Order quantity multiples	5 PC



9954500

uvex eyewear case

- extremely robust case
- reinforced zip for extra strength
- belt loop
- extra space for replacement lens
- suitable for all uvex spectacles

uvex eyewear case	
Art. no.	9954500
Order quantity multiples	5 PC



9954501

uvex eyewear case

- goggle case with zip and belt loop
- large and very robust
- extra space for replacement lens
- suitable for spectacles and goggles

uvex eyewear case	
Art. no.	9954501
Order quantity multiples	5 PC



Accessories

uvex safety eyewear cases · uvex carry case



6118002



9954650



9954355



9954360



9954326

uvex eyewear case

- flexible case made from robust nylon material
- extendable zip on side to increase space
- individually adjustable hook-and-loop fastener
- comes with belt loop
- suitable for all spectacles

uvex eyewear case	
Art. no.	6118002
Order quantity multiples	1 PC

uvex eyewear case

- flexible case made from robust nylon material
- individually adjustable hook-and-loop fastener
- comes with belt loop
- for goggle models

uvex eyewear case	
Art. no.	9954650
Order quantity multiples	5 PC

uvex microfibre case

- elegant microfibre case
- for uvex spectacles models

uvex microfibre case	
Art. no.	9954355
Order quantity multiples	5 PC

- elegant microfibre case
- for uvex goggles and overspecs

uvex microfibre case	
Art. no.	9954360
Order quantity multiples	5 PC

uvex carry case

- with adjustable storage compartments (Velcro)
- also suitable for goggles
- Spectacles capacity: 12 units (3 x 4)

- colour: black
- with length-adjustable shoulder strap

uvex carry case	
Art. no.	9954326
Order unit	1 PC

Accessories

uvex hang-cords · uvex headband



9958017



9958003

uvex eyewear cord

- suitable for all uvex safety spectacles (except for the duoflex side arms)
- adjustment toggle for individual length adjustment

uvex eyewear cord	
Art. no.	9958017
Order quantity multiples	5 PC

uvex headband

- fully adjustable
- metal-free

uvex headband	
Art. no.	9958003
Order quantity multiples	5 PC



9958020



9958009

uvex pheos headband

- for attaching to uvex pheos standard and uvex pheos small
- metal-free
- individual length adjustment

uvex pheos headband	
Art. no.	9958020
Order quantity multiples	5 PC

uvex i-3 eyewear cord

- eyewear cord for uvex i-3 and uvex i-3 s


uvex i-3 eyewear cord	
Art. no.	9958009
Order quantity multiples	5 PC

see page 34, 35

see page 32, 33

Accessories

uvex hang-cords · uvex headband



9959003

uvex eyewear cord

- individual length adjustment

uvex eyewear cord	
Art. no.	9959003
Order quantity multiples	5 PC



9959004

uvex eyewear cord

- metal-free
- individual length adjustment

uvex eyewear cord	
Art. no.	9959004
Order quantity multiples	5 PC



9959002

uvex eyewear cord

- suitable for all uvex spectacles

uvex eyewear cord	
Art. no.	9959002
Order quantity multiples	10 PC



9958023

















uvex x-fit headband

- for attaching to uvex x-fit and uvex x-fit pro
- individual length adjustment
- metal-free

uvex x-fit headband	
Art. no.	9958023
Order quantity multiples	5 PC

see page 25

Cord/case matrix

Model	Name	Cords/straps								Cases							
																	
9104	uvex 9104	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9116	uvex 9116	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9134	uvex meteor	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9137	uvex ceramic	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9155	uvex mercury	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9159	uvex winner	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9160	uvex i-vo	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9161	uvex 9161	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9164	uvex astrospec 2.0	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9169	uvex super OTG	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9169	uvex super f OTG	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9172	uvex super g	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9175	uvex skyguard NT	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9178	uvex super fit	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9180	uvex futura	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9183	uvex i-5	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9188	uvex cybric	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9188	uvex cyberguard	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9190	uvex i-3 / i-3 s	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9192	uvex pheos / pheos s	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9192	uvex pheos guard / s	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9193	uvex sportstyle	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9194	uvex i-works	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9195	uvex skyper	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9197	uvex skyper sx2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9198	uvex pheos cx2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9199	uvex x-fit	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9199	uvex x-fit pro	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9231	uvex polavision	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9301	uvex ultravision	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
9302	uvex ultrasonic	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
9305	uvex 9305	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
9307	uvex carbonvision	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9308	uvex u-sonic	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
9309	uvex pheos cx2 sonic	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
9320	uvex megasonic	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
9405	uvex 9405	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2 goggles or 3-4 spectacles
or 1 goggles + 2 spectacles

compatible
 not compatible



Applications

Always the perfect solution

■ Mechanical risk
 ■ Chemical risk
 ■ Optical risk

Working conditions	Eyewear model	Lens material	Lens tint	Lens coating
Light and precision engineering	Spectacles	PC	clear	uvex supravision AR (anti-reflet) uvex supravision excellence
Assembly, maintenance	Spectacles	PC	clear	uvex supravision excellence
Grinding, angle grinding	Spectacles Goggles	PC	clear	uvex supravision excellence uvex supravision extreme
Turning, milling	Spectacles	PC	clear	uvex supravision excellence
Dusty environments	Goggles	PC	clear	uvex supravision excellence uvex supravision extreme
Foundry cleaning	Goggles	PC	clear	uvex supravision excellence uvex supravision extreme
Forestry and agriculture	Spectacles	PC	clear amber grey 23%	uvex supravision excellence uvex supravision extreme
Laboratory	Spectacles Goggles	PC CA	clear	uvex supravision sapphire uvex supravision excellence
Working with acids and galvanic media	Goggles	PC CA	clear	uvex supravision excellence uvex supravision extreme
Spot welding, soldering oxygene cutting gas welding, braze welding Welders assistant foundries furnaces	Spectacles Goggles	PC	welding shade	uvex infradur uvex infradur plus
Outdoors – sunglare	Spectacles	PC	grey brown silver mirror	uvex supravision excellence uvex supravision extreme
Offshoring / maritime	Spectacles	PC	variomatic polavision	uvex supravision variomatic uvex polavision
Strong lighting, glare	Spectacles	PC	CBR 65 silver mirror 53%	uvex supravision excellence uvex supravision extreme
Mixed lighting	Spectacles	PC	clear	uvex supravision AR (anti-reflet)
Sterile working conditions	Spectacles Overspecs	PC	clear	uvex supravision CR
Oil and gas	Spectacles Overspecs Goggles	PC	clear	uvex supravision plus
Plant visitors	Spectacles Overspecs	PC	clear	uvex supravision excellence uvex supravision sapphire uncoated

Safety Eyewear

Overview

Model	Name	Product	Order quantity multiples/ Order unit	uvex supravision sapphire	supravision plus	uvex supravision excellence	uvex supravision extreme	uvex supravision ETC	uvex supravision clean	uvex supravision AR	Silver mirror, inside anti-fog	uvex supravision variomatic	uvex infradur	uvex infradur plus	CA uncoated	CA anti-fog on the inside	Scratch-resistant on both sides	Scratch-resistant + anti-fog	Uncoated	Page
9104	uvex 9104	Safety spectacles – welding protection	5 PC		■								■							63
9104	uvex 9104	Replacement lenses Flip-up	5 PC										■							63
9116	uvex 9116	Safety spectacles – welding protection	5 PC										■							62
9134	uvex meteor	Plastic temple spectacles	5 PC	■															■	42
9137	uvex ceramic	Metal temple spectacles	5 PC	■																44
9155	uvex mercury	Metal temple spectacles	5 PC	■																44
9159	uvex winner	Metal temple spectacles	5 PC														■	■		44
9160	uvex i-vo	Plastic temple spectacles	5 PC	■	■	■														40
9160	uvex i-vo	Safety spectacles – welding protection	5 PC											■						59
9161	uvex 9161	Plastic temple spectacles	5 PC	■	■														■	46
9161	uvex 9161	Safety spectacles – welding protection	5 PC										■							64
9164	uvex astrospec 2.0	Plastic temple spectacles	5 PC	■	■	■	■													37
9164	uvex astrospec 2.0	Safety spectacles – welding protection	5 PC											■						60
9169	uvex super OTG	Plastic temple spectacles	5 PC	■		■														46
9169	uvex super f OTG	Plastic temple spectacles	5 PC	■		■														47
9169	uvex super f OTG	Plastic temple spectacles	PC									■								47
9169	uvex super f OTG	Plastic temple spectacles UV 525	5 PC	■																47
9169	uvex super f OTG CR	Plastic temple spectacles	5 PC						■											52
9169	uvex super f OTG	Safety spectacles – welding protection	5 PC											■						64
9172	uvex super g	Plastic temple spectacles	5 PC	■	■	■														38
9172	uvex super g	Replacement lenses	5 PC			■														38
9175	uvex skyguard NT	Plastic temple spectacles	5 PC			■	■													43
9178	uvex super fit	Plastic temple spectacles	5 PC	■	■	■														39
9178	uvex super fit ETC	Plastic temple spectacles	5 PC					■												39
9178	uvex super fit CR	Plastic temple spectacles	5 PC						■											39
9178	uvex super fit	Replacement lenses	5 PC			■														39
9178	uvex super fit	Safety spectacles – welding protection	5 PC											■						59
9180	uvex futura	Plastic temple spectacles	5 PC	■	■															42
9180	uvex futura	Safety spectacles – welding protection	5 PC										■							61
9183	uvex i-5	Plastic temple spectacles	5 PC			■														23
9183	uvex i-5	Extra frame	20 PC																	23
9188	uvex cybric	Plastic temple spectacles	5 PC	■	■															42
9188	uvex cyberguard	Plastic temple spectacles	5 PC		■															42
9190	uvex i-3/uvex i-3 s	Plastic temple spectacles	5 PC	■	■	■				■	■									34/35
9190	uvex i-3	Plastic temple spectacles	PC									■								34
9190	uvex i-3/uvex i-3 s	Extra frame	20 PC																	34
9192	uvex pheos/uvex pheos s	Plastic temple spectacles	5 PC		■	■	■				■									32/33
9192	uvex pheos guard/uvex pheos s guard	uvex pheos headband version	4 PC				■													32/33
9192	uvex pheos/uvex pheos s	Extra frame	20 PC																	33
9193	uvex sportstyle	Plastic temple spectacles	5 PC		■	■	■			■	■									29
9193	uvex sportstyle	Plastic temple spectacles	PC									■								29
9194	uvex i-works	Plastic temple spectacles	5 PC			■					■									36
9195	uvex skyper	Plastic temple spectacles	5 PC	■		■														41
9195	uvex skyper	Replacement lenses	5 PC			■														41
9197	uvex skyper sx2	Plastic temple spectacles	5 PC	■		■														41
9198	uvex pheos cx2	Plastic temple spectacles	5 PC	■		■	■					■								30
9199	uvex x-fit	Plastic temple spectacles	5 PC	■		■														27



Model	Name	Product	Order quantity multiples/ Order unit	uvex supravision sapphire	supravision plus	uvex supravision excellence	uvex supravision extreme	uvex supravision ETC	uvex supravision clean	uvex supravision AR	Silver mirror, inside anti-fog	uvex supravision variomatic	uvex infradur	uvex infradur plus	CA uncoated	CA anti-fog on the inside	Scratch-resistant on both sides	Scratch-resistant + anti-fog	Uncoated	Page
9199	uvex x-fit pro	Plastic temple spectacles	5 PC	■		■														25
9199	uvex x-fit pro (without Slider)	Plastic temple spectacles	5 PC			■														25
9199	uvex x-fit/uvex x-fit pro	Extra frame	20 PC																	25/27
9231	uvex polavision	Plastic temple spectacles	PC														■			43
9301	uvex ultravision	Safety goggles	4 PC		■	■										■				54/55
9301	uvex ultravision	Replacement lenses	4 PC		■											■				54/55
9300	uvex ultravision	Tear-off films	10 PC																	55
9301	uvex ultravision faceguard	Safety goggles	4 PC			■														56
9301	uvex ultravision	Goggles with helmet attachment	4 PC													■				56
9301	uvex ultravision	Mouth shield	PC																■	56
9301	uvex ultravision	Safety goggles – welding protection	4 PC											■						65
9302	uvex ultrasonic	Safety goggles	4 PC			■	■													53
9302	uvex ultrasonic	Replacement lenses	4 PC			■														53
9302	uvex ultrasonic	Goggles with helmet attachment	4 PC				■													56
9302	uvex ultrasonic CR	Safety goggles	4 PC						■											52/53
9302	uvex ultrasonic flip-up	Safety goggles – welding protection	4 PC			■							■							65
9302	uvex ultrasonic flip-up	Replacement lenses	4 PC										■							65
9305	uvex 9305	Safety goggles	4 PC													■				57
9307	uvex carbonvision	Safety goggles	5 PC				■													57
9308	uvex u-sonic	Safety goggles	5 PC		■	■	■													51
9308	uvex u-sonic	Safety goggles	5 PC	■																51
9309	uvex pheos cx2 sonic	Safety goggles	5 PC				■													50
9320	uvex megasonic	Safety goggles	4 PC			■														49
9405	uvex 9405	Safety goggles	4 PC													■				57
9405	uvex 9405	Replacement lenses	4 PC													■				57
6118		Safety eyewear case	5 PC																	69
9972		Microfibre cloth	BG																	67
9954		Safety eyewear case	5 PC																	68/69
9954		Carry case	PC																	69
9954		Carry case	5 PC																	69
9957		Display	PC																	67
9957		SECU box	PC																	67
9958	uvex x-fit/x-fit pro	Comfort Slider	BG (incl. 5 PR)																	27
9958		Neck hang cord	5 PC																	70
9958		Headband	5 PC																	70
9958	uvex pheos/uvex pheos s	Headband	5 PC																	33/70
9958	uvex i-3/uvex i-3s	Neck hang cord	5 PC																	35/70
9958	uvex x-fit/x-fit pro	Headband	5 PC																	25/71
9959		Neck hang cord	5/10 PC																	71
9963		Cleaning towelettes	PC																	66
9963		Wall holder	PC																	66
9963		Magnetic wall bracket	PC																	66
9970		Cleaning station	PC																	66
9971		Replacement cleaning papers	PC																	66
9972		Cleaning fluid	PC																	66
9973		Plastic pump	PC																	66
9999	uvex x-fit/x-fit pro	uvex LED mini light including adapter (right and left)	PC																	25

laservision

Innovative laser protection solutions



Laser protection goggles and cabin windows

Due to its physical properties of laser light, such as radiation intensity and focusing coherence, it is potentially hazardous especially for the eyes, particularly for the eyes. In response to these risks, the valid laser protection standards (EN 207 and EN 208) and safety regulations (OStrV and TROS Laser) prescribe the use of laser protection eyewear. The core focus of the laservision product portfolio is laser protection eyewear with special coated or absorbent lenses and plastics. We have more than 30 years of experience of laser technology. The laservision range also offers many of these filter materials as windows (in accordance with DIN EN 60825-4) for installation in machine housings or partitions.



Screens

Alternatively, it is possible to screen out laser radiation by mechanical means to protect potentially endangered change to: at risk personnel during laser operation Screens against laser radiation may take the form of curtains, partitions or even fixed insulating walls. These can be installed in the workplace, or they may be integrated in machinery housing. laservision offers standard and customer-specific solutions for screening in compliance with the applicable standards. Due to the wide range of materials and solutions available, we work with our customers on their sites to determine the best possible solutions for identified laser radiation risks.

laservision

LASERVISION GmbH & Co. KG
Phone: +49 911 9736-8100
E-Mail: info@lvlg.com · uvex-laservision.de

